

brand new day

---

A Bright HealthCare Company



# 2022 FORMULARY

(List of Covered Drugs)



# brand new day

A Bright HealthCare Company



# 2022 FORMULARY

(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE  
DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 22098, Version Number 12

This formulary was updated on July 1, 2022. For more recent information or other questions, please contact Brand New Day Member Services at 1-866-255-4795 or, for TTY users 711. Hours are: Monday - Friday 8am -8pm and 7 days a week from October 1 - March 31 from 8am - 8pm or visit [www.bndhmo.com](http://www.bndhmo.com).

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Brand New Day. When it refers to “plan” or “our plan,” it means Brand New Day.

This document includes list of the drugs (formulary) for our plan which is current as of July 1, 2022. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2023, and from time to time during the year.

## **What is the Brand New Day Formulary?**

A formulary is a list of covered drugs selected by Brand New Day in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Brand New Day will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Brand New Day network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the Formulary (drug list) change?**

Most changes in drug coverage happen on January 1, but Brand New Day may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions.

## **Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:**

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - o If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled “How do I request an exception to the Brand New Day Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier.

Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a day supply of the drug.

- o If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Brand New Day Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2022 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2022 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of July 1, 2022. To get updated information about the drugs covered by Brand New Day, please contact us. Our contact information appears on the front and back cover pages.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

## Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular agents. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

## Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

Brand New Day covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Brand New Day requires you [or your physician] to get prior authorization for certain drugs. This means that you will need to get approval from Brand New Day before you fill your prescriptions. If you don't get approval, Brand New Day may not cover the drug.
- **Quantity Limits:** For certain drugs, Brand New Day limits the amount of the drug that Brand New Day will cover. For example, Brand New Day provides 18 tablets per prescription for *sumatriptan succinate oral*. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Brand New Day requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Brand New Day may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Brand New Day will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page vi. You can also get more information about the restrictions applied to specific covered drugs by visiting our website, we have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Brand New Day to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Brand New Day formulary?" on page iv for information about how to request an exception.

## What are over-the counter (OTC) drugs?

OTC drugs are non-prescription drugs that are not normally covered by a Medicare Prescription Drug Plan. Brand New Day pays for certain OTC drugs. Brand New Day will provide these OTC drugs at no cost to you. The cost to Brand New Day of these OTC drugs will not count toward your total Part D drug costs, the cost of the OTC drugs does not count for the coverage gap.

## What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Brand New Day does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Brand New Day. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Brand New Day.
- You can ask Brand New Day to make an exception and cover your drug. See below for information about how to request an exception.

## How do I request an exception to the Brand New Day Formulary?

You can ask Brand New Day to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Brand New Day limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Brand New Day will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If

your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30 day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30 day supply of medication. After your first 30 day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Members who change treatment settings due to changes in level of care are also considered in Transition. These members will be provided with an appropriate transition refill.

## **For more information**

For more detailed information about your Brand New Day prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Brand New Day, please contact us. Our contact information, along with the date we last updated the formulary errata sheets, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## **Brand New Day Formulary**

The formulary provides coverage information about some of the drugs covered by Brand New Day. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., Januvia) and generic drugs are listed in lower-case italics (e.g., *celecoxib*).

The information in the Requirements/Limits column tells you if Brand New Day has any special requirements for coverage of your drug.

The following may be found within the “Tier” or “Requirements/Limits” columns of the formulary:

Abbreviation	Description	Explanation
<b>Drug Tier</b>		
1	Tier 1	Preferred Generic
2	Tier 2	Generic
3	Tier 3	Preferred Brand
4	Tier 4	Non-Preferred Drug (brands & generics)
5	Tier 5	Specialty
6	Tier 6	Select Care Drug
<b>Utilization Management Restrictions</b>		
PA	Prior Authorization Restriction	You (or your provider) are required to get authorization from Brand New Day before you fill your prescription for this drug. Without prior approval, Brand New Day may not cover this drug.
PA BvD	Part D vs. Part B Only	This drug may be eligible for payment under Medicare Part B or Part D. You (or your provider) are required to get prior authorization from Brand New Day to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, Brand New Day may not cover this drug.
PA NSO	Prior Authorization Restriction for New Starts Only	If you are a new member or if you have not taken this drug before, you (or your provider) are required to get prior authorization from Brand New Day before you fill your prescription for this drug. Without prior approval, Brand New Day may not cover this drug.
QL	Quantity Limit Restriction	Brand New Day limits the amount of this drug that is covered per prescription, or within a specific time frame.
ST	Step Therapy Restriction	Before Brand New Day will provide coverage for this drug, you must first try another drug(s) to treat your condition. This drug may only be covered if the other drug(s) does not work for you.
<b>Other Special Requirements for Coverage</b>		
EX	Excluded Part D Drug	This prescription drug is not normally covered in a Medicare Prescription Drug Plan. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug.
LA	Limited Access Drug	This drug may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Member Services at 866-255-4795, Monday - Friday 8 am - 8 pm and 7 days a week from October 1-March 31 from 8 am - 8pm. TTY/TDD dial 711.
GC	Gap Coverage	We provide coverage of this drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.
NM	Non-Mail Order Drug	You may be able to receive greater than a 1-month supply of most of the drugs on your formulary via mail order at a reduced cost share. Drugs <u>not</u> available via mail order are noted with “NM” in the Requirements/Limits column of your formulary.



Abbreviation	Description	Explanation
NDS	Non-Extended Days' Supply	Brand New Day limits this drugs that is covered within a specific time frame. <i>(30 day supply Retail and 31 day supply Long Term Care).</i>
CB	Capped Benefit	This drug is part of a Capped Benefit
SI	Select Insulins	This insulin is part of the Senior Savings Model Program which lowers the cost of certain insulins up to and during the coverage gap.

## Table of Contents

Analgesics.....	3
Anesthetics.....	7
Anti-Addiction/Substance Abuse Treatment Agents.....	8
Antianxiety Agents.....	9
Antibacterials.....	10
Anticancer Agents.....	18
Anticonvulsants.....	34
Antidementia Agents.....	39
Antidepressants.....	39
Antidiabetic Agents.....	42
Antifungals.....	47
Antigout Agents.....	49
Antihistamines.....	49
Anti-Infectives (Skin And Mucous Membrane).....	50
Antimigraine Agents.....	50
Antimycobacterials.....	51
Antinausea Agents.....	52
Antiparasite Agents.....	53
Antiparkinsonian Agents.....	54
Antipsychotic Agents.....	56
Antivirals (Systemic).....	62
Blood Products/Modifiers/Volume Expanders.....	69
Caloric Agents.....	73
Cardiovascular Agents.....	75
Central Nervous System Agents.....	86
Contraceptives.....	90
Dental And Oral Agents.....	99
Dermatological Agents.....	99
Devices.....	104
Enzyme Replacement/Modifiers.....	144
Eye, Ear, Nose, Throat Agents.....	146
Gastrointestinal Agents.....	150
Genitourinary Agents.....	154
Heavy Metal Antagonists.....	155
Hormonal Agents, Stimulant/Replacement/Modifying.....	156
Immunological Agents.....	162

Inflammatory Bowel Disease Agents.....	172
Metabolic Bone Disease Agents.....	173
Miscellaneous Therapeutic Agents.....	175
Ophthalmic Agents.....	177
Replacement Preparations.....	178
Respiratory Tract Agents.....	180
Skeletal Muscle Relaxants.....	185
Sleep Disorder Agents.....	186
Vasodilating Agents.....	186

Drug Name	Drug Tier	Requirements/Limits
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	1	GC; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	2	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	QL (180 per 30 days)
<i>buprenorphine hcl injection solution</i> (Buprenex) 0.3 mg/ml	2	
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml	2	
<i>butalbital-acetaminophen-caff oral</i> (Esgic) <i>tablet 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral</i> <i>capsule 50-325-40 mg</i>	4	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral</i> <i>tablet 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>codeine sulfate oral tablet 30 mg, 60 mg</i>	2	QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg</i> (oxycodone-acetaminophen)	2	QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i> (oxycodone-acetaminophen)	2	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i> (oxycodone-acetaminophen)	2	QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq)	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i> (Actiq)	3	PA; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour</i> 100 mcg/1hr	3	QL (10 per 30 days)
<i>fentanyl transdermal patch 72 hour</i> 12 mcg/1hr, 25 mcg/1hr, 50 mcg/1hr, 75 mcg/1hr	2	QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	4	QL (2700 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	
<i>hydromorphone oral liquid 1 mg/ml (Dilaudid)</i>	2	QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)</i>	2	QL (180 per 30 days)
<b>LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY</b>	5	PA; NM; NDS; QL (30 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg (methadone)</i>	2	QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	QL (300 per 30 days)
<b>MORPHINE ORAL TABLET 15 MG</b>	4	QL (180 per 30 days)
<b>MORPHINE ORAL TABLET 30 MG</b>	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg (MS Contin)</i>	2	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg (MS Contin)</i>	2	QL (90 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	4	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oxycodone oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)	2	QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	3	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone)	3	QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	GC; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	2	QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	QL (240 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i> (Cataflam)	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg</i>	2	QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	4	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram lactuation(2 %)</i> (Pennsaid)	5	PA; NM; NDS; QL (224 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	4	
<i>etodolac oral tablet 400 mg</i> (Lodine)	4	
<i>etodolac oral tablet 500 mg</i>	4	
<i>flurbiprofen oral tablet 100 mg</i>	2	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> (ibuprofen)	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	GC
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	4	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i> (Relafen)	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	GC
<i>naproxen oral tablet, delayed release (drlec) 375 mg, 500 mg</i> (EC-Naprosyn)	2	
<b>PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)</b> (diclofenac sodium)	5	PA; NM; NDS; QL (224 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	2	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	GC
<i>lidocaine hcl 1% 20 mg/2 ml vl sdv, plf 10 mg/ml (1 %)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	1	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	4	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	4	PA; QL (30 per 30 days)
<b>ZTLIDO TOPICAL ADHESIVE PATCH, MEDICATED 1.8 %</b>	3	PA; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



Drug Name	Drug Tier	Requirements/Limits
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet, delayed release (drlec) 333 mg</i>	3	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	4	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	4	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG (varenicline)	3	QL (336 per 365 days)
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
LUCEMYRA ORAL TABLET 0.18 MG	5	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	3	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION (naloxone)	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	5	NM; NDS; QL (0.5 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	5	NM; NDS; QL (1.5 per 30 days)
<i>varenicline oral tablet 0.5 mg</i>	2	QL (336 per 365 days)
<i>varenicline oral tablet 1 mg</i> (Chantix Continuing Month Box)	2	QL (336 per 365 days)
<i>varenicline oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	2	
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	GC; QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	4	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	4	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	2	QL (180 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i> (Diazepam Intensol)	4	QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	3	QL (10 per 28 days)
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	4	QL (1200 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	4	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)</i>	1	GC; QL (120 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml (Ativan)</i>	1	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg (Ativan)</i>	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg (Ativan)</i>	1	GC; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg (Restoril)</i>	1	GC; QL (30 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
<b>TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG</b>	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml (Tobi)</i>	5	PA BvD; NM; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml (Bethkis)</i>	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Antibacterials, Miscellaneous</b>		
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	NM; NDS
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin)	5	NM; NDS
<b>FIRVANQ ORAL RECON SOLN 25 MG/ML</b>	4	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	3	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	3	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i> (Macrochantin)	2	QL (120 per 30 days)
<i>nitrofurantoin macrocrystal oral capsule 25 mg</i> (Macrochantin)	4	QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
<b>SYNERCID INTRAVENOUS RECON SOLN 500 MG</b>	5	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	4	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	4	QL (112 per 14 days)
<b>XIFAXAN ORAL TABLET 200 MG</b>	5	PA; NM; NDS; QL (9 per 30 days)
<b>XIFAXAN ORAL TABLET 550 MG</b>	5	PA; NM; NDS; QL (90 per 30 days)
<b>Cephalosporins</b>		
<i>cefactor oral capsule 250 mg, 500 mg</i>	2	
<i>cefactor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	4	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	3	
<i>cefixime oral capsule 400 mg</i> (Suprax)	4	
<i>cefotaxime injection recon soln 1 gram</i>	2	
<i>cefoxitin 1 gm piggyback bag 1 gram/50 ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	4	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	4	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<b>TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG</b>	5	NM; NDS
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	4	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	GC
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	GC
<i>azithromycin oral tablet 600 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NM; NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	4	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	4	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	4	
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	3	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	4	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	3	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	3	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	4	
<i>meropenem-0.9% nacl 500 mg/50 500 mg/50 ml</i>	4	
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	4	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	4	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral tablet 875-125 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	4	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	3	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	3	
<b>BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML</b>	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	2	
<i>nafcillin 2 gml 100 ml inj 2 gram/100 ml</i>	2	
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	2	
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium)	4	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i>	3	
<i>piperacillin-tazobactam intravenous recon soln 40.5 gram</i>	4	
<b>Quinolones</b>		
<b>BAXDELA ORAL TABLET 450 MG</b>	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	GC
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	4	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	4	
<i>levofloxacin oral solution 250 mg/10 ml</i>	4	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	4	
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	4	
<i>sulfamethoxazole-trimethoprim oral (Sulfatrim) suspension 200-40 mg/5 ml</i>	4	
<i>sulfamethoxazole-trimethoprim oral (Bactrim) tablet 400-80 mg</i>	1	GC
<i>sulfamethoxazole-trimethoprim oral (Bactrim DS) tablet 800-160 mg</i>	1	GC
<b>Tetracyclines</b>		
<i>doxy-100 intravenous recon soln 100 mg (doxycycline hyclate)</i>	3	
<i>doxycycline hyclate intravenous recon soln 100 mg (Doxy-100)</i>	2	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg (Morgidox)</i>	2	
<i>doxycycline hyclate oral tablet 100 mg (LymePak)</i>	2	
<i>doxycycline hyclate oral tablet 20 mg</i>	2	
<i>doxycycline monohydrate oral capsule 100 mg (Mondoxyne NL)</i>	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg (Monodox)</i>	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml (Vibramycin (mono))</i>	2	
<i>doxycycline monohydrate oral tablet 100 mg (Avidoxy)</i>	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral tablet 50 mg</i>	2	QL (60 per 30 days)
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>mondoxyne nl oral capsule 100 mg (doxycycline monohydrate)</i>	2	QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>	4	
<i>tigecycline intravenous recon soln 50 mg (Tygacil)</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
<i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG (paclitaxel protein-bound)	5	PA BvD; NM; NDS
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NM; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (doxorubicin)	2	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG (pemetrexed disodium)	5	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	GC
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	NM; NDS
<i>arsenic trioxide intravenous solution 2 mg/ml</i> (Trisenox)	5	NM; NDS
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NM; NDS
BESPONSА INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
BLENREP INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NM; NDS
<i>bortezomib injection recon soln 1 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 2.5 mg</i>	5	PA NSO; NM; NDS
BORTEZOMIB INJECTION RECON SOLN 3.5 MG (Velcade)	5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>clofarabine intravenous solution 1 mg/ml</i> (Clolar)	5	NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	4	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
ENHERTU INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	4	
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)	3	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	3	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	3	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	NM; NDS
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	PA NSO; NM; NDS
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NM; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
<i>paclitaxel protein-bound intravenous (Abraxane) suspension for reconstitution 100 mg</i>	5	PA BvD; NM; NDS
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	PA NSO; NM; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (14 per 21 days)
PEPAXTO INTRAVENOUS RECON SOLN 20 MG	5	PA NSO; NM; NDS; QL (2 per 28 days)
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	5	PA NSO; NM; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	5	PA NSO; NM; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	5	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NM; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 2.5 MG, 20 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
SCSEMBLIX ORAL TABLET 20 MG, 40 MG	5	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TARGRETIN TOPICAL GEL 1 % (bexarotene)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>thiotepa injection recon soln 100 mg, 15 mg</i> (Tepadina)	5	NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	4	QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NM; NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NM; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
UKONIQ ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS
<i>valrubicin intravesical solution 40 (Valstar) mg/ml</i>	5	NM; NDS
VELCADE INJECTION RECON (bortezomib) SOLN 3.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NM; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (20 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NM; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	4	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	4	
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	4	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	4	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	4	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	4	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	
EPRONTIA ORAL SOLUTION 25 MG/ML	4	QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	3	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	4	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	4	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fosphenytoin injection solution 100 mg pel2 ml, 500 mg pel10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	GC; QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	GC; QL (270 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	4	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	QL (200 per 5 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
<b>NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)</b>	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	4	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
<b>OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG</b>	4	ST
<b>OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG</b>	5	ST; NM; NDS
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	4	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	4	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NM; NDS
<i>rufinamide oral tablet 200 mg, 400 mg</i> (Banzel)	5	ST; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	4	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML (lacosamide)	3	QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML (lacosamide)	3	QL (1200 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 250MG/DAY(150 MG X1- 100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



Drug Name	Drug Tier	Requirements/Limits
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	4	
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	4	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	4	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	4	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	QL (60 per 30 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	ST
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	4	QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	4	
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>	4	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	GC; QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	4	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	4	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	4	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	4	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	4	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	GC
FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	4	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	4	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	4	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	4	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	GC
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4- 25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	4	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	GC
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	4	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	4	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>trazodone oral tablet 300 mg</i>	4	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	4	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
VIIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG (vilazodone)	3	QL (30 per 30 days)
VIIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NM; NDS
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5- 850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i>	6	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	6	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	6	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	GC; QL (60 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	QL (1.5 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	6	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	6	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	6	GC; QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5- 1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5- 1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10- 1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5- 1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	SI; QL (24 per 28 days)
LANTUS SOLOSTAR U-100 (insulin glargine) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
LANTUS U-100 INSULIN (insulin glargine) SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	3	SI; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	SI; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLOG FLEXPEN U-100 (insulin aspart u-100) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	SI; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 (insulin asp prt-insulin aspart) INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70- 30)	2	SI; QL (40 per 28 days)
NOVOLOG MIX 70- 30FLEXPEN U-100 (insulin asp prt-insulin aspart) SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	SI; QL (30 per 28 days)
NOVOLOG PENFILL U-100 (insulin aspart u-100) INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	SI; QL (30 per 28 days)
NOVOLOG U-100 INSULIN (insulin aspart u-100) ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	SI; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	SI; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	SI; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
<b>Sulfonylureas</b>		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	6	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	6	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glipizide oral tablet 5 mg</i>	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg</i>	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg</i>	6	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	6	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	6	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg (Glynase)</i>	6	GC
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	6	GC
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	6	GC
<b>Antifungals</b>		
<b>Antifungals</b>		
<b>ABELCET INTRAVENOUS SUSPENSION 5 MG/ML</b>	4	PA BvD
<b>AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG</b> (amphotericin b liposome)	5	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	5	PA BvD; NM; NDS
<i>caspofungin intravenous recon soln 50 mg</i> (Cancidas)	5	NM; NDS
<i>caspofungin intravenous recon soln 70 mg</i> (Cancidas)	3	
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	QL (180 per 30 days)
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	QL (19.8 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>econazole topical cream 1 %</i>	4	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	4	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	4	
<i>griseofulvin microsize oral tablet 500 mg</i>	4	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	2	QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
<b>NOXAFIL ORAL SUSPENSION</b> (posaconazole) 200 MG/5 ML (40 MG/ML)	5	PA; NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	QL (60 per 30 days)
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i> (Noxafil)	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>voriconazole intravenous recon soln</i> (Vfend IV) 200 mg	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution</i> 200 mg/5 ml (40 mg/ml) (Vfend)	5	PA; NM; NDS
<i>voriconazole oral tablet</i> 200 mg, 50 mg (Vfend)	3	
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet</i> 100 mg (Zyloprim)	1	GC
<i>allopurinol oral tablet</i> 300 mg	1	GC
<i>colchicine oral tablet</i> 0.6 mg (Colcris)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet</i> 40 mg, 80 mg (Uloric)	4	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG (colchicine)	2	QL (60 per 30 days)
<i>probenecid oral tablet</i> 500 mg	2	
<i>probenecid-colchicine oral tablet</i> 500-0.5 mg	2	
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>cyproheptadine oral syrup</i> 2 mg/5 ml	2	
<i>diphenhydramine hcl injection solution</i> 50 mg/ml	2	
<i>diphenhydramine hcl injection syringe</i> 50 mg/ml	4	
<i>diphenhydramine hcl oral elixir</i> 12.5 mg/5 ml (Diphen)	2	
<i>hydroxyzine hcl intramuscular solution</i> 25 mg/ml, 50 mg/ml	2	
<i>hydroxyzine hcl oral solution</i> 10 mg/5 ml	2	
<i>hydroxyzine hcl oral tablet</i> 10 mg, 25 mg, 50 mg	1	GC
<i>levocetirizine oral tablet</i> 5 mg (24HR Allergy Relief)	1	GC
<i>promethazine oral syrup</i> 6.25 mg/5 ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75 %</i> (Vandazole)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	4	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i> (D.H.E.45)	3	QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 5 mg</i>	2	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/lactuation</i> (Imitrex)	4	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 5 mg/lactuation</i> (Imitrex)	4	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	4	QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg</i>	2	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	4	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	4	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	4	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	4	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	4	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	4	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	4	PA BvD; QL (6 per 28 days)
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	4	
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	4	PA; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	2	
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	4	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	2	
<i>granisetron hcl intravenous solution 1 mg/ml</i>	2	
<i>granisetron hcl oral tablet 1 mg</i>	4	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	2	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	4	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)	4	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethazine rectal suppository 50 mg</i> (Promethegan)	4	
<i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine)	4	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	QL (10 per 30 days)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>albendazole oral tablet 200 mg</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	3	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	
<i>chloroquine phosphate oral tablet 250 mg</i>	4	QL (50 per 30 days)
<i>chloroquine phosphate oral tablet 500 mg</i>	4	QL (25 per 30 days)
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NM; NDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	4	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	3	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	4	
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	4	PA; QL (42 per 7 days)
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	GC
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	4	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	4	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	4	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	4	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	4	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	4	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	3	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



Drug Name	Drug Tier	Requirements/Limits
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg,</i> (Mirapex) <i>0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	4	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG	4	PA; QL (30 per 30 days)
XADAGO ORAL TABLET 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
<i>aripiprazole oral solution 1 mg/ml</i>	4	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15</i> (Abilify) <i>mg, 20 mg, 30 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	4	QL (60 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	4	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	5	ST; NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution</i> 25 <i>mg/ml</i>	2	
<i>chlorpromazine oral concentrate</i> 100 <i>mg/ml, 30 mg/ml</i>	4	
<i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	4	
<i>clozapine oral tablet</i> 100 mg (Clozaril)	2	QL (270 per 30 days)
<i>clozapine oral tablet</i> 200 mg (Clozaril)	3	QL (135 per 30 days)
<i>clozapine oral tablet</i> 25 mg (Clozaril)	3	QL (90 per 30 days)
<i>clozapine oral tablet</i> 50 mg (Clozaril)	2	QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg	4	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 150 mg	4	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 200 mg	5	ST; NM; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)- 2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	3	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	4	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	4	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	4	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 100 mg/ml</i>	3	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 50 mg/ml</i>	2	
<i>haloperidol decanoate intramuscular solution 50 mg/ml(1ml)</i>	3	
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 180 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 180 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>olanzapine intramuscular recon soln</i> (Zyprexa) 10 mg	3	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg,</i> (Zyprexa) <i>2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating</i> (Zyprexa Zydis) <i>10 mg, 15 mg, 20 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended</i> (Invega) <i>release 24hr 1.5 mg, 3 mg, 9 mg</i>	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended</i> (Invega) <i>release 24hr 6 mg</i>	4	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2</i> <i>mg, 4 mg, 8 mg</i>	4	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	3	
<i>quetiapine oral tablet 100 mg, 200</i> (Seroquel) <i>mg, 25 mg, 50 mg</i>	2	QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400</i> (Seroquel) <i>mg</i>	2	QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	2	QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	2	QL (120 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	4	QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i>	4	QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	4	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE, DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	3	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	4	
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	2	
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	5	NM; NDS
APRETUDE (cabotegravir) INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 600 MG/3 ML (200 MG/ML)	5	NM; NDS; QL (24 per 365 days)
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	3	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	3	
BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG	5	NM; NDS
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300- 300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CRIXIVAN ORAL CAPSULE 200 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 120- 15 MG, 200-25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release(drlec) 250 mg, 400 mg</i>	3	
DOVATO ORAL TABLET 50- 300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg</i> (Sustiva)	3	
<i>efavirenz oral capsule 50 mg</i> (Sustiva)	2	
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	3	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil tablet 400-300-300 mg</i> (Symfi Lo)	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil tablet 600-300-300 mg</i> (Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	3	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada)	5	NM; NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300- 150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	3	
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150- 150-200-10 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET, CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	4	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	4	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	3	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	5	NM; NDS; QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	4	
<i>nevirapine oral tablet 200 mg</i>	2	
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	4	
NORVIR ORAL POWDER IN PACKET 100 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
<b>Antivirals, Miscellaneous</b>		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	4	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PAXLOVID (EUA) ORAL TABLET 150 MG X 2- 100 MG	4	QL (30 per 5 days)
PAXLOVID (EUA) ORAL TABLET 150-100 MG	4	QL (20 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	3	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NM; NDS
<b>Nucleosides And Nucleotides</b>		
<i>acyclovir oral capsule 200 mg</i>	2	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	4	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	3	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	3	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	5	PA BvD; NM; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	5	PA BvD; NM; NDS
<i>molnupiravir oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valganciclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	4	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	
VEKLURY INTRAVENOUS RECON SOLN 100 MG (remdesivir)	5	PA BvD; NM; NDS
<b>Blood Products/Modifiers/Volume Expanders</b>		
<b>Anticoagulants</b>		
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	3	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	3	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	3	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	3	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	3	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	3	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	GC
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	GC
<b>XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)</b>	3	
<b>XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML</b>	3	QL (600 per 30 days)
<b>XARELTO ORAL TABLET 10 MG, 20 MG</b>	3	QL (30 per 30 days)
<b>XARELTO ORAL TABLET 15 MG, 2.5 MG</b>	3	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
<b>CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)</b>	5	PA; NM; NDS; QL (20 per 30 days)
<b>DOPTELET (10 TAB PACK) ORAL TABLET 20 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>DOPTELET (15 TAB PACK) ORAL TABLET 20 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>DOPTELET (30 TAB PACK) ORAL TABLET 20 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML</b>	5	PA; NM; NDS
<b>HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT</b>	5	PA; NM; NDS; QL (20 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS; QL (7 per 7 days)
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



Drug Name	Drug Tier	Requirements/Limits
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
<b>Hematologic Agents, Miscellaneous</b>		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NM; NDS
<i>protamine intravenous solution 10 mg/ml</i>	2	
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	2	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	4	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	4	QL (30 per 30 days)
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	2	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	4	
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	2	
<i>dextrose 5%-water iv soln single use</i>	1	GC
<i>dextrose 5%-water iv soln single use</i>	2	
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	4	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	4	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	4	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NM; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	
<i>methyldopa oral tablet 250 mg, 500 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	4	
<b>Angiotensin II Receptor Antagonists</b>		
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG	3	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	6	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	6	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	6	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	6	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	6	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	6	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	6	GC
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>benazepril oral tablet 5 mg</i>	6	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	6	GC
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	6	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	6	GC
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	6	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	6	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	6	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	GC
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	6	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	6	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	6	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	GC
<b>Antiarrhythmic Agents</b>		
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	GC
<i>amiodarone oral tablet 400 mg</i> (Pacerone)	4	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	4	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>lidocaine (pf) injection solution 10 mg/ml (1%)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2%), 50 mg/5 ml (1%)</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 200 mg</i> (amiodarone)	1	GC
<i>pacerone oral tablet 400 mg</i> (amiodarone)	4	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	
<i>procainamide intravenous syringe 100 mg/ml</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg</i>	1	GC
<i>quinidine sulfate oral tablet 300 mg</i>	2	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	GC
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	2	
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	4	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	4	
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	2	
<i>diltiazem 24h er(cd) 300 mg cp 300 mg</i> (Cartia XT)	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	4	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	2	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	4	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> (Verelan)	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i> (Verelan)	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	2	
<b>Cardiovascular Agents, Miscellaneous</b>		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	
<i>digoxin 250 mcg tablet 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	GC
<i>hydralazine injection solution 20 mg/ml</i>	2	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NM; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i> (Ranexa)	4	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i> (Ranexa)	4	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	5	PA; NM; NDS; QL (18 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (120 per 30 days)
<b>Dihydropyridines</b>		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	6	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	6	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	6	GC
<i>nicardipine oral capsule 20 mg, 30 mg</i>	4	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	4	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> (Adalat CC)	2	
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	4	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	2	
<i>furosemide injection syringe 10 mg/ml</i>	1	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NM; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	GC
<i>toremide oral tablet 10 mg, 100 mg, 5 mg</i>	2	
<i>toremide oral tablet 20 mg</i> (Soaanz)	2	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	GC
<b>Dyslipidemics</b>		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	6	GC; QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	3	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>colestipol oral packet 5 gram</i> (Colestid)	3	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule</i> <i>134 mg, 200 mg, 67 mg</i>	4	
<i>fenofibrate nanocrystallized oral</i> (Tricor) <i>tablet 145 mg, 48 mg</i>	2	
<i>fenofibrate nanocrystallized oral</i> <i>tablet 160 mg</i>	2	
<i>fenofibrate oral tablet 160 mg, 54</i> <i>mg</i>	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NM; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NM; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg,</i> <i>40 mg</i>	6	GC
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180- 10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	4	
<i>niacin oral tablet extended release</i> <i>24 hr 1,000 mg, 750 mg</i> (Niaspan Extended- Release)	4	
<i>niacin oral tablet extended release</i> <i>24 hr 500 mg</i> (Niaspan Extended- Release)	2	
<i>omega-3 acid ethyl esters oral</i> <i>capsule 1 gram</i> (Lovaza)	2	QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pravastatin oral tablet 20 mg, 40 mg</i>	6	GC; QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Zocor)	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	6	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	2	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	2	QL (120 per 30 days)
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	4	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	4	
<b>Vasodilators</b>		
BIDIL ORAL TABLET 20-37.5 MG (isosorbide-hydralazine)	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	2	
<i>minitran transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i> (nitroglycerin)	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i> (Nitro-Dur)	2	
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	3	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	3	QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	2	PA BvD
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
dalfampridine oral tablet extended release 12 hr 10 mg (Ampyra)	2	PA; QL (60 per 30 days)
dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg (Focalin)	2	QL (60 per 30 days)
dextroamphetamine sulfate oral tablet 10 mg (Zenzedi)	4	QL (180 per 30 days)
dextroamphetamine sulfate oral tablet 15 mg, 5 mg (Zenzedi)	4	QL (90 per 30 days)
dextroamphetamine sulfate oral tablet 20 mg, 30 mg (Zenzedi)	4	QL (60 per 30 days)
dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg (Adderall XR)	4	QL (30 per 30 days)
dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg (Adderall XR)	4	QL (60 per 30 days)
dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg (Adderall)	2	QL (60 per 30 days)
dimethyl fumarate oral capsule, delayed release (drlec) 120 mg (Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)
dimethyl fumarate oral capsule, delayed release (drlec) 120 mg (14)- 240 mg (46) (Tecfidera)	5	PA; NM; NDS
dimethyl fumarate oral capsule, delayed release (drlec) 240 mg (Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)
flumazenil intravenous solution 0.1 mg/ml	2	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
glatiramer subcutaneous syringe 20 mg/ml (Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
glatiramer subcutaneous syringe 40 mg/ml (Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
glatopa subcutaneous syringe 20 mg/ml (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	2	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA; NM
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	4	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	4	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	4	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	4	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	4	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	5	PA; NM; NDS; QL (2800 per 28 days)
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>ayuna oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21  0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24) 75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21) 75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21) 75 mg (7)</i> (norethindrone-e.estradiol-iron)	1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	
<i>camila oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>caziant (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>	2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>cyred eq oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84) 10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21  0.01 mg x 5</i> (Azurette (28))	2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> (Jasmiel (28))	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> (Syeda)	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)	2	
<b>ELLA ORAL TABLET 30 MG</b>	4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i> (etonogestrel-ethinyl estradiol)	4	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (levonorg-eth estrad triphasic)	2	
<i>enskyce oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	
<i>errin oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>estarylla oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> (Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> (Kelnor 1-50 (28))	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng)	4	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	1	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	
<i>hailey oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>heather oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>kalliga oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	(LoJaimiess)	2	QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estradiol)	2	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>luteru (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	GC
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	2	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Merzee)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28)) 2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla) 2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri-Estarylla) 2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Femynor) 2	
<i>norlyda oral tablet 0.35 mg</i>	(norethindrone (contraceptive)) 1	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol) 2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol) 2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol) 2	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad) 2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol) 2	
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>	2	
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol) 2	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad) 2	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol) 1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog- e.estradiol/e.estradiol)	2	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol- e.estrad)	2	QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone- e.estradiol-iron)	2	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone- e.estradiol-iron)	1	GC
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>		2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-nymyo oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
<i>tri-previfem (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-sprintec (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
<i>trivora (28) oral tablet 50-30</i> (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	2	
<i>tri-vylibra lo oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-vylibra oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
<i>tulana oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>tyblume oral tablet, chewable 0.1</i> <i>mg- 20 mcg</i>		2	
<i>velivet triphasic regimen (28) oral</i> <i>tablet 0.1/1.125/1.15-25 mg-mcg</i>		2	
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>viorele (28) oral tablet 0.15-0.02</i> <i>mgx21 /0.01 mg x 5</i>	(desog- e.estradiol/e.estradiol)	2	
<i>volnea (28) oral tablet 0.15-0.02</i> <i>mgx21 /0.01 mg x 5</i>	(desog- e.estradiol/e.estradiol)	2	
<i>vyfemla (28) oral tablet 0.4-35 mg-</i> <i>mcg</i>		2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>wera (28) oral tablet 0.5-35 mg-</i> <i>mcg</i>		2	
<i>xulane transdermal patch weekly</i> <i>150-35 mcg/24 hr</i>		4	QL (3 per 28 days)
<i>zafemy transdermal patch weekly</i> <i>150-35 mcg/24 hr</i>		4	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	
<b>Dental And Oral Agents</b>			
<b>Dental And Oral Agents</b>			
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1	GC
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	GC
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	GC
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1	GC
<i>oralone dental paste 0.1 %</i>	(triamcinolone acetonide)	2	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	GC
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2	
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	GC
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Fluoridex Sensitivity Relief)	1	GC
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Oralone)	2	
<b>Dermatological Agents</b>			
<b>Dermatological Agents, Other</b>			
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	2	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		2	
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	4	QL (30 per 30 days)
<b>ALCOHOL 70% SWABS</b>	(Alcohol Pads)	1	GC
<b>ALCOHOL PADS TOPICAL PADS, MEDICATED</b>	(alcohol swabs)	1	GC
<b>ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED</b>	(alcohol swabs)	1	GC
<i>ammonium lactate topical cream 12 %</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ammonium lactate topical lotion 12 %</i> (Skin Treatment)	2	
BD SINGLE USE SWAB (alcohol swabs)	1	GC
<i>calcipotriene scalp solution 0.005 %</i>	4	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	4	QL (120 per 30 days)
CARETOUCH ALCOHOL 70% PREP PAD (alcohol swabs)	1	GC
CURITY ALCOHOL PREPS 2 PLY, MEDIUM (alcohol swabs)	1	GC
DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs)	1	GC
EASY COMFORT ALCOHOL 70% PAD (alcohol swabs)	1	GC
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED (alcohol swabs)	1	GC
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
HEB INCONTROL ALCOHOL 70% PADS (alcohol swabs)	1	GC
<i>imiquimod topical cream in packet 5 %</i>	2	QL (24 per 30 days)
IV ANTISEPTIC WIPES (alcohol swabs)	1	GC
KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)	1	GC
KLISYRI TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (180 per 30 days)
<i>podofilox topical solution 0.5 %</i>	2	
PRO COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	GC
PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	GC
RA ISOPROPYL ALCOHOL 70% WIPES (alcohol swabs)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
SURE COMFORT ALCOHOL (alcohol swabs) PREP PADS	1	GC
SURE-PREP ALCOHOL PREP (alcohol swabs) PADS	1	GC
TRUE COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	GC
TRUE COMFORT PRO (alcohol swabs) ALCOHOL PADS	1	GC
ULTILET ALCOHOL STERL (alcohol swabs) SWAB	1	GC
VALCHLOR TOPICAL GEL 0.016 %	5	NM; NDS
WEBCOL ALCOHOL PREPS (alcohol swabs) 20'S,LARGE	1	GC
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	
<b>Dermatological Antibacterials</b>		
<i>clindamycin phosphate topical (Cleocin T) solution 1 %</i>	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab (Clindacin ETZ) 1 %</i>	2	
<i>ery pads topical swab 2 % (erythromycin with ethanol)</i>	2	
<i>erythromycin with ethanol topical (Erygel) gel 2 %</i>	4	QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	2	QL (180 per 30 days)
<i>gentamicin topical cream 0.1 %</i>	2	QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 % (Rosadan)</i>	4	
<i>metronidazole topical gel 0.75 % (Rosadan)</i>	2	
<i>metronidazole topical gel 1 % (Metrogel)</i>	4	
<i>metronidazole topical lotion 0.75 % (MetroLotion)</i>	4	
<i>mupirocin topical ointment 2 % (Centany)</i>	1	GC; QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>rosadan topical cream 0.75 %</i> (metronidazole)	4	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	
<i>ssd topical cream 1 %</i> (silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	4	
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	1	GC
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	3	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-e topical cream 0.05 %</i> (fluocinonide-emollient)	4	
<i>fluticasone propionate topical cream 0.05 %</i>	2	
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream 2.5 %</i>	1	GC
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	GC
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	4	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tacrolimus topical ointment 0.03 %</i> , (Protopic) <i>0.1 %</i>	4	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical ointment 0.1 %, 0.5 %</i>	2	
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 %</i> (Differin)	4	
<i>adapalene topical gel 0.1 %</i> (Differin)	2	
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	4	
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	4	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	4	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	4	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	4	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	4	PA
<b>Scabicides And Pediculicides</b>		
<i>malathion topical lotion 0.5 %</i> (Ovide)	4	
<i>permethrin topical cream 5 %</i> (Elimite)	2	
<b>Devices</b>		
<b>Devices</b>		
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic) 2	
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic) 2	
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic) 2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
1ST TIER UNIFINE PNTIP (pen needle, diabetic) 8MM 31G STRL,SINGLE- USE,SHRT 31 GAUGE X 5/16"	2	
1ST TIER UNIFINE PNTIP (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	
1ST TIER UNIFINE PNTIP (pen needle, diabetic) 31GX3/16 31 GAUGE X 3/16"	2	
1ST TIER UNIFINE PNTIP (pen needle, diabetic) 32GX5/32 32 GAUGE X 5/32"	2	
ABOUTTIME PEN NEEDLE (pen needle, diabetic) 30G X 8MM 30 GAUGE X 5/16"	2	
ABOUTTIME PEN NEEDLE (pen needle, diabetic) 31G X 5MM 31 GAUGE X 3/16"	2	
ABOUTTIME PEN NEEDLE (pen needle, diabetic) 31G X 8MM 31 GAUGE X 5/16"	2	
ABOUTTIME PEN NEEDLE (pen needle, diabetic) 32G X 4MM 32 GAUGE X 5/32"	2	
ADVOCATE INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	
ADVOCATE INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	
ADVOCATE INS 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	
ADVOCATE INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	
ADVOCATE INS 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	
ADVOCATE INS SYR 0.3 ML (insulin syringe-needle 29GX1/2 0.3 ML 29 GAUGE X u-100) 1/2"	2	
ADVOCATE INS SYR 0.5 ML (insulin syringe-needle 29GX1/2 0.5 ML 29 GAUGE X u-100) 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	2	
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	2	
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	2	
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	
BD INSULIN SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100) 2	
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	2	
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe) 2	
BD INSULIN SYRINGE 1 ML W/O NEEDLE 1 ML	(insulin syringe needleless) 2	
BD LUER-LOK SYRINGE 1 ML 1 ML	(BD Insulin Syringe Slip Tip) 2	
BD NANO 2 GEN PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	
BD SAFETGLD INS 0.3 ML 13MMX29G 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD SAFETGLD INS 0.3 ML (insulin syringe-needle 8MMX31G 0.3 ML 31 GAUGE X u-100) 5/16"	2	
BD SAFETGLD INS 0.5 ML (insulin syringe-needle 13MMX29G 0.5 ML 29 GAUGE u-100) X 1/2"	2	
BD SAFETGLD INS 0.5 ML (insulin syringe-needle 8MMX30G 0.5 ML 30 GAUGE X u-100) 5/16"	2	
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	2	
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	
BD SAFETYGLIDE NEEDLE NEEDLE 27 X 5/8 "	2	
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	2	
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	
BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4"	2	
BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16"	2	
BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32"	2	
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	2	
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	2	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	2	
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	2	
BORDERED GAUZE 2"X2" 2 X (gauze bandage) 2 "	1	GC
CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2"	2	
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	
CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16"	2	
CAREFINE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	
CAREFINE PEN NEEDLES (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	
CAREONE SYR 0.3 ML (Advocate Syringes) 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	2	
CARETOUCH PEN NEEDLE (pen needle, diabetic) 29G 12MM 29 GAUGE X 1/2"	2	
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	
CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16"	2	
CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	
CARETOUCH SYR 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CARETOUCH SYR 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	
CARETOUCH SYR 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"	2	
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16	2	
CARETOUCH SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16	2	
CARETOUCH SYR 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16	2	
CLICKFINE 31G X 5/16" (pen needle, diabetic) NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	2	
CLICKFINE PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	2	
CLICKFINE UNIVERSAL 31G (pen needle, diabetic) X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	2	
COMFORT EZ INS 0.3 ML (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2"	2	
COMFORT EZ INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	
COMFORT EZ INS 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16	2	
COMFORT EZ INSULIN SYR (insulin syringe-needle 0.3 ML 0.3 ML 31 GAUGE X u-100) 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"		2	
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"		2	
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"		2	
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		2	
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	2	
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	2	
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	2	
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	2	
COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16"	2	
COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16"	2	
CURAD GAUZE PADS 2" X 2" 2 (gauze bandage) X 2 "	1	GC
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	GC
CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	GC
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	
DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 u-100) GAUGE X 1/2"	2	
DROPLET INS 0.3 ML (insulin syringe-needle 30GX12.5MM 0.3 ML 30 u-100) GAUGE X 1/2"	2	
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	
DROPLET INS SYR 0.3 ML (insulin syringe-needle 30GX8MM 0.3 ML 30 GAUGE X u-100) 5/16"	2	
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64"	2	
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX8MM 0.3 ML 31 GAUGE X u-100) 5/16"	2	
DROPLET INS SYR 1 ML (insulin syringe-needle 29GX12.5MM 1 ML 29 GAUGE u-100) X 1/2"	2	
DROPLET INS SYR 1 ML (insulin syringe-needle 30GX12.5MM 1 ML 30 GAUGE u-100) X 1/2"	2	
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	2	
DROPLET INS SYR 1 ML (insulin syringe-needle 30GX8MM 1 ML 30 GAUGE X u-100) 5/16"	2	
DROPLET INS SYR 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64"	2	
DROPLET INS SYR 1 ML (insulin syringe-needle 31GX8MM 1 ML 31 GAUGE X u-100) 5/16"	2	
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"	2	
DROPLET PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	
DROPLET PEN NEEDLE (pen needle, diabetic) 30GX5/16" 30 GAUGE X 5/16"	2	
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16"	2	
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	2	
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	
DRUG MART ULTRA (insulin syringe-needle COMFORT SYR 0.3 ML 29 u-100) GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	
EASY COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	2	
EASY COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	
EASY COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"	2	
EASY COMFORT 0.5 ML (insulin syringe-needle SYRINGE 0.5 ML 30 GAUGE X u-100) 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"	2	
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	2	
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	2	
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH 0.5 ML SYR (insulin syringe-needle 27GX1/2" 1/2 ML 27 GAUGE X u-100) 1/2"	2	
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	
EASY TOUCH 0.5 ML SYR (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	
EASY TOUCH 1 ML SYR (insulin syringe-needle 27GX1/2" 1 ML 27 GAUGE X u-100) 1/2"	2	
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH INSULIN SYR (insulin syringe-needle 0.3 ML 0.3 ML 30 GAUGE X u-100) 5/16", 0.3 ML 31 GAUGE X 5/16"	2	
EASY TOUCH INSULIN SYR (insulin syringe-needle 0.5 ML 0.5 ML 30 GAUGE X u-100) 5/16", 0.5 ML 31 GAUGE X 5/16"	2	
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 30 GAUGE X 5/16, 1 u-100) ML 31 GAUGE X 5/16	2	
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML RETRACTABLE 1 ML 30 u-100) GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	
EASY TOUCH LUER LOK (insulin syringe INSUL 1 ML 1 ML needleless)	2	
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 30GX5/16 30 GAUGE X 5/16"	2	
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16 31 GAUGE X 3/16"	2	
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16 31 GAUGE X 5/16"	2	
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16 32 GAUGE X 3/16"	2	
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32 32 GAUGE X 5/32"	2	
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	2	
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
EASY TOUCH UNI-SLIP SYR 1 ML 1 ML	(insulin syringe needleless)	2
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"	2	
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Lite Touch Insulin Syringe)	2
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Lite Touch Insulin Syringe)	2
EXEL INSULIN SYRINGE 27G- 1 ML 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	2
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FIFTY50 PEN NEEDLE 32G X 1/4" 32 GAUGE X 1/4" (BD Ultra-Fine Micro Pen Needle)	2	
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE (Lite Touch Insulin Syringe)	2	
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
GAUZE PAD TOPICAL BANDAGE 2 X 2 " (gauze bandage)	1	GC
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"	2	
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe-needle u-100)	2	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)	2	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE	2	
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30 (insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HEALTHWISE INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	
HEALTHWISE INS 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	
HEALTHWISE INS 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	
HEALTHWISE PEN NEEDLE (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	
HEALTHWISE PEN NEEDLE (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	
HEALTHWISE PEN NEEDLE (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	2	
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 5MM 31G 31 GAUGE X 3/16"	2	
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	2	
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"	2	
INCONTROL PEN NEEDLE (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	
INCONTROL PEN NEEDLE (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	2	
INCONTROL PEN NEEDLE (pen needle, diabetic) 5MM 31G 31 GAUGE X 3/16"	2	
INCONTROL PEN NEEDLE (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	2	
INCONTROL PEN NEEDLE (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN SYR 0.3 ML (Advocate Syringes) 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	
INSULIN SYR 0.3 ML (UltiCare Insulin 31GX1/4(1/2) 0.3 ML 31 GAUGE Syr(half unit)) X 1/4"	2	
INSULIN SYRIN 0.3 ML (Comfort EZ Insulin 30GX1/2" SHORT NEEDLE 0.3 Syringe) ML 30 GAUGE X 1/2"	2	
INSULIN SYRIN 0.5 ML (Comfort EZ Insulin 28GX1/2" 1/2 ML 28 GAUGE X Syringe) 1/2"	2	
INSULIN SYRIN 0.5 ML (Comfort EZ Insulin 30GX1/2" SHORT NEEDLE Syringe) (OTC) 0.5 ML 30 GAUGE X 1/2"	2	
INSULIN SYRIN 0.5 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	2	
INSULIN SYRINGE 0.5 ML (Easy Touch Insulin 27GX1/2" 1/2 ML 27 GAUGE X Syringe) 1/2"	2	
INSULIN SYRINGE 0.3 ML 0.3 (insulin syringe-needle ML 29 GAUGE u-100)	2	
INSULIN SYRINGE 0.3 ML (Sure Comfort Insulin 31GX1/4 0.3 ML 31 GAUGE X Syringe) 1/4"	2	
INSULIN SYRINGE 0.5 ML 1/2 (insulin syringe-needle ML 29 u-100)	2	
INSULIN SYRINGE 0.5 ML (Sure Comfort Insulin 31GX1/4 1/2 ML 31 GAUGE X Syringe) 1/4"	2	
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	
INSULIN SYRINGE 1 ML (BD Eclipse Luer-Lok) 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRINGE 1 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	2	
INSULIN SYRINGE 1 ML (Sure Comfort Insulin Syringe) 31GX1/4" 1 ML 31 GAUGE X 1/4"	2	
INSULIN SYRINGE-NEEDLE (Utileit Insulin Syringe) U-100 SYRINGE 0.3 ML 29 GAUGE	2	
INSULIN SYRINGE-NEEDLE (Advocate Syringes) U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	2	
INSULIN SYRINGE-NEEDLE (Lite Touch Insulin Syringe) U-100 SYRINGE 1/2 ML 28 GAUGE	2	
INSUPEN 30G ULTRAFIN (pen needle, diabetic) NEEDLE 30 GAUGE X 5/16"	2	
INSUPEN 31G ULTRAFIN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	2	
INSUPEN 32G 6MM PEN (pen needle, diabetic) NEEDLE 32 GAUGE X 1/4"	2	
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	2	
INSUPEN PEN NEEDLE (pen needle, diabetic) 29GX12MM 29 GAUGE X 1/2"	2	
INSUPEN PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	
INSUPEN PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	
INSUPEN PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	
KRO PEN NEEDLE 4MM X 33G (Advocate Pen Needle) 33 GAUGE X 5/32"	2	
LISCO SPONGES 100/BAG 2 X 2 "	1	GC
LITE TOUCH 31GX1/4" PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		2	
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"	2	
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"	2	
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 X 1/2"	2	
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"	2	
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic) 2	
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"	2	
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"	2	
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic) 2	
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) 1 ML	(insulin syringes (disposable))	2	
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		2	
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
NOVOFINE 30 NEEDLE		2	
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		2	
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		2	
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	
OMNIPOD CLASSIC PDM KIT(GEN 3)		3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE		3	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)		3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE		3	
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16" (pen needle, diabetic)	2	
PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16" (AboutTime Pen Needle)	2	
PEN NEEDLE 32G X 3/16" 32 GAUGE X 3/16" (CareFine Pen Needle)	2	
PEN NEEDLE 32G X 5/32" 4MM 32 GAUGE X 5/32" (1st Tier Unifine Pentips)	2	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips Plus)	2	
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2" (pen needle, diabetic)	2	
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4" (1st Tier Unifine Pentips)	2	
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16" (pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	
PRO COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	
PRO COMFORT 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	
PRO COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	
PRO COMFORT 1 ML 30GX1/2" (insulin syringe-needle 1 ML 30 GAUGE X 1/2" u-100)	2	
PRO COMFORT 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	
PRO COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	
PRO COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	
PRO COMFORT PEN NDL 32G (pen needle, diabetic) X 1/4" 32 GAUGE X 1/4"	2	
PRO COMFORT PEN NDL (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	2	
PRO COMFORT PEN NDL (pen needle, diabetic) 5MM 32G 32 GAUGE X 3/16"	2	
PRODIGY INS SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X u-100) 1/2"	2	
PRODIGY SYRNG 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	
PRODIGY SYRNGE 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	
PURE COMFORT PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	
PURE COMFORT PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PURE COMFORT PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	2	
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	2	
RELI ON 31G X 1/4" NEEDLES (pen needle, diabetic) 31 GAUGE X 1/4"	2	
RELION INS SYR 0.3 ML (BD Veo Insulin 31GX6MM 0.3 ML 31 GAUGE X Syringe UF) 15/64"	2	
RELION INS SYR 0.5 ML (BD Veo Insulin 31GX6MM 1/2 ML 31 GAUGE X Syringe UF) 15/64"	2	
RELION INS SYR 1 ML (BD Veo Insulin 31GX15/64" 1 ML 31 GAUGE X Syringe UF) 15/64"	2	
RELI-ON INSULIN 0.5 ML SYR (Lite Touch Insulin 1/2 ML 29 Syringe)	2	
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	2	
RELION MINI PEN 31G X 1/4" (pen needle, diabetic) NDL 31 GAUGE X 1/4"	2	
RELION PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	2	
RELION PEN NEEDLES (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	2	
SECURES SAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	
SM STERILE PADS 2" X 2" (gauze bandage) 2"X2", STERILE 2 X 2 "	1	GC
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	2	
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)	2	
SURE COMFORT 31G PEN NEEDLE 31 GAUGE X 5/16" (pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	
SURE COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	
SURE COMFORT PEN NDL 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	
SURE COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	2	
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"	2	
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	2	
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"	2	
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	2	
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	2	
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	2	
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	2	
TECHLITE INS SYR 1 ML (insulin syringe-needle 29GX12MM 1 ML 29 GAUGE X u-100) 1/2"	2	
TECHLITE INS SYR 1 ML (insulin syringe-needle 30GX12MM 1 ML 30 GAUGE X u-100) 1/2"	2	
TECHLITE INS SYR 1 ML (insulin syringe-needle 30GX8MM 1 ML 30 GAUGE X u-100) 5/16	2	
TECHLITE INS SYR 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64"	2	
TECHLITE INS SYR 1 ML (insulin syringe-needle 31GX8MM 1 ML 31 GAUGE X u-100) 5/16	2	
TECHLITE PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECHLITE PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	
TECHLITE PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	
TECHLITE PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	
TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	2	
TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	
TERUMO INS SYR 0.3 ML (Advocate Syringes) 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	2	
TERUMO INS SYRINGE U100-1 (insulin syringe-needle ML 1 ML 27 GAUGE X 1/2", 1 u-100) ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	2	
TERUMO INS SYRINGE U100-1 (Thinpro Insulin ML 1 ML 30 GAUGE X 3/8" Syringe)	2	
TERUMO INS SYRINGE U100- (insulin syringe-needle 1/2 ML 1/2 ML 30 X 3/8" u-100)	2	
TERUMO INS SYRINGE U100- (insulin syringe-needle 1/3 ML 0.3 ML 30 X 3/8" u-100)	2	
TERUMO INS SYRNG U100-1/2 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", u-100) 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	2	
THINPRO INS SYRIN U100-0.3 (insulin syringe-needle ML 0.3 ML 29 GAUGE X 1/2", u-100) 0.3 ML 30 X 3/8"	2	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	2	
THINPRO INS SYRIN U100-0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", u-100) 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	2	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
THINPRO INS SYRIN U100-1 (insulin syringe-needle u-100) ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	2	
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	2	
TOPCARE CLICKFINE 31G X (pen needle, diabetic) 1/4" 31 GAUGE X 1/4"	2	
TOPCARE CLICKFINE 31G X (pen needle, diabetic) 5/16" 31 GAUGE X 5/16"	2	
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X (insulin syringe-needle u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	
TRUE CMFRT PRO 0.5 ML 30G (insulin syringe-needle u-100) 5/16" 0.5 ML 30 GAUGE X 5/16"	2	
TRUE CMFRT PRO 0.5 ML 31G (insulin syringe-needle u-100) 5/16" 0.5 ML 31 GAUGE X 5/16"	2	
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	
TRUE COMFORT 0.5 ML (insulin syringe-needle u-100) 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	
TRUE COMFORT 1 ML (insulin syringe-needle u-100) 31GX5/16" 1 ML 31 GAUGE X 5/16"	2	
TRUE COMFORT PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	
TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX5MM 31 GAUGE X 3/16"	2	
TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4"	2	
TRUE COMFORT PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	
TRUE COMFORT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUEPLUS SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	
TRUEPLUS SYR 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	
TRUEPLUS SYR 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	
TRUEPLUS SYR 1 ML 28GX1/2" (insulin syringe-needle 1 ML 28 GAUGE X 1/2" u-100)	2	
TRUEPLUS SYR 1 ML 29GX1/2" (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100)	2	
TRUEPLUS SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	
TRUEPLUS SYR 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	
ULT CFT 0.3 ML 30GX5/16" (1/2) 1/2 UNIT 0.3 ML 30 GAUGE X 5/16"	2	
ULTICAR INS 0.3 ML (insulin syr/ndl u100 31GX1/4(1/2) 0.3 ML 31 GAUGE half mark) X 1/4"	2	
ULTICARE INS 0.3 ML (insulin syringe-needle 31GX1/4" 0.3 ML 31 GAUGE X u-100) 1/4"	2	
ULTICARE INS 0.5 ML (insulin syringe-needle 31GX1/4" 1/2 ML 31 GAUGE X u-100) 1/4"	2	
ULTICARE INS 1 ML 31GX1/4" (insulin syringe-needle 1 ML 31 GAUGE X 1/4" u-100)	2	
ULTICARE INS SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X u-100) 1/2"	2	
ULTICARE PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	
ULTICARE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTICARE PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	
ULTICARE PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	
ULTICARE PEN NEEDLES (pen needle, diabetic) 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	2	
ULTICARE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	2	
ULTICARE SAFE PEN NDL 8MM 30G 30 GAUGE X 5/16"	2	
ULTICARE SAFETY 0.5 ML (Advocate Syringes) 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2"	2	
ULTICARE SYR 0.3 ML (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2"	2	
ULTICARE SYR 0.3 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.3 ML u-100) 31 GAUGE X 5/16"	2	
ULTICARE SYR 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	
ULTICARE SYR 0.5 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.5 ML u-100) 31 GAUGE X 5/16"	2	
ULTICARE SYR 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	2	
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	2	
ULTIGUARD SAFE 0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	
ULTIGUARD SAFE1 ML 31G 8MM 1 ML 31 X 5/16"	2	
ULTIGUARD SAFE31G 5MM 31 GAUGE X 3/16"	2	
ULTIGUARD SAFE31G 6MM 31 GAUGE X 1/4"	2	
ULTIGUARD SAFE31G 8MM 31 GAUGE X 5/16"	2	
ULTIGUARD SAFE32G 6MM 32 GAUGE X 1/4"	2	
ULTIGUARD SAFE0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	
ULTIGUARD SAFE0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.3 ML 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.5 ML 0.5 ML 29 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	
ULTILET INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	
ULTILET PEN NEEDLE 29 GAUGE	2	
ULTILET PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	
ULTRA COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	2	
ULTRA COMFORT 0.5 ML (insulin syringe-needle 28GX1/2" CONVERTS TO 29G u-100) 1/2 ML 28 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	2	
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)	2	
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"		2	
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2"	2	
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"	2	
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	
VANISHPOINT 0.5 ML (insulin syringe-needle 30GX1/2" SY OUTER 0.5 ML 30 u-100) GAUGE X 1/2"	2	
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	
VANISHPOINT U-100 29X1/2 (insulin syringe-needle SYR 1 ML 29 GAUGE X 1/2" u-100)	2	
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



Drug Name	Drug Tier	Requirements/Limits
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	GC
V-GO 20 DEVICE	3	
V-GO 30 DEVICE	3	
V-GO 40 DEVICE	3	
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NM; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Kuvan)	5	NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	4	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	2	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NM; NDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	4	
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch- Redness Rlf)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	2	
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NM; NDS
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	4	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	2	
<i>bleph-10 ophthalmic (eye) drops 10 %</i> (sulfacetamide sodium)	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> (Ciprodex)	3	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	QL (3.5 per 4 days)
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i> (gentamicin)	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	4	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>neomycin-polymyxin b-dexameth</i> (Maxitrol) <i>ophthalmic (eye) ointment 3.5</i> <i>mg/g-10,000 unit/g-0.1 %</i>	2	
<i>neomycin-polymyxin-gramicidin</i> <i>ophthalmic (eye) drops 1.75 mg-</i> <i>10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc ophthalmic</i> <i>(eye) drops,suspension 3.5-10,000-</i> <i>10 mg-unit-mg/ml</i>	4	
<i>neomycin-polymyxin-hc otic (ear)</i> <i>drops,suspension 3.5-10,000-1</i> <i>mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear)</i> <i>solution 3.5-10,000-1 mg/ml-unit/ml-</i> <i>%</i>	2	
<i>neo-polycin hc ophthalmic (eye)</i> (neomycin-bacitracin- <i>ointment 3.5-400-10,000 mg-unit/g-</i> poly-hc) <i>1%</i>	2	
<i>neo-polycin ophthalmic (eye)</i> (neomycin-bacitracin- <i>ointment 3.5-400-10,000 mg-unit-</i> polymyxin) <i>unit/g</i>	2	
<i>ofloxacin ophthalmic (eye) drops</i> (Ocuflox) <i>0.3 %</i>	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment</i> (bacitracin-polymyxin <i>500-10,000 unit/gram</i> b)	2	
<i>polymyxin b sulf-trimethoprim</i> (Polytrim) <i>ophthalmic (eye) drops 10,000 unit-</i> <i>1 mg/ml</i>	1	GC
<i>sulfacetamide sodium ophthalmic</i> (Bleph-10) <i>(eye) drops 10 %</i>	2	
<i>sulfacetamide sodium ophthalmic</i> <i>(eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone</i> <i>ophthalmic (eye) drops 10 %-0.23</i> <i>% (0.25 %)</i>	2	
<i>tobramycin ophthalmic (eye) drops</i> (Tobrex) <i>0.3 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tobramycin-dexamethasone</i> (TobraDex) <i>ophthalmic (eye) drops,suspension</i> 0.3-0.1 %	2	
<i>trifluridine ophthalmic (eye) drops</i> 1 %	3	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>cyclosporine ophthalmic (eye)</i> (Restasis) <i>dropperette 0.05 %</i>	2	QL (60 per 30 days)
<i>dexamethasone sodium phosphate</i> <i>ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye)</i> <i>drops 0.1 %</i>	2	
<i>difluprednate ophthalmic (eye)</i> (Durezol) <i>drops 0.05 %</i>	3	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol</i> 25 mcg (0.025 %)	2	QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye)</i> (FML Liquifilm) <i>drops,suspension 0.1 %</i>	4	
<i>flurbiprofen sodium ophthalmic</i> <i>(eye) drops 0.03 %</i>	2	
<i>fluticasone propionate nasal</i> (24 Hour Allergy <i>spray,suspension 50 mcg/actuation</i> Relief)	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops</i> (Acular) 0.5 %	2	QL (10 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	
<i>loteprednol etabonate ophthalmic (Lotemax) (eye) drops,gel 0.5 %</i>	4	
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	4	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (Pred Forte) (eye) drops,suspension 1 %</i>	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %	3	QL (60 per 30 days)
RESTASIS OPHTHALMIC (cyclosporine) (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>esomeprazole magnesium oral (Nexium) capsule,delayed release(drlec) 20 mg</i>	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral (Nexium) capsule,delayed release(drlec) 40 mg</i>	2	QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	
<i>esomeprazole sodium intravenous (Nexium IV) recon soln 40 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	GC
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	
<i>famotidine intravenous solution 10 mg/ml</i>	2	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	GC
<i>lansoprazole oral capsule, delayed release(drlec) 15 mg</i> (Prevacid 24Hr)	4	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(drlec) 30 mg</i> (Prevacid)	4	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	
<i>omeprazole oral capsule, delayed release(drlec) 10 mg, 40 mg</i>	1	GC
<i>omeprazole oral capsule, delayed release(drlec) 20 mg</i>	1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	4	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	2	
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i> (Protonix)	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i> (Protonix)	1	GC; QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i> (AcipHex)	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	
<b>Gastrointestinal Agents, Other</b>		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)	5	NM; NDS
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	4	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	4	
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	2	
<b>GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG</b>	5	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	2	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	2	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	
<b>LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG</b>	3	QL (30 per 30 days)
<b>LOKELMA ORAL POWDER IN PACKET 10 GRAM</b>	3	QL (34 per 30 days)
<b>LOKELMA ORAL POWDER IN PACKET 5 GRAM</b>	3	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	4	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	GC
<b>MOVANTIK ORAL TABLET 12.5 MG, 25 MG</b>	3	QL (30 per 30 days)
<b>OCALIVA ORAL TABLET 10 MG, 5 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	NM; NDS
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	2	
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 300 mg</i>	2	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	2	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	2	
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	2	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i> (peg-electrolyte soln)	2	
<b>Phosphate Binders</b>		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
<b>PHOSLYRA ORAL SOLUTION</b> 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	5	NM; NDS
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	4	
<i>sevelamer hcl oral tablet 400 mg</i>	3	
<b>VELPHORO ORAL TABLET,CHEWABLE 500 MG</b>	3	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<b>MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR</b> 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	2	
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	2	
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	
<b>TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR</b> 4 MG, 8 MG	3	
<i>trospium oral tablet 20 mg</i>	4	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	GC; QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	GC
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
THIOLA EC ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG, 300 MG	5	PA; NM; NDS
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NM; NDS
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
<i>clovique oral capsule 250 mg</i> (trientine)	5	PA; NM; NDS; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu)	5	PA; NM; NDS
<i>deferasirox oral tablet 90 mg</i> (Jadenu)	3	PA
<i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade)	2	PA
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade)	5	PA; NM; NDS
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox)	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram</i>	2	PA
<i>deferoxamine injection recon soln 500 mg</i> (Desferal)	2	PA
FERRIPROX 1,000 MG TAB(2X/DAY) 1,000 MG (deferiprone)	5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
FERRIPROX ORAL TABLET 1,000 MG (deferiprone)	5	PA; NM; NDS
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	5	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NM; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	3	
<i>oxandrolone oral tablet 10 mg</i> (Oxandrin)	2	
<i>oxandrolone oral tablet 2.5 mg</i> (Oxandrin)	4	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo)	3	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel)	4	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	4	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dotti transdermal patch semiweekly</i> (estradiol) 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	2	QL (8 per 28 days)
<b>DUAVEE ORAL TABLET 0.45- 20 MG</b>	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2</i> (Estrace) <i>mg</i>	1	GC
<i>estradiol transdermal patch</i> (Dotti) <i>semiweekly 0.025 mg/24 hr, 0.0375</i> <i>mg/24 hr, 0.05 mg/24 hr, 0.075</i> <i>mg/24 hr, 0.1 mg/24 hr</i>	2	QL (8 per 28 days)
<i>estradiol transdermal patch weekly</i> (Climara) <i>0.025 mg/24 hr, 0.0375 mg/24 hr,</i> <i>0.05 mg/24 hr, 0.06 mg/24 hr, 0.075</i> <i>mg/24 hr, 0.1 mg/24 hr</i>	2	QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1</i> (Estrace) <i>mg/gram)</i>	2	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil</i> (Delestrogen) <i>20 mg/ml, 40 mg/ml</i>	2	
<i>estradiol-norethindrone acet oral</i> (Amabelz) <i>tablet 0.5-0.1 mg</i>	2	
<b>FEMRING VAGINAL RING</b> <b>0.05 MG/24 HR, 0.1 MG/24 HR</b>	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg,</i> (norethindrone ac-eth <i>1-5 mg-mcg</i> estradiol)	2	
<i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>lyllana transdermal patch</i> (estradiol) <i>semiweekly 0.025 mg/24 hr, 0.0375</i> <i>mg/24 hr, 0.05 mg/24 hr, 0.075</i> <i>mg/24 hr, 0.1 mg/24 hr</i>	2	QL (8 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol- norethindrone acet)	2	
<i>norethindrone ac-eth estradiol oral</i> (Fyavolv) <i>tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	
<b>PREMARIN INJECTION</b> <b>RECON SOLN 25 MG</b>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	
PREMARIN ORAL TABLET (conjugated estrogens) 0.625 MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>a-hydrocort injection recon soln 100 mg</i>	2	
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	2	
<i>dexamethasone 0.5 mg/5 ml liq 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	2	
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	2	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	2	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	2	
<i>prednisolone 15 mg/5 ml soln dlf 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	3	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	3	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	3	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetate injection suspension 40 mg/ml</i> (Kenalog)	2	
<b>Pituitary</b>		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	5	NM; NDS
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
<i>desmopressin injection solution 4</i> (DDAVP) <i>mcg/ml</i>	4	
<i>desmopressin nasal spray with pump</i> <i>10 mcg/spray (0.1 ml)</i>	4	
<i>desmopressin oral tablet 0.1 mg, 0.2</i> (DDAVP) <i>mg</i>	2	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
<i>lanreotide subcutaneous syringe 120</i> (Somatuline Depot) <i>mg/0.5 ml</i>	5	PA; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS
NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	3	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>octreotide acetate injection syringe</i> 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	3	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS
<b>Progestins</b>		
<i>hydroxyprogesterone cap(ppres)</i> (Makena) <i>intramuscular oil 250 mg/ml</i>	5	NM; NDS
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>syringe 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10</i> (Provera) <i>mg, 2.5 mg, 5 mg</i>	1	GC
<i>megestrol oral suspension 400 mg/10</i> <i>ml (40 mg/ml)</i>	2	
<i>norethindrone acetate oral tablet 5</i> (Aygestin) <i>mg</i>	2	
<i>progesterone intramuscular oil 50</i> <i>mg/ml</i>	2	
<i>progesterone micronized oral</i> (Prometrium) <i>capsule 100 mg, 200 mg</i>	2	
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine oral tablet 100 mcg,</i> (Euthyrox) <i>112 mcg, 125 mcg, 137 mcg, 150</i> <i>mcg, 175 mcg, 200 mcg, 25 mcg, 50</i> <i>mcg, 75 mcg, 88 mcg</i>	1	GC
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	GC
<i>liothyronine oral tablet 25 mcg, 5</i> (Cytomel) <i>mcg, 50 mcg</i>	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD
<i>cyclosporine modified oral capsule 50 mg</i>	2	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	3	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	3	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.25 mg</i>	4	PA BvD
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.5 mg, 0.75 mg, 1 mg</i>	5	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NM; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	3	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	4	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg</i> (Prograf)	2	PA BvD
<i>tacrolimus oral capsule 5 mg</i> (Prograf)	3	PA BvD
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML	3	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 toxoids-td) ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI (typhoid vi polysacch INTRAMUSCULAR SYRINGE vaccine) 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosetron oral tablet 0.5 mg</i> (Lotronex)	3	
<i>alosetron oral tablet 1 mg</i> (Lotronex)	5	NM; NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	4	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mgl60 ml</i> (Cortenema)	4	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i> (Apriso)	4	
<i>mesalamine oral tablet,delayed release (drlec) 1.2 gram</i> (Lialda)	4	
<i>mesalamine oral tablet,delayed release (drlec) 800 mg</i> (Asacol HD)	4	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	3	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet,delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	4	
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/lactuation</i>	2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	4	
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	3	QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i> (Sensipar)	5	NM; NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NM; NDS; QL (120 per 30 days)
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2)	5	PA; NM; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	3	PA; QL (2.4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ibandronate intravenous solution 3 mg/3 ml</i>	4	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	4	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	4	
<i>paricalcitol oral capsule 4 mcg</i>	4	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	4	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	4	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	4	QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	4	QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	4	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	4	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	4	QL (100 per 300 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	NM; NDS
<i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
GVOKE HYOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	
<i>hydroxyzine pamoate oral capsule</i> (Vistaril) 25 mg, 50 mg	1	GC
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>leucovorin calcium injection solution 10 mg/ml</i>	3	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 5 mg</i>	2	
<i>leucovorin calcium oral tablet 25 mg</i>	3	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	4	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	5	NM; NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	
MESNEX ORAL TABLET 400 MG	5	NM; NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NM; NDS
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	4	
<i>pyridostigmine bromide oral tablet 30 mg</i>	4	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS, SUSPENSION 1 % (brinzolamide)	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	3	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 % (brimonidine-timolol)	3	
<i>dorzolamide ophthalmic (eye) drops 2 %</i> (Trusopt)	2	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	2	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	GC; QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
<b>LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %</b>	3	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %</i> (Isopto Carpine)	2	
<i>pilocarpine hcl ophthalmic (eye) drops 4 %</i>	2	
<b>RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %</b>	3	QL (2.5 per 25 days)
<b>ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %</b>	3	QL (2.5 per 25 days)
<b>SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %</b>	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timoptic)	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE)	4	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	4	QL (2.5 per 25 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	4	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	
<b>ISOLYTE S IV SOLUTION-EXCEL SINGLE USE</b>	4	
<b>ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION</b>	4	
<b>ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %</b>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	2	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4%), 40 gram/1,000 ml (4%)</i>	2	PA BvD
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4%), 4 gram/100 ml (4%), 4 gram/50 ml (8%)</i>	2	PA BvD
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	4	
<i>potassium chloride oral tablet extended release 10 meq, 20 meq</i> (K-Tab)	2	
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	2	
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Klor-Con M15)	2	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	
<i>sodium chloride 0.9 % intravenous piggyback</i>	2	
<i>sodium chloride 0.9% solution viaflex, single use</i>	4	
<b>Respiratory Tract Agents</b>		
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE (fluticasone propion-salmeterol)	2	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION (fluticasone furoate- BLISTER WITH DEVICE 100-25 vilanterol) MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for (Pulmicort)</i> <i>nebulization 0.25 mg/2 ml, 0.5 mg/2</i> <i>ml</i>	3	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension for (Pulmicort)</i> <i>nebulization 1 mg/2 ml</i>	3	PA BvD; QL (60 per 30 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION (fluticasone HFA AEROSOL INHALER 110 propionate) MCG/ACTUATION	3	QL (12 per 30 days)
FLOVENT HFA INHALATION (fluticasone HFA AEROSOL INHALER 220 propionate) MCG/ACTUATION	3	QL (24 per 30 days)
FLOVENT HFA INHALATION (fluticasone HFA AEROSOL INHALER 44 propionate) MCG/ACTUATION	3	QL (21.2 per 30 days)
SYMBICORT INHALATION (budesonide- HFA AEROSOL INHALER 160- formoterol) 4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (30.6 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Antileukotrienes</b>		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	GC
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	GC
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	4	
<b>Bronchodilators</b>		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	2	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (ProAir HFA)	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	2	PA BvD; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	2	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	4	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS
<i>theophylline oral solution 80 mg/15 ml</i>	4	
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	4	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine intravenous solution 200 mg/ml (20 %)</i> (Acetadote)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 (pirfenidone) MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 (pirfenidone) MG	5	PA; NM; NDS; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV 1,000 MG (+-)/20 ML	5	PA BvD; NM; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>chlorzoxazone oral tablet 250 mg</i>	5	NM; NDS; QL (120 per 30 days)
<i>chlorzoxazone oral tablet 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	GC
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>revonto intravenous recon soln 20 mg</i> (dantrolene)	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	4	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS; QL (150 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; QL (60 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	GC; QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	3	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i> (Flolan)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; QL (90 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)	6	GC; EX; CB (6 EA per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	3	PA; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG (bosentan)	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	5	PA; NM; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

## INDEX

1ST TIER UNIFINE PENTIPS.....	104, 105	ADVAIR DISKUS.....	180	ALTRENO.....	104
1ST TIER UNIFINE PENTIPS PLUS.....	105	ADVAIR HFA.....	180	ALUNBRIG.....	18
<i>abacavir</i> .....	62	ADVOCATE PEN NEEDLE .....	106	<i>alyacen 1/35 (28)</i> .....	90
<i>abacavir-lamivudine</i> .....	62	ADVOCATE SYRINGES .....	105, 106	<i>alyacen 7/7/7 (28)</i> .....	90
<i>abacavir-lamivudine- zidovudine</i> .....	62	<i>afirmelle</i> .....	90	<i>alyq</i> .....	186
ABELCET.....	47	<i>a-hydrocort</i> .....	158	<i>amabelz</i> .....	156
<i>abiraterone</i> .....	18	AIMOVIG.....		<i>amantadine hcl</i> .....	54
ABOUTTIME PEN NEEDLE.....	105	AUTOINJECTOR.....	50	AMBISOME.....	47
ABRAXANE.....	18	AJOVY AUTOINJECTOR....	50	<i>ambrisentan</i> .....	186
<i>acamprosate</i> .....	8	AJOVY SYRINGE.....	50	<i>amethia</i> .....	90
<i>acarbose</i> .....	42	AKYNZEO (FOSNETUPITANT).....	52	<i>amiloride</i> .....	82
<i>accutane</i> .....	99	AKYNZEO (NETUPITANT).....	52	<i>amiloride-hydrochlorothiazide</i> ..	82
<i>acebutolol</i> .....	78	<i>ala-cort</i> .....	102	AMINOSYN II 15 %.....	73
<i>acetaminophen-codeine</i> .....	3	<i>albendazole</i> .....	53	AMINOSYN-PF 7 % (SULFITE-FREE).....	73
<i>acetazolamide</i> .....	177	<i>albuterol sulfate</i> .....	182	<i>amiodarone</i> .....	77
<i>acetazolamide sodium</i> .....	177	<i>alclometasone</i> .....	102	<i>amitriptyline</i> .....	39
<i>acetic acid</i> .....	147	ALCOHOL PADS.....	99	<i>amlodipine</i> .....	82
<i>acetylcysteine</i> .....	183, 184	ALCOHOL PREP PADS....	100	<i>amlodipine-benazepril</i> .....	82
<i>acitretin</i> .....	99	ALCOHOL PREP SWABS....	99	<i>amlodipine-valsartan</i> .....	82
ACTHAR.....	159	ALCOHOL SWABS.....	99	<i>ammonium lactate</i> .....	99, 100
ACTHIB (PF).....	167	ALCOHOL WIPES.....	100	<i>amoxapine</i> .....	39
ACTIMMUNE.....	175	ALDURAZYME.....	144	<i>amoxicillin</i> .....	14, 15
<i>acyclovir</i> .....	68, 99	ALECENSA.....	18	<i>amoxicillin-pot clavulanate</i> .....	15
<i>acyclovir sodium</i> .....	68	<i>alendronate</i> .....	173	<i>amphotericin b</i> .....	47
ADACEL(TDAP ADOLESN/ADULT)(PF) .....	167, 168	<i>alfuzosin</i> .....	154	<i>amphotericin b liposome</i> .....	47
ADAKVEO.....	72	ALIMTA.....	18	<i>ampicillin</i> .....	15
<i>adapalene</i> .....	104	ALIQOPA.....	18	<i>ampicillin sodium</i> .....	15
ADCETRIS.....	18	<i>aliskiren</i> .....	85	<i>ampicillin-sulbactam</i> .....	15
<i>adefovir</i> .....	68	<i>allopurinol</i> .....	49	ANADROL-50.....	156
ADEMPAS.....	186	<i>alosetron</i> .....	172	<i>anagrelide</i> .....	72
<i>adriamycin</i> .....	18	ALPHAGAN P.....	177	<i>anastrozole</i> .....	18
<i>adrucil</i> .....	18	<i>alprazolam</i> .....	9	ANORO ELLIPTA.....	182
		ALREX.....	149	<i>apomorphine</i> .....	54
		<i>altavera (28)</i> .....	90	<i>apraclonidine</i> .....	146
				<i>aprepitant</i> .....	52
				APRETUDE.....	62
				<i>apri</i> .....	90

APTIOM.....	34	<i>ayuna</i> .....	90	BD ULTRA-FINE MICRO	
APTIVUS.....	62	AYVAKIT.....	18	PEN NEEDLE.....	108
APTIVUS (WITH VITAMIN		<i>azacitidine</i> .....	19	BD ULTRA-FINE MINI	
E).....	62	<i>azathioprine</i> .....	162	PEN NEEDLE.....	108
<i>aranelle (28)</i> .....	90	<i>azathioprine sodium</i> .....	163	BD ULTRA-FINE NANO	
ARCALYST.....	162	<i>azelastine</i> .....	146	PEN NEEDLE.....	108
<i>aripiprazole</i> .....	56	<i>azithromycin</i> .....	13	BD ULTRA-FINE ORIG	
ARISTADA.....	57	AZOPT.....	177	PEN NEEDLE.....	108
ARISTADA INITIO.....	56	<i>aztreonam</i> .....	14	BD ULTRA-FINE SHORT	
<i>armodafinil</i> .....	186	<i>azurette (28)</i> .....	90	PEN NEEDLE.....	108
ARNUITY ELLIPTA.....	181	<i>bacitracin</i> .....	147	BD VEO INSULIN SYR	
<i>arsenic trioxide</i> .....	18	<i>bacitracin-polymyxin b</i> .....	147	(HALF UNIT).....	108
<i>asenapine maleate</i> .....	57	<i>baclofen</i> .....	185	BD VEO INSULIN	
<i>ashlyna</i> .....	90	<i>balsalazide</i> .....	172	SYRINGE UF.....	108, 109
ASPARLAS.....	18	BALVERSA.....	19	<i>bekyree (28)</i> .....	91
<i>aspirin-dipyridamole</i> .....	72	<i>balziva (28)</i> .....	91	BELEODAQ.....	19
ASSURE ID DUO-SHIELD	106	BAVENCIO.....	19	BELSOMRA.....	186
ASSURE ID INSULIN		BAXDELA.....	16	<i>benazepril</i> .....	76, 77
SAFETY.....	106	BCG VACCINE, LIVE (PF)	168	<i>benazepril-hydrochlorothiazide</i> .....	77
ASSURE ID PEN NEEDLE	106	BD ALCOHOL SWABS.....	100	BENDEKA.....	19
<i>atazanavir</i> .....	62	BD AUTOSHIELD DUO		BENLYSTA.....	163
<i>atenolol</i> .....	78	PEN NEEDLE.....	106	<i>benztropine</i> .....	54
<i>atenolol-chlorthalidone</i> .....	78	BD ECLIPSE LUER-LOK...	107	BESPONSA.....	19
<i>atomoxetine</i> .....	86	BD INSULIN SYRINGE....	107	BESREMI.....	163
<i>atorvastatin</i> .....	83	BD INSULIN SYRINGE		<i>betaine</i> .....	175
<i>atovaquone</i> .....	54	(HALF UNIT).....	107	<i>betamethasone acet,sod phos</i> ..	158
<i>atovaquone-proguanil</i> .....	54	BD INSULIN SYRINGE		<i>betamethasone dipropionate</i> ...	102
<i>atropine</i> .....	146	SLIP TIP.....	107	<i>betamethasone valerate</i> .....	102
ATROVENT HFA.....	182	BD INSULIN SYRINGE U-		<i>betamethasone, augmented</i> ....	102
AUBAGIO.....	86	500.....	107	BETASERON.....	86
<i>aubra eq</i> .....	90	BD INSULIN SYRINGE		<i>betaxolol</i> .....	78
<i>aurovela 1.5/30 (21)</i> .....	90	ULTRA-FINE.....	107	<i>bethanechol chloride</i> .....	154
<i>aurovela 1/20 (21)</i> .....	90	BD NANO 2ND GEN PEN		<i>bexarotene</i> .....	19
<i>aurovela 24 fe</i> .....	90	NEEDLE.....	107	BEXSERO.....	168
<i>aurovela fe 1.5/30 (28)</i> .....	90	BD SAFETYGLIDE		<i>bicalutamide</i> .....	19
<i>aurovela fe 1-20 (28)</i> .....	90	INSULIN SYRINGE....	107, 108	BICILLIN L-A.....	15
AUSTEDO.....	86	BD SAFETYGLIDE		BIDIL.....	85
AVASTIN.....	18	NEEDLE.....	108	BIKTARVY.....	62
<i>aviane</i> .....	90	BD SAFETYGLIDE		<i>bisoprolol fumarate</i> .....	78
AVONEX.....	86	SYRINGE.....	108	<i>bisoprolol-hydrochlorothiazide</i> ..	78



BLENREP.....	19	<i>calcipotriene</i> .....	100	<i>cefprozil</i> .....	13
<i>bleomycin</i> .....	19	<i>calcitonin (salmon)</i> .....	173	<i>ceftazidime</i> .....	13
<i>bleph-10</i> .....	147	<i>calcitriol</i> .....	173	<i>ceftriaxone</i> .....	13
BLINCYTO.....	19	<i>calcium acetate (phosphat</i>		<i>cefuroxime axetil</i> .....	13
<i>blisovi 24 fe</i> .....	91	<i>bind)</i> .....	153, 154	<i>cefuroxime sodium</i> .....	13
<i>blisovi fe 1.5/30 (28)</i> .....	91	<i>calcium chloride</i> .....	178	<i>celecoxib</i> .....	5
<i>blisovi fe 1/20 (28)</i> .....	91	CALQUENCE.....	20	CELONTIN.....	34
BOOSTRIX TDAP.....	168	<i>camila</i> .....	91	<i>cephalexin</i> .....	13
BORDERED GAUZE.....	109	CAPLYTA.....	57	CERDELGA.....	144
<i>bortezomib</i> .....	19	CAPRELSA.....	20	CEREZYME.....	144
BORTEZOMIB.....	19	<i>captopril</i> .....	77	CHANTIX CONTINUING	
BOSULIF.....	19	<i>carbamazepine</i> .....	34	MONTH BOX.....	8
BRAFTOVI.....	19	<i>carbidopa-levodopa</i> .....	55	<i>chateal eq (28)</i> .....	91
BREO ELLIPTA.....	181	<i>carbidopa-levodopa-</i>		<i>chloramphenicol sod succinate</i> ..	11
BREZTRI AEROSPHERE..	182	<i>entacapone</i> .....	55	<i>chlordiazepoxide hcl</i> .....	9
<i>briellyn</i> .....	91	CAREFINE PEN NEEDLE	109	<i>chlorhexidine gluconate</i> .....	99
BRILINTA.....	72	CARETOUCH ALCOHOL		<i>chloroquine phosphate</i> .....	54
<i>brimonidine</i> .....	177	PREP PAD.....	100	<i>chlorothiazide sodium</i> .....	82
<i>brimonidine-timolol</i> .....	177	CARETOUCH INSULIN		<i>chlorpromazine</i> .....	57
BRIVIACT.....	34	SYRINGE.....	109, 110	<i>chlorthalidone</i> .....	82
<i>bromocriptine</i> .....	55	CARETOUCH PEN		<i>chlorzoxazone</i> .....	185
BROMSITE.....	149	NEEDLE.....	109	<i>cholestyramine (with sugar)</i> .....	83
BRONCHITOL.....	184	<i>carglumic acid</i> .....	151	<i>cholestyramine light</i> .....	83
BRUKINSA.....	20	<i>carteolol</i> .....	177	<i>ciclopirox</i> .....	47
<i>budesonide</i> .....	172, 181	<i>cartia xt</i> .....	80	<i>cilostazol</i> .....	72
<i>bumetanide</i> .....	82	<i>carvedilol</i> .....	79	CIMDUO.....	62
<i>buprenorphine hcl</i> .....	3, 8	<i>caspofungin</i> .....	47	<i>cimetidine hcl</i> .....	150
<i>buprenorphine-naloxone</i> .....	8	CAYSTON.....	14	<i>cinacalcet</i> .....	173
<i>bupropion hcl</i> .....	39, 40	<i>caziant (28)</i> .....	91	CINQAIR.....	184
<i>bupropion hcl (smoking deter)</i> ... 8		<i>cefaclor</i> .....	12	CINRYZE.....	70
<i>buspirone</i> .....	175	<i>cefadroxil</i> .....	12	<i>ciprofloxacin</i> .....	16
<i>butalbital-acetaminophen-caff</i> ... 3		<i>cefazolin</i> .....	12	<i>ciprofloxacin hcl</i> .....	16, 147
<i>butalbital-aspirin-caffeine</i> ..... 3		<i>cefazolin in dextrose (iso-os)</i> ... 12		<i>ciprofloxacin in 5 % dextrose</i> ... 16	
BYNFEZIA.....	160	<i>cefdinir</i> .....	12	<i>ciprofloxacin-dexamethasone</i> .. 147	
CABENUVA.....	62	<i>cefepime</i> .....	12	<i>citalopram</i> .....	40
<i>cabergoline</i> .....	55	<i>cefixime</i> .....	12	<i>clarithromycin</i> .....	14
CABLIVI.....	72	<i>cefotaxime</i> .....	12	CLENPIQ.....	153
CABOMETYX.....	20	<i>cefoxitin</i> .....	13	CLICKFINE PEN NEEDLE	
<i>cabotegravir</i> .....	62	<i>cefoxitin in dextrose, iso-osm</i> ... 12		.....	110
<i>caffeine citrate</i> .....	86	<i>cefpodoxime</i> .....	13	<i>clindamycin hcl</i> .....	11



<i>clindamycin in 5 % dextrose</i> .....	11	<i>clotrimazole</i> .....	47	<i>cyclafem 7/7/7 (28)</i> .....	91
<i>clindamycin phosphate</i> 11, 50, 101		<i>clotrimazole-betamethasone</i> .....	47	<i>cyclobenzaprine</i> .....	185
CLINIMIX 5%/D15W		<i>clovique</i> .....	155	<i>cyclopentolate</i> .....	146
SULFITE FREE.....	73	<i>clozapine</i> .....	57	<i>cyclophosphamide</i> .....	20
CLINIMIX 4.25%/D10W		COARTEM.....	54	CYCLOPHOSPHAMIDE.....	20
SULF FREE.....	73	<i>codeine sulfate</i> .....	3	<i>cyclosporine</i> .....	149, 163
CLINIMIX 4.25%/D5W		<i>colchicine</i> .....	49	<i>cyclosporine modified</i> .....	163
SULFIT FREE.....	73	<i>colesevelam</i> .....	83	<i>cyproheptadine</i> .....	49
CLINIMIX 5%-		<i>colestipol</i> .....	84	CYRAMZA.....	20
D20W(SULFITE-FREE).....	73	<i>colistin (colistimethate na)</i> .....	11	<i>cyred eq</i> .....	91
CLINIMIX 6%-D5W		COMBIGAN.....	177	CYSTARAN.....	146
(SULFITE-FREE).....	73	COMBIVENT RESPIMAT..	182	<i>d5 % and 0.9 % sodium</i>	
CLINIMIX 8%-		COMETRIQ.....	20	<i>chloride</i> .....	178
D10W(SULFITE-FREE).....	73	COMFORT EZ INSULIN		<i>d5 %-0.45 % sodium chloride</i> ..	178
CLINIMIX 8%-		SYRINGE.....	110, 111, 112	<i>dalfampridine</i> .....	87
D14W(SULFITE-FREE).....	73	COMFORT EZ PEN		DALIRESP.....	184
CLINIMIX E 2.75%/D5W		NEEDLES.....	111	<i>danazol</i> .....	156
SULF FREE.....	74	COMFORT TOUCH PEN		<i>dantrolene</i> .....	185
CLINIMIX E 4.25%/D10W		NEEDLE.....	112, 113	DANYELZA.....	20
SUL FREE.....	74	COMPLERA.....	62	<i>dapsone</i> .....	51
CLINIMIX E 4.25%/D5W		<i>compro</i> .....	52	DAPTACEL (DTAP	
SULF FREE.....	74	<i>constulose</i> .....	151	PEDIATRIC) (PF).....	168
CLINIMIX E 5%/D15W		COPAXONE.....	86, 87	<i>daptomycin</i> .....	11
SULFIT FREE.....	74	COPIKTRA.....	20	DARZALEX.....	21
CLINIMIX E 5%/D20W		CORLANOR.....	81	DARZALEX FASPRO.....	20
SULFIT FREE.....	74	CORTROPHIN GEL.....	160	<i>dasetta 1/35 (28)</i> .....	91
CLINIMIX E 8%-D10W		COSENTYX.....	163	<i>dasetta 7/7/7 (28)</i> .....	91
SULFITEFREE.....	74	COSENTYX (2 SYRINGES)		DAURISMO.....	21
CLINIMIX E 8%-D14W		.....	163	<i>daysee</i> .....	91
SULFITEFREE.....	74	COSENTYX PEN (2 PENS)	163	<i>deblitane</i> .....	91
<i>clobazam</i> .....	34	COTELLIC.....	20	<i>decitabine</i> .....	21
<i>clobetasol</i> .....	102	CREON.....	144	<i>deferasirox</i> .....	155
<i>clobetasol-emollient</i> .....	102	CRIVAN.....	63	<i>deferiprone</i> .....	155
<i>clofarabine</i> .....	20	<i>cromolyn</i> .....	146, 151, 184	<i>deferoxamine</i> .....	155
<i>clomipramine</i> .....	40	<i>cryselle (28)</i> .....	91	DELSTRIGO.....	63
<i>clonazepam</i> .....	9	CURAD GAUZE PAD.....	113	DENGVAXIA (PF).....	168
<i>clonidine</i> .....	75	CURITY ALCOHOL		<i>denta 5000 plus</i> .....	99
<i>clonidine hcl</i> .....	75	SWABS.....	100	<i>dentagel</i> .....	99
<i>clopidogrel</i> .....	72	CURITY GAUZE.....	113	DERMACEA.....	113
<i>clorazepate dipotassium</i> .....	9	<i>cyclafem 1/35 (28)</i> .....	91		

DERMACEA NON- WOVEN.....	113	DIPENTUM.....	172	DUAVEE.....	157
DESCOVY.....	63	<i>diphenhydramine hcl</i> .....	49	<i>duloxetine</i> .....	40
<i>desipramine</i> .....	40	<i>diphenoxylate-atropine</i> .....	152	DUPIXENT PEN.....	163
<i>desmopressin</i> .....	160	<i>dipyridamole</i> .....	73	DUPIXENT SYRINGE.....	163
<i>desog-e.estradiolle.estradiol</i> .....	91	<i>disopyramide phosphate</i> .....	77	<i>dutasteride</i> .....	154
<i>desogestrel-ethinyl estradiol</i> .....	91	<i>disulfiram</i> .....	8	EASY COMFORT ALCOHOL PAD.....	100
<i>desoximetasone</i> .....	102	<i>divalproex</i> .....	35	EASY COMFORT INSULIN SYRINGE....	115, 116
<i>desvenlafaxine succinate</i> .....	40	<i>dofetilide</i> .....	78	EASY COMFORT PEN	
<i>dexamethasone</i> .....	158	<i>donepezil</i> .....	39	NEEDLES.....	116
<i>dexamethasone sodium phos (pf)</i> .....	158	DOPTELET (10 TAB PACK)	70	EASY GLIDE INSULIN SYRINGE.....	116
<i>dexamethasone sodium phosphate</i> .....	149, 158	DOPTELET (15 TAB PACK)	70	EASY GLIDE PEN	
<i>dexmethylphenidate</i> .....	87	DOPTELET (30 TAB PACK)	70	NEEDLE.....	116
<i>dextroamphetamine sulfate</i> .....	87	<i>dorzolamide</i> .....	177	EASY TOUCH.....	118
<i>dextroamphetamine- amphetamine</i> .....	87	<i>dorzolamide-timolol</i> .....	177	EASY TOUCH ALCOHOL PREP PADS.....	100
<i>dextrose 10 % in water (d10w)</i> .....	74	<i>dotti</i> .....	157	EASY TOUCH FLIPLOCK INSULIN.....	118
<i>dextrose 5 % in water (d5w)</i> .....	74	DOVATO.....	63	EASY TOUCH FLIPLOCK SYRINGE.....	117
DIACOMIT.....	34	<i>doxazosin</i> .....	75	EASY TOUCH INSULIN SAFETY SYR.....	117
<i>diazepam</i> .....	9, 10, 35	<i>doxepin</i> .....	40	EASY TOUCH INSULIN SYRINGE.....	116, 117, 119
<i>diazepam intensol</i> .....	9	<i>doxorubicin</i> .....	21	EASY TOUCH LUER	
<i>diazoxide</i> .....	175	<i>doxorubicin, peg-liposomal</i> .....	21	LOCK INSULIN.....	118
<i>diclofenac epolamine</i> .....	5	<i>doxy-100</i> .....	17	EASY TOUCH PEN	
<i>diclofenac potassium</i> .....	5	<i>doxycycline hyclate</i> .....	17	NEEDLE.....	118
<i>diclofenac sodium</i> .....	6, 149	<i>doxycycline monohydrate</i> .....	17	EASY TOUCH SAFETY PEN NEEDLE.....	118, 119
<i>dicloxacillin</i> .....	15	DRIZALMA SPRINKLE.....	40	EASY TOUCH SHEATHLOCK INSULIN	
<i>dicyclomine</i> .....	152	<i>dronabinol</i> .....	52	.....	117, 118
<i>didanosine</i> .....	63	<i>droperidol</i> .....	52	EASY TOUCH UNI-SLIP...	119
DIFICID.....	14	DROPLET INSULIN SYR(HALF UNIT).....	113	<i>econazole</i> .....	48
<i>difluprednate</i> .....	149	DROPLET INSULIN SYRINGE.....	113, 114	EDARBI.....	76
<i>digitek</i> .....	81	DROPLET MICRON PEN NEEDLE.....	114	EDARBYCLOR.....	76
<i>digox</i> .....	81	DROPLET PEN NEEDLE .....	114, 115	EDURANT.....	63
<i>digoxin</i> .....	81	DROPSAFE ALCOHOL PREP PADS.....	100		
<i>dihydroergotamine</i> .....	50	DROPSAFE PEN NEEDLE	115		
<i>diltiazem hcl</i> .....	80	<i>drospirenone-ethinyl estradiol</i> ...	92		
<i>dilt-xr</i> .....	80	DROXIA.....	72		
<i>dimenhydrinate</i> .....	52	<i>droxidopa</i> .....	75		
<i>dimethyl fumarate</i> .....	87				

<i>efavirenz</i> .....	63	<i>enoxaparin</i> .....	69	<i>etonogestrel-ethinyl estradiol</i> ....	92
<i>efavirenz-emtricitabin-tenofov</i> ..	63	<i>enpresse</i> .....	92	ETOPOPHOS.....	22
<i>efavirenz-lamivu-tenofov disop</i> ..	63	<i>enskyce</i> .....	92	<i>etoposide</i> .....	22
EGRIFTA SV.....	160	<i>entacapone</i> .....	55	<i>etravirine</i> .....	63
ELAPRASE.....	144	<i>entecavir</i> .....	68	EUCRISA.....	103
ELIGARD.....	21	ENTRESTO.....	76	EVENITY.....	173
ELIGARD (3 MONTH).....	21	<i>enulose</i> .....	152	<i>everolimus (antineoplastic)</i> .....	22
ELIGARD (4 MONTH).....	21	EPCLUSA.....	67	<i>everolimus</i>	
ELIGARD (6 MONTH).....	21	EPIDIOLEX.....	35	<i>(immunosuppressive)</i> .....	164
<i>elimest</i> .....	92	<i>epinastine</i> .....	146	EVOTAZ.....	63
ELIQUIS.....	69	<i>epinephrine</i> .....	81	EVRYSDI.....	175
ELIQUIS DVT-PE TREAT		<i>epitol</i> .....	35	EXEL INSULIN.....	119
30D START.....	69	EPIVIR HBV.....	63	<i>exemestane</i> .....	22
ELITEK.....	144	<i>eplerenone</i> .....	85	EXKIVITY.....	22
ELLA.....	92	<i>epoprostenol (glycine)</i> .....	186	EXONDYS-51.....	175
ELMIRON.....	175	EPRONTIA.....	35	EYSUVIS.....	149
<i>eluryng</i> .....	92	ERBITUX.....	21	<i>ezetimibe</i> .....	84
EMCYT.....	21	<i>ergoloid</i> .....	39	FABRAZYME.....	144
EMEND.....	52	ERIVEDGE.....	21	<i>falmina (28)</i> .....	92
EMFLAZA.....	158, 159	ERLEADA.....	21	<i>famciclovir</i> .....	68
EMGALITY PEN.....	50	<i>erlotinib</i> .....	21, 22	<i>famotidine</i> .....	151
EMGALITY SYRINGE.....	50	<i>errin</i> .....	92	<i>famotidine (pf)</i> .....	151
<i>emoquette</i> .....	92	<i>ertapenem</i> .....	14	<i>famotidine (pf)-nacl (iso-os)</i>	151
EMPLICITI.....	21	<i>ery pads</i> .....	101	FANAPT.....	57, 58
EMSAM.....	40	<i>erythromycin</i> .....	14, 147	FARXIGA.....	42
<i>emtricitabine</i> .....	63	<i>erythromycin ethylsuccinate</i> .....	14	FARYDAK.....	22
<i>emtricitabine-tenofovir (tdf)</i> ....	63	<i>erythromycin with ethanol</i> .....	101	FASENRA.....	184
EMTRIVA.....	63	ESBRIET.....	184	FASENRA PEN.....	184
<i>enalapril maleate</i> .....	77	<i>escitalopram oxalate</i> .....	40	<i>febuxostat</i> .....	49
<i>enalaprilat</i> .....	77	<i>esomeprazole magnesium</i> .....	150	<i>felbamate</i> .....	35
<i>enalapril-hydrochlorothiazide</i> ...	77	<i>esomeprazole sodium</i> .....	150	FEMRING.....	157
ENBREL.....	164	<i>estarylla</i> .....	92	<i>femynor</i> .....	92
ENBREL MINI.....	163	<i>estradiol</i> .....	157	<i>fenofibrate</i> .....	84
ENBREL SURECLICK.....	164	<i>estradiol valerate</i> .....	157	<i>fenofibrate micronized</i> .....	84
ENDARI.....	175	<i>estradiol-norethindrone acet</i> ...	157	<i>fenofibrate nanocrystallized</i> .....	84
<i>endocet</i> .....	3	<i>eszopiclone</i> .....	186	<i>fentanyl</i> .....	3
ENGERIX-B (PF).....	168	<i>ethambutol</i> .....	51	<i>fentanyl citrate</i> .....	3
ENGERIX-B PEDIATRIC		<i>ethosuximide</i> .....	35	FERRIPROX.....	155
(PF).....	168	<i>ethynodiol diac-eth estradiol</i> ....	92	FERRIPROX (2 TIMES A	
ENHERTU.....	21	<i>etodolac</i> .....	6	DAY).....	155

FETZIMA.....	40, 41	<i>fosinopril</i> .....	77	<i>glatiramer</i> .....	87
FIASP FLEXTOUCH U-100		<i>fosphenytoin</i> .....	35	<i>glatopa</i> .....	87, 88
INSULIN.....	44	FOTIVDA.....	22	<i>glimepiride</i> .....	46
FIASP PENFILL U-100		FREESTYLE PRECISION..	120	<i>glipizide</i> .....	46, 47
INSULIN.....	45	FULPHILA.....	70	<i>glipizide-metformin</i> .....	47
FIASP U-100 INSULIN.....	45	<i>fulvestrant</i> .....	22	<i>glyburide</i> .....	47
<i>finasteride</i> .....	154	<i>furosemide</i> .....	82, 83	<i>glyburide micronized</i> .....	47
FINTEPLA.....	35	FUZEON.....	63	<i>glyburide-metformin</i> .....	47
FIRVANQ.....	11	<i>fyavolv</i> .....	157	<i>glycopyrrolate</i> .....	152
FLEBOGAMMA DIF.....	164	FYCOMPA.....	35	<i>glydo</i> .....	7
<i>flecainide</i> .....	78	<i>gabapentin</i> .....	35, 36	GLYXAMBI.....	42
FLOVENT DISKUS.....	181	GALAFOLD.....	144	<i>granisetron (pf)</i> .....	53
FLOVENT HFA.....	181	<i>galantamine</i> .....	39	<i>granisetron hcl</i> .....	53
<i>floxuridine</i> .....	22	GAMIFANT.....	164	<i>griseofulvin microsize</i> .....	48
<i>fluconazole</i> .....	48	GAMMAGARD LIQUID...	164	<i>guanfacine</i> .....	75, 88
<i>fluconazole in nacl (iso-osm)</i> ...	48	GAMMAGARD S-D (IGA <		GVOKE.....	175
<i>flucytosine</i> .....	48	1 MCG/ML).....	164	GVOKE HYPOPEN 2-	
<i>fludrocortisone</i> .....	159	GAMMAPLEX.....	164	PACK.....	175
<i>flumazenil</i> .....	87	GAMMAPLEX (WITH		GVOKE PFS 1-PACK	
<i>flunisolide</i> .....	149	SORBITOL).....	164	SYRINGE.....	175
<i>fluocinolone</i> .....	103	<i>ganciclovir sodium</i> .....	68	HAEGARDA.....	70
<i>fluocinonide</i> .....	103	GARDASIL 9 (PF).....	169	<i>hailey</i> .....	92
<i>fluocinonide-e</i> .....	103	GATTEX 30-VIAL.....	152	<i>hailey 24 fe</i> .....	92
<i>fluoride (sodium)</i> .....	99	GAUZE PAD.....	120	<i>hailey fe 1.5/30 (28)</i> .....	92
<i>fluorometholone</i> .....	149	<i>gavilyte-c</i> .....	153	<i>hailey fe 1/20 (28)</i> .....	92
<i>fluorouracil</i> .....	22, 100	<i>gavilyte-g</i> .....	153	<i>halobetasol propionate</i> .....	103
<i>flouxetine</i> .....	41	<i>gavilyte-n</i> .....	153	<i>haloperidol</i> .....	58
<i>fluphenazine decanoate</i> .....	58	GAVRETO.....	22	<i>haloperidol decanoate</i> .....	58
<i>fluphenazine hcl</i> .....	58	GAZYVA.....	22	<i>haloperidol lactate</i> .....	58
<i>flurbiprofen</i> .....	6	<i>gemfibrozil</i> .....	84	HARVONI.....	67
<i>flurbiprofen sodium</i> .....	149	<i>generlac</i> .....	152	HAVRIX (PF).....	169
<i>flutamide</i> .....	22	<i>gengraf</i> .....	164	HEALTHWISE INSULIN	
<i>fluticasone propionate</i> .....	103, 149	<i>gentak</i> .....	147	SYRINGE.....	120, 121
<i>fluvoxamine</i> .....	41	<i>gentamicin</i> .....	10, 101, 147	HEALTHWISE PEN	
<i>fomepizole</i> .....	175	<i>gentamicin sulfate (ped) (pf)</i> ...	10	NEEDLE.....	121
<i>fondaparinux</i> .....	69	<i>gentamicin sulfate (pf)</i> .....	10	HEALTHY ACCENTS	
FORTEO.....	173	GENVOYA.....	63	UNIFINE PENTIP.....	121
<i>fosamprenavir</i> .....	63	GILENYA.....	87	<i>heather</i> .....	92
<i>fosaprepitant</i> .....	52	GILOTRIF.....	22	<i>heparin (porcine)</i> .....	69, 70
<i>foscarnet</i> .....	66	GIVLAARI.....	72	<i>heparin, porcine (pf)</i> .....	70

HEPATAMINE 8%.....	74	HYQVIA.....	165	INSULIN SYR/NDL U100	
HERCEPTIN.....	22	<i>ibandronate</i> .....	174	HALF MARK.....	122
HERCEPTIN HYLECTA.....	22	IBRANCE.....	23	INSULIN SYRINGE.....	108
HERZUMA.....	23	<i>ibu</i> .....	6	INSULIN SYRINGE	
HETLIOZ.....	186	<i>ibuprofen</i> .....	6	MICROFINE.....	107
HETLIOZ LQ.....	186	<i>icatibant</i> .....	81	INSULIN SYRINGE	
HIBERIX (PF).....	169	<i>iclevia</i> .....	93	NEEDLELESS.....	107
HUMIRA.....	165	ICLUSIG.....	23	INSULIN SYRINGE-	
HUMIRA PEN.....	165	IDHIFA.....	23	NEEDLE U-100	
HUMIRA PEN CROHNS-		<i>ifosfamide</i> .....	23	107, 109, 119, 120, 122, 123, 130,	
UC-HS START.....	164	ILARIS (PF).....	165, 166	134, 138	
HUMIRA PEN PSOR-		ILEVRO.....	149	INSUPEN.....	123
UVEITS-ADOL HS.....	165	<i>imatinib</i> .....	23	INTELENCE.....	64
HUMIRA(CF).....	165	IMBRUVICA.....	23	INTRALIPID.....	75
HUMIRA(CF) PEDI		IMFINZI.....	23	INTRON A.....	68
CROHNS STARTER.....	165	<i>imipenem-cilastatin</i> .....	14	<i>introvale</i> .....	93
HUMIRA(CF) PEN.....	165	<i>imipramine hcl</i> .....	41	INVEGA HAFYERA.....	58
HUMIRA(CF) PEN		<i>imiquimod</i> .....	100	INVEGA SUSTENNA.....	58, 59
CROHNS-UC-HS.....	165	IMLYGIC.....	23	INVEGA TRINZA.....	59
HUMIRA(CF) PEN		IMOVAX RABIES		INVELTYS.....	149
PEDIATRIC UC.....	165	VACCINE (PF).....	169	INVIRASE.....	64
HUMIRA(CF) PEN PSOR-		IMPAVIDO.....	54	IPOL.....	169
UV-ADOL HS.....	165	INBRIJA.....	55	<i>ipratropium bromide</i> .....	146, 183
HUMULIN R U-500		<i>incassia</i> .....	93	<i>ipratropium-albuterol</i> .....	183
(CONC) INSULIN.....	45	INCONTROL ALCOHOL		<i>irbesartan</i> .....	76
HUMULIN R U-500		PADS.....	100	<i>irbesartan-hydrochlorothiazide</i> .....	76
(CONC) KWIKPEN.....	45	INCONTROL PEN		IRESSA.....	24
<i>hydralazine</i> .....	81	NEEDLE.....	121	ISENTRESS.....	64
<i>hydrochlorothiazide</i> .....	83	INCRELEX.....	160	ISENTRESS HD.....	64
<i>hydrocodone-acetaminophen</i> ...3, 4		<i>indapamide</i> .....	83	<i>isibloom</i> .....	93
<i>hydrocodone-ibuprofen</i> .....	4	<i>indomethacin</i> .....	6	ISOLYTE S PH 7.4.....	178
<i>hydrocortisone</i> .....	103, 159, 172	INFANRIX (DTAP) (PF)....	169	ISOLYTE-P IN 5 %	
<i>hydromorphone</i> .....	4	INLYTA.....	23	DEXTROSE.....	178
<i>hydromorphone (pf)</i> .....	4	INPEN (FOR HUMALOG)		ISOLYTE-S.....	178
<i>hydroxychloroquine</i> .....	54	BLUE.....	121	<i>isoniazid</i> .....	51
<i>hydroxyprogesterone</i>		INPEN (NOVOLOG OR		<i>isosorbide dinitrate</i> .....	85
<i>cap (ppres)</i> .....	162	FIASP) BLUE.....	122	<i>isosorbide mononitrate</i> .....	85
<i>hydroxyurea</i> .....	23	INQOVI.....	24	<i>isosorbide-hydralazine</i> .....	86
<i>hydroxyzine hcl</i> .....	49	INREBIC.....	24	<i>itraconazole</i> .....	48
<i>hydroxyzine pamoate</i> .....	175			IV PREP WIPES.....	100



<i>ivermectin</i> .....	54	KLISYRI.....	100	LEUKERAN.....	25
IXEMPRA.....	24	<i>klor-con m10</i> .....	179	LEUKINE.....	71
IXIARO (PF).....	169	<i>klor-con m15</i> .....	179	<i>leuprolide</i> .....	25
<i>jaimiess</i> .....	93	<i>klor-con m20</i> .....	179	<i>levetiracetam</i> .....	36
JAKAFI.....	24	KLOXXADO.....	8	<i>levobunolol</i> .....	178
<i>jantoven</i> .....	70	KORLYM.....	43	<i>levocarnitine</i> .....	176
JARDIANCE.....	42	KOSELUGO.....	24	<i>levocarnitine (with sugar)</i> .....	176
<i>jasmiel (28)</i> .....	93	KRINTAFEL.....	54	<i>levocetirizine</i> .....	49
JEMPERLI.....	24	KRYSTEXXA.....	145	<i>levofloxacin</i> .....	16, 146, 147
<i>jencycla</i> .....	93	<i>kurvelo (28)</i> .....	93	<i>levofloxacin in d5w</i> .....	16
JENTADUETO.....	43	KYNMOBI.....	55	<i>levoleucovorin calcium</i> .....	176
JENTADUETO XR.....	43	KYPROLIS.....	24	<i>levonest (28)</i> .....	94
<i>jinteli</i> .....	157	<i>l norgestle.estradiol-e.estrad</i> .....	94	<i>levonorgestrel-ethinyl estrad</i> .....	94
<i>juleber</i> .....	93	<i>labetalol</i> .....	79	<i>levonorg-eth estrad triphasic</i> .....	94
JULUCA.....	64	<i>lacosamide</i> .....	36	<i>levora-28</i> .....	94
<i>junel 1.5/30 (21)</i> .....	93	<i>lactulose</i> .....	152	<i>levothyroxine</i> .....	162
<i>junel 1/20 (21)</i> .....	93	<i>lamivudine</i> .....	64	LEXIVA.....	64
<i>junel fe 1.5/30 (28)</i> .....	93	<i>lamivudine-zidovudine</i> .....	64	LIBTAYO.....	25
<i>junel fe 1/20 (28)</i> .....	93	<i>lamotrigine</i> .....	36	<i>lidocaine</i> .....	7
<i>junel fe 24</i> .....	93	<i>lanreotide</i> .....	160	<i>lidocaine (pf)</i> .....	7, 78
JUXTAPID.....	84	<i>lansoprazole</i> .....	151	<i>lidocaine hcl</i> .....	7
JYNARQUE.....	83	LANTUS SOLOSTAR U-100		<i>lidocaine viscous</i> .....	7
<i>kalliga</i> .....	93	INSULIN.....	45	<i>lidocaine-prilocaine</i> .....	7
KALYDECO.....	184	LANTUS U-100 INSULIN....	45	<i>lillow (28)</i> .....	94
KANJINTI.....	24	<i>lapatinib</i> .....	25	<i>linezolid</i> .....	11
KANUMA.....	144	<i>larin 1.5/30 (21)</i> .....	94	<i>linezolid in dextrose 5%</i> .....	11
<i>kariva (28)</i> .....	93	<i>larin 1/20 (21)</i> .....	94	<i>linezolid-0.9% sodium chloride</i> ..	11
<i>kelnor 1/35 (28)</i> .....	93	<i>larin 24 fe</i> .....	94	LINZESS.....	152
<i>kelnor 1-50 (28)</i> .....	93	<i>larin fe 1.5/30 (28)</i> .....	94	<i>liothyronine</i> .....	162
KESIMPTA PEN.....	88	<i>larin fe 1/20 (28)</i> .....	94	LISCO.....	123
<i>ketoconazole</i> .....	48	<i>larissia</i> .....	94	<i>lisinopril</i> .....	77
<i>ketorolac</i> .....	6, 149	<i>latanoprost</i> .....	177	<i>lisinopril-hydrochlorothiazide</i> ...	77
KEVEYIS.....	175	LATUDA.....	59	LITE TOUCH INSULIN	
KEYTRUDA.....	24	LAZANDA.....	4	PEN NEEDLES.....	123, 124
KIMMTRAK.....	24	<i>leflunomide</i> .....	166	LITE TOUCH INSULIN	
KINRIX (PF).....	169	<i>lenalidomide</i> .....	25	SYRINGE.....	124, 125
<i>kionex (with sorbitol)</i> .....	152	LENVIMA.....	25	<i>lithium carbonate</i> .....	88
KISQALI.....	24	<i>lessina</i> .....	94	LIVALO.....	84
KISQALI FEMARA CO-		<i>letrozole</i> .....	25	<i>lojaimiess</i> .....	94
PACK.....	24	<i>leucovorin calcium</i> .....	175, 176	LOKELMA.....	152

LONSURF.....	25	<i>magnesium sulfate</i> .....	179	<i>medroxyprogesterone</i> .....	162
<i>loperamide</i> .....	152	<i>magnesium sulfate in d5w</i> .....	179	<i>mefenamic acid</i> .....	6
<i>lopinavir-ritonavir</i> .....	64	<i>magnesium sulfate in water</i> .....	179	<i>mefloquine</i> .....	54
<i>lorazepam</i> .....	10	<i>malathion</i> .....	104	<i>megestrol</i> .....	26, 162
LORBRENA.....	25	<i>maprotiline</i> .....	41	MEKINIST.....	26
<i>loryna (28)</i> .....	95	<i>maraviroc</i> .....	64	MEKTOVI.....	26
<i>losartan</i> .....	76	MARGENZA.....	26	<i>meloxicam</i> .....	6
<i>losartan-hydrochlorothiazide</i> .....	76	<i>marlissa (28)</i> .....	95	<i>memantine</i> .....	39
LOTEMAX.....	150	MARPLAN.....	41	MENACTRA (PF).....	169
LOTEMAX SM.....	150	MATULANE.....	26	MENQUADFI (PF).....	170
<i>loteprednol etabonate</i> .....	150	MAVENCLAD (10 TABLET PACK).....	88	MENVEO A-C-Y-W-135- DIP (PF).....	170
<i>lovastatin</i> .....	84	MAVENCLAD (4 TABLET PACK).....	88	MEPSEVII.....	145
<i>low-ogestrel (28)</i> .....	95	MAVENCLAD (5 TABLET PACK).....	88	<i>mercaptapurine</i> .....	26
<i>loxapine succinate</i> .....	59	MAVENCLAD (6 TABLET PACK).....	88	<i>meropenem</i> .....	14
<i>lo-zumandimine (28)</i> .....	95	MAVENCLAD (7 TABLET PACK).....	88	<i>meropenem-0.9% sodium chloride</i> .....	14
<i>lubiprostone</i> .....	152	MAVENCLAD (8 TABLET PACK).....	88	<i>merzee</i> .....	95
LUCEMYRA.....	8	MAVENCLAD (9 TABLET PACK).....	88	<i>mesalamine</i> .....	172, 173
LUMAKRAS.....	25	MAXICOMFORT II PEN NEEDLE.....	125	<i>mesna</i> .....	176
LUMIGAN.....	178	MAXICOMFORT INSULIN SYRINGE.....	125	MESNEX.....	176
LUMOXITI.....	25	MAXI-COMFORT INSULIN SYRINGE.....	125	<i>metaproterenol</i> .....	183
LUPRON DEPOT.....	160	MAXICOMFORT SAFETY PEN NEEDLE.....	125	<i>metformin</i> .....	43
LUPRON DEPOT (3 MONTH).....	25, 160	MAYZENT.....	88	<i>methadone</i> .....	4
LUPRON DEPOT (4 MONTH).....	25	MAYZENT STARTER(FOR 1MG MAINT).....	88	<i>methadose</i> .....	4
LUPRON DEPOT (6 MONTH).....	25	MAYZENT STARTER(FOR 2MG MAINT).....	88	<i>methenamine hippurate</i> .....	11
LUPRON DEPOT-PED.....	160	<i>meclizine</i> .....	53	<i>methimazole</i> .....	162
LUPRON DEPOT-PED (3 MONTH).....	160			<i>methocarbamol</i> .....	185
<i>lutera (28)</i> .....	95			<i>methotrexate sodium</i> .....	26
LYBALVI.....	59			<i>methotrexate sodium (pf)</i> .....	26
<i>lyleq</i> .....	95			<i>methoxsalen</i> .....	100
<i>lyllana</i> .....	157			<i>methscopolamine</i> .....	152
LYNPARZA.....	26			<i>methyl dopa</i> .....	75
LYSODREN.....	26			<i>methylphenidate hcl</i> .....	89
<i>lyza</i> .....	95			<i>methylprednisolone</i> .....	159
MAGELLAN INSULIN SAFETY SYRNG.....	125			<i>methylprednisolone acetate</i> .....	159
MAGELLAN SYRINGE.....	125			<i>methylprednisolone sodium succ</i> .....	159

<i>metolazone</i> .....	83	<i>morphine</i> .....	4	<i>neo-polycin hc</i> .....	148
<i>metoprolol succinate</i> .....	79	MORPHINE.....	4	NEPHRAMINE 5.4 %.....	75
<i>metoprolol ta-hydrochlorothiaz</i>	79	<i>morphine concentrate</i> .....	4	NERLYNX.....	26
<i>metoprolol tartrate</i> .....	79	MOVANTIK.....	152	NEULASTA.....	71
<i>metronidazole</i> .....	11, 50, 101	<i>moxifloxacin</i> .....	16, 147	NEULASTA ONPRO.....	71
<i>metronidazole in nacl (iso-os)</i> ..	11	MOZOBIL.....	71	NEUPRO.....	55
<i>metyrosine</i> .....	81	MULPLETA.....	71	<i>nevirapine</i> .....	64
<i>mexiletine</i> .....	78	MULTAQ.....	78	NEXAVAR.....	26
<i>miconazole-3</i> .....	48	<i>mupirocin</i> .....	101	NEXLETOL.....	84
MICRODOT INSULIN PEN		MVASI.....	26	NEXLIZET.....	84
NEEDLE.....	125, 126	<i>mycophenolate mofetil</i> .....	166	<i>niacin</i> .....	84
<i>microgestin fe 1/20 (28)</i> .....	95	<i>mycophenolate mofetil (hcl)</i> ...	166	<i>nicardipine</i> .....	82
<i>midodrine</i> .....	76	MYLOTARG.....	26	NICOTROL.....	8
<i>miglustat</i> .....	145	MYRBETRIQ.....	154	<i>nifedipine</i> .....	82
<i>mili</i> .....	95	<i>nabumetone</i> .....	6	<i>nikki (28)</i> .....	95
<i>mimvey</i> .....	157	<i>nafcellin</i> .....	15	<i>nilutamide</i> .....	26
MINI ULTRA-THIN II.....	126	<i>nafcellin in dextrose iso-osm</i> .....	15	NINLARO.....	27
<i>minitran</i> .....	86	NAGLAZYME.....	145	<i>nitazoxanide</i> .....	54
<i>minocycline</i> .....	17	<i>naloxone</i> .....	8	<i>nitisinone</i> .....	145
<i>minoxidil</i> .....	86	<i>naltrexone</i> .....	8	<i>nitrofurantoin macrocrystal</i> .....	11
<i>mirtazapine</i> .....	41	NAMZARIC.....	39	<i>nitrofurantoin monohydr/m-</i>	
<i>misoprostol</i> .....	151	<i>naproxen</i> .....	6, 7	<i>cryst</i> .....	11
MITIGARE.....	49	NARCAN.....	8	<i>nitroglycerin</i> .....	86
<i>mitoxantrone</i> .....	26	NATACYN.....	147	NITYR.....	145
M-M-R II (PF).....	170	NATPARA.....	174	NIVESTYM.....	71
<i>modafinil</i> .....	186	NAYZILAM.....	36	<i>nizatidine</i> .....	151
<i>molindone</i> .....	59	<i>nebivolol</i> .....	79	NORDITROPIN FLEXPRO	
<i>molnupiravir</i> .....	68	<i>necon 0.5/35 (28)</i> .....	95	.....	160
<i>mometasone</i> .....	103, 150	<i>nefazodone</i> .....	41	<i>norethindrone (contraceptive)</i> ..	95
<i>mondoxyne nl</i> .....	17	<i>neomycin</i> .....	10	<i>norethindrone acetate</i> .....	162
MONJUVI.....	26	<i>neomycin-bacitracin-poly-hc</i> ...	147	<i>norethindrone ac-eth estradiol</i>	
MONOJECT INSULIN		<i>neomycin-bacitracin-</i>		.....	95, 157
SAFETY SYRINGE.....	126, 127	<i>polymyxin</i> .....	147	<i>norethindrone-e.estradiol-iron</i>	
MONOJECT INSULIN		<i>neomycin-polymyxin b gu</i> .....	101	.....	95, 96
SYRINGE.....	126, 127	<i>neomycin-polymyxin b-</i>		<i>norgestimate-ethinyl estradiol</i> ..	96
MONOJECT SYRINGE.....	126	<i>dexameth</i> .....	147, 148	<i>norlyda</i> .....	96
MONOJECT ULTRA		<i>neomycin-polymyxin-</i>		NORMOSOL-M IN 5 %	
COMFORT INSULIN.....	140	<i>gramicidin</i> .....	148	DEXTROSE.....	179
<i>mono-lynyah</i> .....	95	<i>neomycin-polymyxin-hc</i> .....	148	<i>nortrel 0.5/35 (28)</i> .....	96
<i>montelukast</i> .....	182	<i>neo-polycin</i> .....	148	<i>nortrel 1/35 (21)</i> .....	96



<i>nortrel 1/35 (28)</i> .....	96	<i>nystop</i> .....	48	OPDIVO.....	27
<i>nortrel 7/7/7 (28)</i> .....	96	NYVEPRIA.....	71	OPDUALAG.....	27
<i>nortriptyline</i> .....	41	OICALIVA.....	152	OPSUMIT.....	187
NORVIR.....	64, 65	OCTAGAM.....	166	<i>oralone</i> .....	99
NOVOFINE 30.....	127	<i>octreotide acetate</i> .....	160, 161	ORFADIN.....	145
NOVOFINE 32.....	127	ODEFSEY.....	65	ORGOVYX.....	161
NOVOFINE PLUS.....	127	ODOMZO.....	27	ORLISSA.....	161
NOVOLIN 70/30 U-100		OFEV.....	184	ORKAMBI.....	184, 185
INSULIN.....	45	<i>ofloxacin</i> .....	148	ORLADEYO.....	71
NOVOLIN 70-30 FLEXPEN		OGIVRI.....	27	<i>orsythia</i> .....	96
U-100.....	45	<i>olanzapine</i> .....	60	<i>oseltamivir</i> .....	66
NOVOLIN N FLEXPEN.....	45	<i>olmesartan</i> .....	76	OSMOLEX ER.....	56
NOVOLIN N NPH U-100		<i>olmesartan-</i>		<i>oxandrolone</i> .....	156
INSULIN.....	45	<i>hydrochlorothiazide</i> .....	76	<i>oxcarbazepine</i> .....	36
NOVOLIN R FLEXPEN.....	45	<i>olopatadine</i> .....	146	OXLUMO.....	176
NOVOLIN R REGULAR U-		<i>omega-3 acid ethyl esters</i> .....	84	OXTELLAR XR.....	36
100 INSULN.....	45	<i>omeprazole</i> .....	151	<i>oxybutynin chloride</i> .....	154
NOVOLOG FLEXPEN U-		<i>omeprazole-sodium</i>		<i>oxycodone</i> .....	4, 5
100 INSULIN.....	46	<i>bicarbonate</i> .....	151	<i>oxycodone-acetaminophen</i> .....	5
NOVOLOG MIX 70-30 U-		OMNIPOD 5 G6 INTRO		<i>oxycodone-aspirin</i> .....	5
100 INSULN.....	46	KIT (GEN 5).....	127	OXYCONTIN.....	5
NOVOLOG MIX 70-		OMNIPOD 5 G6 PODS		OZEMPIC.....	43
30FLEXPEN U-100.....	46	(GEN 5).....	127	<i>pacerone</i> .....	78
NOVOLOG PENFILL U-100		OMNIPOD CLASSIC PDM		<i>paclitaxel protein-bound</i> .....	27
INSULIN.....	46	KIT(GEN 3).....	127	PADCEV.....	27
NOVOLOG U-100 INSULIN		OMNIPOD CLASSIC PODS		<i>paliperidone</i> .....	60
ASPART.....	46	(GEN 3).....	127	PALYNZIQ.....	145
NOVOTWIST.....	127	OMNIPOD DASH INTRO		PANRETIN.....	100
NOXAFIL.....	48	KIT (GEN 4).....	127	<i>pantoprazole</i> .....	151
NUBEQA.....	27	OMNIPOD DASH PDM		<i>paricalcitol</i> .....	174
NUCALA.....	184	KIT (GEN 4).....	127	<i>paroex oral rinse</i> .....	99
NULOJIX.....	166	OMNIPOD DASH PODS		<i>paromomycin</i> .....	54
NUPLAZID.....	59	(GEN 4).....	127	<i>paroxetine hcl</i> .....	41
NURTEC ODT.....	50	ONCASPAR.....	27	PAXLOVID (EUA).....	67
NUTRILIPID.....	75	<i>ondansetron</i> .....	53	PEDIARIX (PF).....	170
<i>nyamyc</i> .....	48	<i>ondansetron hcl</i> .....	53	PEDVAX HIB (PF).....	170
<i>nylia 1/35 (28)</i> .....	96	<i>ondansetron hcl (pf)</i> .....	53	<i>peg 3350-electrolytes</i> .....	153
<i>nylia 7/7/7 (28)</i> .....	96	ONIVYDE.....	27	PEGASYS.....	68
<i>nymyo</i> .....	96	ONTRUZANT.....	27	<i>peg-electrolyte soln</i> .....	153
<i>nystatin</i> .....	48	ONUREG.....	27	PEGINTRON.....	68

PEMAZYRE.....	27	<i>pirmella</i> .....	96	PREZISTA.....	65
PEN NEEDLE.....	119, 128, 130	PLASMA-LYTE 148.....	179	PRIFTIN.....	51
PEN NEEDLE, DIABETIC		PLASMA-LYTE A.....	179	PRIMAQUINE.....	54
.....	112, 120, 123, 128, 130	PLEGRIDY.....	89	<i>primidone</i> .....	37
<i>penicillamine</i> .....	155	<i>podofilox</i> .....	100	PRIVIGEN.....	166
<i>penicillin g potassium</i> .....	15	POLIVY.....	28	PRO COMFORT	
<i>penicillin g procaine</i> .....	16	<i>polycin</i> .....	148	ALCOHOL PADS.....	100
<i>penicillin v potassium</i> .....	16	<i>polymyxin b sulfate</i> .....	12	PRO COMFORT INSULIN	
PENNSAID.....	7	<i>polymyxin b sulf-trimethoprim</i>	148	SYRINGE.....	129
PENTACEL (PF).....	170	POMALYST.....	28	PRO COMFORT PEN	
<i>pentamidine</i> .....	54	<i>portia 28</i> .....	96	NEEDLE.....	129
PENTIPS.....	128	PORTRAZZA.....	28	<i>probenecid</i> .....	49
<i>pentoxifylline</i> .....	73	<i>posaconazole</i> .....	48	<i>probenecid-colchicine</i> .....	49
PEPAXTO.....	27	<i>potassium chloride</i> .....	179, 180	<i>procainamide</i> .....	78
<i>perindopril erbumine</i> .....	77	<i>potassium chloride-0.45 % nacl</i>		PROCALAMINE 3%.....	75
<i>periogard</i> .....	99	.....	180	<i>prochlorperazine</i> .....	53
<i>permethrin</i> .....	104	<i>potassium citrate</i> .....	180	<i>prochlorperazine edisylate</i> .....	53
<i>perphenazine</i> .....	60	PRALUENT PEN.....	84	<i>prochlorperazine maleate</i> .....	53
<i>perphenazine-amitriptyline</i> .....	41	<i>pramipexole</i> .....	56	<i>procto-med hc</i> .....	103
PERSERIS.....	60	<i>prasugrel</i> .....	73	<i>proctosol hc</i> .....	103
<i>pfizerpen-g</i> .....	16	<i>pravastatin</i> .....	84, 85	<i>proctozone-hc</i> .....	103
<i>phenelzine</i> .....	41	<i>prazosin</i> .....	76	PRODIGY INSULIN	
<i>phenobarbital</i> .....	36	<i>prednicarbate</i> .....	103	SYRINGE.....	129
<i>phenylephrine hcl</i> .....	76	<i>prednisolone</i> .....	159	<i>progesterone</i> .....	162
<i>phenytoin</i> .....	37	<i>prednisolone acetate</i> .....	150	<i>progesterone micronized</i> .....	162
<i>phenytoin sodium</i> .....	37	<i>prednisolone sodium phosphate</i>		PROGRAF.....	166
<i>phenytoin sodium extended</i> .....	37	.....	150, 159	PROLASTIN-C.....	185
PHESGO.....	27	<i>prednisone</i> .....	159	PROLENSA.....	150
<i>philith</i> .....	96	<i>pregabalin</i> .....	37	PROLEUKIN.....	28
PHOSLYRA.....	154	PREHEVBRIO (PF).....	170	PROLIA.....	174
PIFELTRO.....	65	PREMARIN.....	157, 158	PROMACTA.....	71
<i>pilocarpine hcl</i> .....	99, 178	PREMPHASE.....	158	<i>promethazine</i> .....	49, 53
<i>pimecrolimus</i> .....	103	PREMPRO.....	158	<i>promethegan</i> .....	53
<i>pimozide</i> .....	60	PRETOMANID.....	51	<i>propafenone</i> .....	78
<i>pimtree (28)</i> .....	96	<i>prevalite</i> .....	85	<i>proparacaine</i> .....	147
<i>pioglitazone</i> .....	43	PREVENT DROPSAFE		<i>propranolol</i> .....	79
PIP PEN NEEDLE.....	128	PEN NEEDLE.....	128, 129	<i>propranolol-hydrochlorothiazid</i>	79
<i>piperacillin-tazobactam</i> .....	16	<i>previfem</i> .....	96	<i>propylthiouracil</i> .....	162
PIQRAY.....	27, 28	PREVYMIS.....	67	PROQUAD (PF).....	170
<i>pirfenidone</i> .....	185	PREZCOBIX.....	65	PROSOL 20 %.....	75

<i>protamine</i> .....	72	RESTASIS.....	150	RUXIENCE.....	28
<i>protriptyline</i> .....	41	RESTASIS MULTIDOSE....	150	RYBELSUS.....	43
PULMOZYME.....	145	RETACRIT.....	72	RYBREVANT.....	29
PURE COMFORT		RETEVMO.....	28	RYDAPT.....	29
ALCOHOL PADS.....	100	RETROVIR.....	65	SAFESNAP INSULIN	
PURE COMFORT PEN		REVCovi.....	145	SYRINGE.....	130
NEEDLE.....	129, 130	REVLIMID.....	28	SAFETY PEN NEEDLE.....	131
PURIXAN.....	28	<i>revonto</i> .....	186	<i>sajazir</i> .....	81
<i>pyrazinamide</i> .....	51	REXULTI.....	60	SANDOSTATIN LAR	
<i>pyridostigmine bromide</i> .....	176	REYATAZ.....	65	DEPOT.....	161
<i>pyrimethamine</i> .....	54	REZUROCK.....	166	SANTYL.....	101
QINLOCK.....	28	RHOPRESSA.....	178	<i>sapropterin</i> .....	145
QUADRACEL (PF).....	170	RIABNI.....	28	SARCLISA.....	29
<i>quetiapine</i> .....	60	<i>ribavirin</i> .....	68, 69	SAVELLA.....	89
<i>quinapril</i> .....	77	RIDAURA.....	166	SCSEMBLIX.....	29
<i>quinapril-hydrochlorothiazide</i> ...	77	<i>rifabutin</i> .....	52	<i>scopolamine base</i> .....	53
<i>quinidine sulfate</i> .....	78	<i>rifampin</i> .....	52	SECUADO.....	61
<i>quinine sulfate</i> .....	54	<i>rilpivirine</i> .....	65	SECURESAFE PEN	
QULIPTA.....	51	<i>riluzole</i> .....	89	NEEDLE.....	131
RABAVERT (PF).....	171	<i>rimantadine</i> .....	67	<i>selegiline hcl</i> .....	56
<i>rabeprazole</i> .....	151	RINVOQ.....	166	<i>selenium sulfide</i> .....	102
RADICAVA.....	89	<i>risedronate</i> .....	174	SELZENTRY.....	65
<i>raloxifene</i> .....	158	RISPERDAL CONSTA.....	60	SEREVENT DISKUS.....	183
<i>ramipril</i> .....	77	<i>risperidone</i> .....	60, 61	SEROSTIM.....	161
<i>ranolazine</i> .....	81	<i>ritonavir</i> .....	65	<i>sertraline</i> .....	41, 42
<i>rasagiline</i> .....	56	RITUXAN.....	28	<i>setlakin</i> .....	97
RASUVO (PF).....	166	RITUXAN HYCELA.....	28	<i>sevelamer carbonate</i> .....	154
RAVICTI.....	153	<i>rivastigmine</i> .....	39	<i>sevelamer hcl</i> .....	154
RAYALDEE.....	174	<i>rivastigmine tartrate</i> .....	39	<i>sf 5000 plus</i> .....	99
<i>reclipsen (28)</i> .....	97	<i>rizatriptan</i> .....	51	<i>sharobel</i> .....	97
RECOMBIVAX HB (PF).....	171	ROCKLATAN.....	178	SHINGRIX (PF).....	171
RECTIV.....	176	<i>ropinirole</i> .....	56	SIGNIFOR.....	161
RELENZA DISKHALER....	67	<i>rosadan</i> .....	102	SIKLOS.....	72
RELEUKO.....	71	<i>rosuvastatin</i> .....	85	<i>sildenafil</i> .....	187
RELION NEEDLES.....	130	ROTARIX.....	171	<i>sildenafil (pulm.hypertension)</i>	187
RELION PEN NEEDLES....	130	ROTATEQ VACCINE.....	171	<i>silver sulfadiazine</i> .....	102
<i>repaglinide</i> .....	43	ROZLYTREK.....	28	SIMBRINZA.....	178
REPATHA PUSHTRONEX..	85	RUBRACA.....	28	<i>simliya (28)</i> .....	97
REPATHA SURECLICK.....	85	<i>rufinamide</i> .....	37	<i>simpeppe</i> .....	97
REPATHA SYRINGE.....	85	RUKOBIA.....	65	<i>simvastatin</i> .....	85

<i>sirolimus</i> .....	166	<i>subvenite</i> .....	37	SYMPAZAN.....	37
SIRTURO.....	52	<i>sucralfate</i> .....	151	SYMTUZA.....	65
SKYRIZI.....	167	<i>sulfacetamide sodium</i> .....	148	SYNAGIS.....	67
<i>sodium chloride 0.45 %</i> .....	180	<i>sulfacetamide sodium (acne)</i> ..	102	SYNAREL.....	161
<i>sodium chloride 0.9 %</i> .....	180	<i>sulfacetamide-prednisolone</i> .....	148	SYNERCID.....	12
<i>sodium fluoride-pot nitrate</i> .....	99	<i>sulfadiazine</i> .....	16	SYNJARDY.....	44
<i>sodium phenylbutyrate</i> .....	153	<i>sulfamethoxazole-</i>		SYNJARDY XR.....	44
<i>sodium polystyrene (sorb free)</i>		<i>trimethoprim</i> .....	17	SYNRIBO.....	29
.....	153	<i>sulfasalazine</i> .....	173	TABLOID.....	29
<i>sodium polystyrene sulfonate</i> ..	153	<i>sulindac</i> .....	7	TABRECTA.....	29
SOLQUA 100/33.....	46	<i>sumatriptan</i> .....	51	<i>tacrolimus</i> .....	104, 167
SOLTAMOX.....	29	<i>sumatriptan succinate</i> .....	51	<i>tadalafil (pulm. hypertension)</i>	187
SOLU-CORTEF ACT-O-		<i>sunitinib</i> .....	29	TAFINLAR.....	29
VIAL (PF).....	159	SUNOSI.....	186	TAGRISSE.....	29
SOMATULINE DEPOT.....	161	SUPPRELIN LA.....	161	TAKHZYRO.....	176
SOMAVERT.....	161	SUPREP BOWEL PREP		TALZENNA.....	29
<i>sorine</i> .....	79	KIT.....	153	<i>tamoxifen</i> .....	29
<i>sotalol</i> .....	79	SURE COMFORT		<i>tamsulosin</i> .....	154
<i>sotalol af</i> .....	79	ALCOHOL PREP PADS.....	101	TARGRETIN.....	29
SPIRIVA RESPIMAT.....	183	SURE COMFORT INS.		<i>tarina 24 fe</i> .....	97
SPIRIVA WITH		SYR. U-100.....	131	<i>tarina fe 1-20 eq (28)</i> .....	97
HANDIHALER.....	183	SURE COMFORT		TASIGNA.....	30
<i>spironolactone</i> .....	83	INSULIN SYRINGE....	131, 132	TAVALISSE.....	72
SPRAVATO.....	42	SURE COMFORT PEN		<i>tazarotene</i> .....	104
<i>sprintec (28)</i> .....	97	NEEDLE.....	131, 132	TAZORAC.....	104
SPRITAM.....	37	SURE COMFORT SAFETY		<i>taztia xt</i> .....	80
SPRYCEL.....	29	PEN NEEDLE.....	131	TAZVERIK.....	30
<i>sps (with sorbitol)</i> .....	153	SURE-FINE PEN		TDVAX.....	171
<i>sronyx</i> .....	97	NEEDLES.....	132	TECENTRIQ.....	30
<i>ssd</i> .....	102	SURE-JECT INSULIN		TECHLITE INSULIN	
<i>stavudine</i> .....	65	SYRINGE.....	132	SYRINGE.....	133
STELARA.....	167	SURE-PREP ALCOHOL		TECHLITE INSULN	
STERILE PADS.....	131	PREP PADS.....	101	SYR(HALF UNIT).....	133
STIOLTO RESPIMAT.....	183	SUTAB.....	153	TECHLITE PEN NEEDLE	
STIVARGA.....	29	<i>syeda</i> .....	97	.....	133, 134
STRENSIQ.....	145	SYLVANT.....	29	TEFLARO.....	13
<i>streptomycin</i> .....	10	SYMBICORT.....	181	<i>telmisartan</i> .....	76
STRIBILD.....	65	SYMDEKO.....	185	<i>temazepam</i> .....	10
STRIVERDI RESPIMAT....	183	SYMLINPEN 120.....	43	TEMIXYS.....	66
SUBLOCADE.....	9	SYMLINPEN 60.....	44	TEMODAR.....	30

TENIVAC (PF).....	171	<i>tobramycin sulfate</i> .....	10	<i>tri-estarylla</i> .....	97
<i>tenofovir disoproxil fumarate</i> ...	66	<i>tobramycin-dexamethasone</i> ....	149	<i>trifluoperazine</i> .....	61
TEPEZZA.....	147	<i>tolterodine</i> .....	154	<i>trifluridine</i> .....	149
TEPMETKO.....	30	TOPCARE CLICKFINE.....	135	<i>trihexyphenidyl</i> .....	56
<i>terazosin</i> .....	155	TOPCARE ULTRA		TRIJARDY XR.....	44
<i>terbinafine hcl</i> .....	48	COMFORT.....	135	TRIKAFTA.....	185
<i>terbutaline</i> .....	183	<i>topiramate</i> .....	37	<i>tri-legest fe</i> .....	97
<i>terconazole</i> .....	50	<i>toposar</i> .....	30	<i>tri-linyah</i> .....	97
TERUMO INSULIN		<i>toremifene</i> .....	30	<i>tri-lo-estarylla</i> .....	97
SYRINGE.....	134	<i>torseamide</i> .....	83	<i>tri-lo-marzia</i> .....	97
<i>testosterone</i> .....	156	TOTECT.....	176	<i>tri-lo-mili</i> .....	97
<i>testosterone cypionate</i> .....	156	TOUJEO MAX U-300		<i>tri-lo-sprintec</i> .....	97
<i>testosterone enanthate</i> .....	156	SOLOSTAR.....	46	<i>trilyte with flavor packets</i> .....	153
TETANUS,DIPHThERIA		TOUJEO SOLOSTAR U-300		<i>trimethoprim</i> .....	12
TOX PED(PF).....	171	INSULIN.....	46	<i>tri-mili</i> .....	97
<i>tetrabenazine</i> .....	89	TOVIAZ.....	154	<i>trimipramine</i> .....	42
<i>tetracycline</i> .....	17	TRACLEER.....	187	TRINTELLIX.....	42
THALOMID.....	176	TRADJENTA.....	44	<i>tri-nymyo</i> .....	98
<i>theophylline</i> .....	183	<i>tramadol</i> .....	5	<i>tri-previfem (28)</i> .....	98
THINPRO INSULIN		<i>tramadol-acetaminophen</i> .....	5	TRIPTODUR.....	162
SYRINGE.....	134, 135	<i>trandolapril</i> .....	77	<i>tri-sprintec (28)</i> .....	98
THIOLA EC.....	155	<i>tranexamic acid</i> .....	72	TRIUMEQ.....	66
<i>thioridazine</i> .....	61	<i>tranylcypromine</i> .....	42	TRIUMEQ PD.....	66
<i>thiotepa</i> .....	30	TRAVASOL 10 %.....	75	<i>trivora (28)</i> .....	98
<i>thiothixene</i> .....	61	<i>travoprost</i> .....	178	<i>tri-vylibra</i> .....	98
<i>tiadylt er</i> .....	80	TRAZIMERA.....	30	<i>tri-vylibra lo</i> .....	98
<i>tiagabine</i> .....	37	<i>trazodone</i> .....	42	TRODELVY.....	31
TIBSOVO.....	30	TREANDA.....	30	TROGARZO.....	66
TICE BCG.....	30	TREATOR.....	52	TROPHAMINE 10 %.....	75
TICOVAC.....	171	TRELEGY ELLIPTA.....	183	<i>trosium</i> .....	154
<i>tigecycline</i> .....	17	TRELSTAR.....	30, 31	TRUE COMFORT	
<i>timolol maleate</i> .....	80, 178	TREMFYA.....	167	ALCOHOL PADS.....	101
<i>tiopronin</i> .....	155	<i>treprostinil sodium</i> .....	187	TRUE COMFORT	
TIVDAK.....	30	<i>tretinoin</i> .....	104	INSULIN SYRINGE.....	135
TIVICAY.....	66	<i>tretinoin (antineoplastic)</i> .....	31	TRUE COMFORT PEN	
TIVICAY PD.....	66	<i>tri femynor</i> .....	97	NEEDLE.....	135, 136
<i>tizanidine</i> .....	186	<i>triamcinolone acetonide</i>		TRUE COMFORT PRO	
TOBI PODHALER.....	10	.....	99, 104, 159	ALCOHOL PADS.....	101
<i>tobramycin</i> .....	10, 148	<i>triamterene-hydrochlorothiazid</i>	83	TRUE COMFORT PRO INS	
<i>tobramycin in 0.225 % nacl</i> .....	10	<i>trientine</i> .....	155	SYRINGE.....	135, 136



TRUEPLUS INSULIN	136, 137	ULTRA COMFORT		<i>valproic acid</i>	38
TRUEPLUS PEN NEEDLE	136	INSULIN SYRINGE		<i>valproic acid (as sodium salt)</i>	38
TRULICITY	44		115, 120, 139, 140	<i>valrubicin</i>	31
TRUMENBA	171	ULTRA FLO INSUL		<i>valsartan</i>	76
TRUSELTIQ	31	SYR(HALF UNIT)	140	<i>valsartan-hydrochlorothiazide</i>	76
TRUXIMA	31	ULTRA FLO INSULIN		VALTOCO	38
TUKYSA	31	SYRINGE	140	<i>vancomycin</i>	12
<i>tulana</i>	98	ULTRA FLO PEN NEEDLE		VANISHPOINT INSULIN	
TURALIO	31		140	SYRINGE	143
TWINRIX (PF)	172	ULTRA THIN PEN		VANISHPOINT SYRINGE	143
<i>tyblume</i>	98	NEEDLE	140	VAQTA (PF)	172
TYBOST	176	ULTRACARE INSULIN		<i>varenicline</i>	9
TYMLOS	174	SYRINGE	141	VARIVAX (PF)	172
TYPHIM VI	172	ULTRACARE PEN		VASCEPA	85
TYSABRI	167	NEEDLE	141	VEKLURY	69
TYVASO	187	ULTRA-THIN II (SHORT)		VELCADE	31
UBRELVY	51	INS SYR	141, 142	<i>velivet triphasic regimen (28)</i>	98
UCERIS	173	ULTRA-THIN II (SHORT)		VELPHORO	154
UDENYCA	72	PEN NDL	142	VEMLIDY	66
UKONIQ	31	ULTRA-THIN II INS PEN		VENCLEXTA	31
ULTICARE	137, 138	NEEDLES	142	VENCLEXTA STARTING	
ULTICARE INSULIN		ULTRA-THIN II INSULIN		PACK	31
SYRINGE	137	SYRINGE	142	<i>venlafaxine</i>	42
ULTICARE INSULN		UNIFINE PEN NEEDLE	142	<i>verapamil</i>	80, 81
SYR(HALF UNIT)	137	UNIFINE PENTIPS	127, 142	VERIFINE PEN NEEDLE	
ULTICARE PEN NEEDLE		UNIFINE PENTIPS			143, 144
	137, 138	MAXFLOW	142	VERSACLOZ	61
ULTICARE SAFETY PEN		UNIFINE PENTIPS PLUS	143	VERSALON	144
NEEDLE	138	UNIFINE PENTIPS PLUS		VERZENIO	32
ULTIGUARD SAFEPACK-		MAXFLOW	143	<i>vestura (28)</i>	98
INSULIN SYR	138, 139	UNIFINE SAFECONTROL	143	V-GO 20	144
ULTIGUARD SAFEPACK-		UNIFINE ULTRA PEN		V-GO 30	144
PEN NEEDLE	138, 139	NEEDLE	143	V-GO 40	144
ULTILET ALCOHOL		UNITUXIN	31	VICTOZA	44
SWAB	101	UPTRAVI	187	<i>vienna</i>	98
ULTILET INSULIN		<i>ursodiol</i>	153	<i>vigabatrin</i>	38
SYRINGE	122, 139	<i>valacyclovir</i>	69	<i>vigadrone</i>	38
ULTILET PEN NEEDLE	139	VALCHLOR	101	VIIBRYD	42
ULTRA CMFT INS SYR		<i>valganciclovir</i>	69	VIMIZIM	145
(HALF UNIT)	120, 131, 137	<i>valproate sodium</i>	38	VIMPAT	38

<i>vinorelbine</i> .....	32	XHANCE.....	150	<i>zoledronic acid-mannitol-water</i>	174
<i>viorele (28)</i> .....	98	XIFAXAN.....	12	ZOLINZA.....	33
VIRACEPT.....	66	XIGDUO XR.....	44	<i>zolpidem</i> .....	186
VIREAD.....	66	XIIDRA.....	150	<i>zonisamide</i> .....	38
VISTOGARD.....	177	XOFLUZA.....	67	ZORBTIVE.....	162
VITRAKVI.....	32	XOLAIR.....	185	<i>zovia 1-35 (28)</i> .....	99
VIZIMPRO.....	32	XOSPATA.....	32	ZTLIDO.....	7
VOCABRIA.....	66	XPOVIO.....	32, 33	ZULRESSO.....	42
<i>volnea (28)</i> .....	98	XTAMPZA ER.....	5	<i>zumandimine (28)</i> .....	99
VONJO.....	32	XTANDI.....	33	ZYDELIG.....	33
<i>voriconazole</i> .....	49	<i>xulane</i> .....	98	ZYKADIA.....	33
VOSEVI.....	68	XULTOPHY 100/3.6.....	46	ZYLET.....	149
VOTRIENT.....	32	XURIDEN.....	177	ZYNLONTA.....	34
VPRIV.....	145	XYOSTED.....	156	ZYPREXA RELPREVV.....	61
VRAYLAR.....	61	XYREM.....	186		
VUMERITY.....	89	YERVOY.....	33		
<i>vyfemla (28)</i> .....	98	YF-VAX (PF).....	172		
<i>vylibra</i> .....	98	YONDELIS.....	33		
VYNDAMAX.....	81	YONSA.....	33		
VYNDAQEL.....	82	<i>yuvafem</i> .....	158		
VYXEOS.....	32	<i>zafemy</i> .....	98		
<i>warfarin</i> .....	70	<i>zafirlukast</i> .....	182		
WBCOL.....	101	<i>zaleplon</i> .....	186		
WELIREG.....	32	<i>zarah</i> .....	98		
<i>wera (28)</i> .....	98	ZARXIO.....	72		
XADAGO.....	56	ZEGALOGUE			
XALKORI.....	32	AUTOINJECTOR.....	177		
XARELTO.....	70	ZEGALOGUE SYRINGE...	177		
XARELTO DVT-PE TREAT		ZEJULA.....	33		
30D START.....	70	ZELBORAF.....	33		
XATMEP.....	32	<i>zenatane</i> .....	101		
XCOPRI.....	38	ZENPEP.....	146		
XCOPRI MAINTENANCE		ZEPZELCA.....	33		
PACK.....	38	<i>zidovudine</i> .....	66		
XCOPRI TITRATION		<i>ziprasidone hcl</i> .....	61		
PACK.....	38	<i>ziprasidone mesylate</i> .....	61		
XELJANZ.....	167	ZIRABEV.....	33		
XELJANZ XR.....	167	ZIRGAN.....	149		
XERMELO.....	153	ZOLADEX.....	33		
XGEVA.....	174	<i>zoledronic acid</i> .....	174		

This formulary was updated on 07/01/2022.

For more recent information or other questions, please contact us, Brand New Day, at 1-866-255-4795 or, for TTY users 711, Monday - Friday 8 am - 8 pm and 7 days a week from October 1-March 31 from 8 am - 8pm, or visit [www.bndhmo.com](http://www.bndhmo.com).