



2024 處方集

(承保藥物清單)

請詳閱：本文件
含有本計劃承保藥物的資訊

HPMS 核准處方集檔案提交ID 24239，版本編號18

此處方集更新於2024年12月1日。如需瞭解更多最新資訊或有其他問題，請與Brand New Day 會員服務部聯絡，電話：(877) 621-8798 (TTY 用戶請撥打全天候服務熱線 (800) 899- 2114)，或造訪 www.bndhmo.com。

現有會員須知：本處方集已自去年變更。請查閱本文件，以確保上面仍含有您服用的藥物。

本藥物清單（處方集）中提及的「我們」或「我們的」均指 Brand New Day。「計劃」或「本計劃」均指 Brand New Day。

本文件包含本計劃截至2024年12月1

日為止的最新藥物清單（處方集）。如需更新後的處方集，請與我們聯絡 我們的聯絡資訊以及處方集的最近更新日期在封面和封底均有寫明。

您通常必須使用網路藥房來享受您配處方藥的福利。福利、處方集、藥房網路及/或共付額/共同保險可能於 2024 年 1 月 1 日變更，也可能於年中不定期變更。

什麼是 Brand New Day 處方集？

處方集為 Brand New Day

諮詢醫療保健提供者團隊後所選承保藥物的清單，代表了公認為高品質治療計劃不可或缺的處方療法。只要是醫療必須藥物，且處方藥是在 Brand New Day 的網路藥房購買並且遵循其他計劃規則，Brand New Day 通常會將其列入我們的處方集。關於如何配處方藥的更多資訊，請查閱您的承保證書。

處方集（藥物清單）會有變更嗎？

藥物承保範圍大多會在 1 月 1 日變更，但 Brand New Day

也可在年中增刪藥物清單中的藥物、改變藥物的費用分攤等級，或增加承保限制。做出以上變更時，必須遵循醫療保險規則。

今年可能影響您的變更：在下列情況下，您會在年中因為承保範圍變更而受到影響：

- **新的非專利藥。**如果以相同或更低費用分攤等級的新非專利藥取而代之，且維持相同限制或減少限制，我們可立即將此品牌藥從藥物清單中刪除。此外，加入新非專利藥時，我們可決定保留藥物清單上的品牌藥，但可改變其費用分攤等級或增加新限制。如果您目前正在服用該品牌藥，我們可能不會事先告知即將進行該變更，但之後我們會為您提供做出變更的相關資訊。
 - 如果我們做出變更，您或您的處方開立醫師可要求我們例外處理，繼續將該品牌藥納入承保範圍。我們提供給您的通知也包含如何要求例外處理的資訊，同時，您也可以在下方的「我該如何申請 Brand New Day 處方集的未包含的藥物？」部分中找到相關資訊。
- **撤市藥物。**如果食品藥品管理局認為我們的處方集中的藥物不安全或藥物製造商意欲將該藥物撤出市場，我們將立即從處方集中刪除此藥物，並通知服用該藥的會員。
- **其他變更。**我們可能做出影響目前用藥會員的其他變更。例如，我們可能加入非專利藥，以此取代現有處方集中的品牌藥，或者針對品牌藥增加新限制，或改變該藥物的費用分攤等級。或者，我們可能根據新的臨床指南進行變更。如果我們從處方集刪除藥物，【或】增加預先授權、藥物數量限制和/或階梯治療限制或將藥物升至更高費用分攤層級，我們必須在變更生效前的至少 30 天，或在會員請求重新配藥時告知受影響的會員，屆時，該會員將可獲取 30 天的藥物量。
 - 如果我們進行其他變更，您或您的處方開立醫師可要求我們例外處理，繼續將該品牌藥納入承保範圍。我們提供給您的通知也包含如何要求例外處理的資訊，同時，您也可以在下方的「我該如何申請 Brand New Day 處方集的未包含的藥物？」部分中找到相關資訊。

2024 年 D 章《世衛組織標準處方集》（綜合）

如果您目前正在服用該藥物，這些變更不會對您造成影響。一般而言，如果您正在服用我們 2024 年處方集中的承保藥物，除非有上述情況，否則我們在 2024 承保年度中不會中止或縮減承保範圍。也就是說，該藥物仍以同樣的分攤費用，於本承保年度的餘下時間內向正在服用該藥的會員提供，且不會增加任何新限制。如變更不會對您造成影響，您不會直接收到通知。不過，等到下個年度的 1 月 1 日，該變更就會對您造成影響。因此，請務必查看藥物清單瞭解新福利年度的任何藥物變更事項。隨附的處方集為截至 2024 年 12 月 1 日的最新版本。如需獲得有關 Brand New Day 承保藥物的最新資訊，請聯絡我們。我們的聯絡資訊在封面和封底均有寫明。

我該如何使用處方集？

可透過兩種方式在處方集內找到您的藥物：

病症

本處方集從第 1

頁開始，藥物根據藥物所治療的病症分類。例如，用於治療心臟疾病的藥物會列在心血管藥物這一類別下。如果您知道您的藥物所治療的疾病，請從第 1 頁的清單中查找該類別名稱，然後在藥物的類別名稱下查找。

字母排序清單

如果您不確定應在哪個類別下查找，您應從第 110

頁開始的索引中查找藥物。該索引提供了本文件中所有涵蓋藥物的字母排序清單。所有品牌藥和非專利藥均列在索引中。在索引中查找您的藥物。在藥物旁邊，您將看到可找到承保資訊的頁碼數。翻到索引所標示的頁面，然後在清單的第一欄找到您的藥物名稱。

什麼是非專利藥？

Brand New Day 承保品牌藥和非專利藥。非專利藥為經食品藥品監督管理局 (FDA) 批准，且具有與品牌藥相同活性成分的藥物。一般情況下，非專利藥的價格要低於品牌藥。

承保範圍有任何限制嗎？

一些承保藥物的承保範圍可能由一些額外要求或限制。這些要求與限制可能包括：

2024 年 D 章《世衛組織標準處方集》（綜合）

- **預先授權：**Brand New Day
要求您【或您的醫師】事先獲得某些藥物的授權。這意味著您在配處方藥前將需要獲得 Brand New Day 的授權。如果您未獲得授權，Brand New Day 不會承保藥物。
- **數量限制：**對於特定藥物，Brand New Day 限制其將承保藥物的數量。例如，Brand New Day 每 28 天僅為每個處方提供 18 錠舒馬普坦口服片。可能還有標準一個月或三個月供應量的限制。
- **階梯治療：**在某些情況下，Brand New Day 在承保您所患疾病的另一藥物前，要求您首先嘗試使用特定藥物來治療。例如，如果 A 藥和 B 藥均可治療您的疾病，除非您已先嘗試 A 藥，否則 Brand New Day 可能不承保 B 藥。如果 A 藥對您不起作用，Brand New Day 將承保 B 藥。

您可查看從第 1

頁開始的處方集來瞭解您所服用藥物是否有任何額外的要求或限制。您還可造訪我們的網站，瞭解有關特定承保藥物限制的更多資訊。我們已線上張貼相關文件，用以說明我們的預先授權與階梯治療的用藥限制。您同樣可要求我們郵寄副本給您。我們的聯絡資訊以及處方集的最近更新日期在封面和封底均有寫明。

您可要求 Brand New Day

例外對待這些限制或要求獲得可治療您所患疾病的其他類似藥物的清單。參見第 1 頁「我該如何申請 Brand New Day 處方集的未包含的藥物？」這一部分內容，瞭解更多有關如何申請例外處理的更多資訊。

如果我們藥物不在處方集上，該怎麼辦？

如果您的藥物不在本處方集（承保藥物清單）中，您首先應聯絡會員服務部，詢問您的藥物是否承保。有關更多資訊，請聯絡我們。我們的聯絡資訊以及處方集的最近更新日期在封面和封底均有寫明。

如果您瞭解到，Brand New Day 不承保您的藥物，您有兩個選擇：

- **您可要求承保人服務部提供 Brand New Day 所承保的類似藥物清單。**在收到清單後，請拿給您的醫師，並要求其開處 Brand New Day 承保的類似藥物。
- **您可以要求 Brand New Day 破例和承保您的藥物。**查閱下文瞭解如何請求處理例外情況。

我該如何請求處理 Brand New Day 處方集的例外情況？

您可以要求 Brand New Day

處理承保規則的例外情況。您可以要求我們處理的例外情況有幾種類型。

- 您可以要求我們承保不在處方集中的藥物。如果獲准，該藥物將以預先確定的費用分攤層級受到承保，而且您不能要求我們以更低的費用分攤層級提供藥物。
- 如果藥物不屬於特殊藥物層級，您可以要求我們以更低的費用分攤層級承保處方集藥物。如果獲准，將降低您必須為該藥物支付的費用。
- 您可要求我們免除您藥物的承保範圍限制。例如，對於特定藥物，Brand New Day 限制將承保藥物的數量。如果您的藥物有數量限制，您可要求我們免除限制和承保更多數量。

一般情況下，Brand New Day

僅在計劃的處方集中的替代藥物、更低費用分攤層級藥物或其他使用限制不能有效治療您的疾病和/或導致您出現不良醫學反應時批准您的例外請求。

您應聯絡我們，請求處方集或使用限制的例外情況的初始承保決定。在您請求處方集或使用限制的例外情況時，您應提交處方醫師或醫生開具的證明以佐證您的請求。

一般情況下，我們必須在獲得您的開藥者的支持證明後的 72

小時內作出決定。如果您或您的醫師認為，需要等待多達 72

小時才作出決定可能會嚴重損害您的健康，您可以要求加快（快速）例外處理。如果您的加速請求獲得採納，在收到您的醫師或處方開立醫師的支持證明後，我們必須於 24 小時內為您作出決定。

在與我的醫師討論更換藥物或要求作出例外處理之前，我應該做什麼？

作為我們計劃的新舊會員，您可能正在服用我們處方集上沒有的藥物。或者，您服用的藥物在我們的處方集上有，但是您獲取該藥物的能力受到限制。例如，您可能需要得到我們的預先授權才能去配藥。您應該與您的醫師討論，確定應改用我們所承保的適當藥物，還是請求對處方集作出例外處理，讓我們承保您所服用的藥物。在您與醫師討論確定適合您的方案時，在某些情況下，我們可能在您加入我們計劃的前 90 天內承保您的藥物。

對於我們的處方集中不包含，或者您獲取藥物的能力受到限制的藥物，我們將承保 30

天的臨時用量。如果您的處方天數較少，我們將允許重新配藥，最多提供 30 天 的用量。在最初的 30 天用量後，即使您加入計劃的時間尚不足 90 天，我們也不會再承保此類藥物。

2024 年 D 章《世衛組織標準處方集》（綜合）

如果是長期照護機構的居民，且您需要的藥物我們的處方集上沒有，或您獲取該藥的能力受到限制，但是您加入我們的計劃已超過 90 天，在您尋求處理處方集的例外情況期間，我們會承保該藥物 31 天的緊急供應。

對於由於護理層級發生變更而改變治療場所的會員，也可視為處於過渡期。我們會為這些會員提供合適的過渡增配量。

更多資訊

有關您的 Brand New Day 處方藥承保的更多詳細資訊，請查閱您的承保說明書和其他計劃材料。

如果您對 Brand New Day

有疑問，請聯絡我們。我們的聯絡資訊以及處方集的最近更新日期在封面和封底均有寫明。

如果您有聯邦醫療處方藥承保的一般性問題，請致電聯邦醫療局全天候服務熱線 1-800-MEDICARE (1-800-633-4227)。TTY 用戶可撥打 1-877-486-2048。或造訪網站 <http://www.medicare.gov>。

Brand New Day 處方集

本處方集包含有關 Brand New Day

承保的部分藥物的承保資訊。如您未在清單找到您所服藥物，請翻到 110 頁查看索引。

圖表的第一欄列出了藥物名稱。品牌藥名稱全部大寫（如：HUMIRA），仿製藥名稱則以小寫字母斜體列出（如：*atorvastatin*）。

要求/限制欄的資訊告訴您，Brand New Day 對您的藥物的承保是否有任何特別要求。

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

List of Abbreviations

B/D PA: 根据具体情况，该处方药可能受 Medicare B 部分或 D 部分承保。可能需要提交描述药物使用和设置的信息方可做出决定。

EX: 排除药物。这种处方药通常不受 Medicare 处方药计划的承保。您按处方配领这种药物时支付的金额不计入您的总药物费用（即，您支付的金额并不能帮助您获得重病承保资格）。此外，如果您获得额外帮助来支付处方费用，您将不会获得任何额外帮助来支付这种药物的费用。

GC:

缺口承保。我们在承保缺口为该处方药提供承保。有关此承保的更多信息，请参阅我们的承保证明。

LA: 有限可用性。此处方药可能仅在某些药店提供。如需更多信息，请致电 Express Scripts 客户服务部。

MO:

邮购药物。可通过我们的邮购服务以及我们的零售网络药房获取该处方药。考虑为您的长期（维持）药物（如高血压药物）使用邮购。零售网络药房可能更适合短期处方药（如抗生素）。

NEDS: 非延长日供应药物。该药物仅可提供 30 天或更短的用量。

PA:

事先授权。该计划要求您或您的医师获得某些药物的事先授权。这意味着您需要在配领处方药前获得批准。

QL: 数量限制。对于某些药物，本计划限制我们将承保的药物数量。

ST:

阶梯疗法。在某些情况下，本计划要求您先尝试某些药物来治疗您的疾病，然后我们才会承保治疗该疾病的另一种药物。例如，如果药物 A 和药物 B 都能治疗您的疾病，除非您先试用药物 A，否则我们可能不承保药物 B。如果药物 A 对您不起作用，我们将承保药物 B。

V: 根據美國疾病控制與預防中心 (CDC) 預防接種諮詢委員會 (ACIP) 的建議，此疫苗免費提供給成年人使用。

药物名称	药物层级	要求/限制
ANTI - INFECTIVES		
ANTIFUNGAL AGENTS		
ABELCET INTRAVENOUS SUSPENSION	4	B/D PA
<i>amphotericin b injection recon soln</i>	4	B/D PA; MO
<i>caspofungin intravenous recon soln</i>	4	
<i>clotrimazole mucous membrane troche</i>	2	MO
CRESEMDA ORAL CAPSULE	5	PA; NEDS
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 400 mg/200 ml</i>	4	PA
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i>	4	PA; MO
<i>fluconazole oral suspension for reconstitution</i>	2	MO
<i>fluconazole oral tablet</i>	2	MO
<i>flucytosine oral capsule</i>	5	MO; NEDS
<i>griseofulvin microsize oral suspension</i>	4	MO
<i>griseofulvin microsize oral tablet</i>	4	MO

药物名称	药物层级	要求/限制
<i>griseofulvin ultramicrosize oral tablet</i>	4	MO
<i>itraconazole oral capsule</i>	4	MO; QL (120 per 30 days)
<i>itraconazole oral solution</i>	4	MO
<i>ketoconazole oral tablet</i>	2	MO
<i>micafungin intravenous recon soln</i>	5	MO; NEDS
<i>nystatin oral suspension</i>	2	MO
<i>nystatin oral tablet</i>	2	MO
<i>posaconazole oral tablet,delayed release (dr/ec)</i>	5	PA; MO; QL (96 per 30 days); NEDS
<i>terbinafine hcl oral tablet</i>	2	MO
<i>voriconazole intravenous recon soln</i>	5	PA; MO; NEDS
<i>voriconazole oral suspension for reconstitution</i>	5	PA; MO; NEDS
<i>voriconazole oral tablet</i>	4	PA; MO
ANTIVIRALS		
<i>abacavir oral solution</i>	3	MO
<i>abacavir oral tablet</i>	3	MO
<i>abacavir-lamivudine oral tablet</i>	3	MO
<i>acyclovir oral capsule</i>	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>acyclovir oral suspension 200 mg/5 ml</i>	4	MO
<i>acyclovir oral tablet</i>	2	MO
<i>acyclovir sodium intravenous solution</i>	4	B/D PA; MO
<i>adefovir oral tablet</i>	4	MO
<i>amantadine hcl oral capsule</i>	2	MO
<i>amantadine hcl oral solution</i>	2	MO
<i>amantadine hcl oral tablet</i>	2	MO
APTIVUS ORAL CAPSULE	5	MO; NEDS
<i>atazanavir oral capsule</i>	4	MO
BARACLUDE ORAL SOLUTION	5	MO; NEDS
BIKTARVY ORAL TABLET	5	MO; NEDS
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE	5	MO; NEDS
<i>cidofovir intravenous solution</i>	5	B/D PA; MO; NEDS
CIMDUO ORAL TABLET	5	MO; NEDS
COMPLERA ORAL TABLET	5	MO; NEDS
<i>darunavir oral tablet</i>	5	MO; NEDS
DELSTRIGO ORAL TABLET	5	MO; NEDS
DESCOVY ORAL TABLET	5	MO; NEDS

药物名称	药物层级	要求/限制
DOVATO ORAL TABLET	5	MO; NEDS
EDURANT ORAL TABLET	5	MO; NEDS
<i>efavirenz oral tablet</i>	4	MO
<i>efavirenz-emtricitabin-tenofovir oral tablet</i>	5	MO; NEDS
<i>efavirenz-lamivu-tenofovir disop oral tablet</i>	5	MO; NEDS
<i>emtricitabine oral capsule</i>	4	MO
<i>emtricitabine-tenofovir (tdf) oral tablet</i>	4	MO
EMTRIVA ORAL SOLUTION	3	MO
<i>entecavir oral tablet</i>	4	MO
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; MO; QL (28 per 28 days); NEDS
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; MO; QL (56 per 28 days); NEDS
EPCLUSA ORAL TABLET 200-50 MG	5	PA; MO; QL (56 per 28 days); NEDS
EPCLUSA ORAL TABLET 400-100 MG	5	PA; MO; QL (28 per 28 days); NEDS
<i>etravirine oral tablet</i>	5	MO; NEDS
EVOTAZ ORAL TABLET	5	MO; NEDS
<i>famciclovir oral tablet</i>	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>fosamprenavir oral tablet</i>	4	MO
FUZEON SUBCUTANEOUS RECON SOLN	5	MO; NEDS
<i>ganciclovir sodium intravenous recon soln</i>	2	B/D PA; MO
<i>ganciclovir sodium intravenous solution</i>	2	B/D PA
GENVOYA ORAL TABLET	5	MO; NEDS
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; MO; QL (28 per 28 days); NEDS
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; MO; QL (56 per 28 days); NEDS
HARVONI ORAL TABLET 45-200 MG	5	PA; MO; QL (56 per 28 days); NEDS
HARVONI ORAL TABLET 90-400 MG	5	PA; MO; QL (28 per 28 days); NEDS
INTELENCE ORAL TABLET 25 MG	4	MO
ISENTRESS HD ORAL TABLET	5	MO; NEDS
ISENTRESS ORAL POWDER IN PACKET	5	MO; NEDS
ISENTRESS ORAL TABLET	5	MO; NEDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	MO; NEDS

药物名称	药物层级	要求/限制
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	MO
JULUCA ORAL TABLET	5	MO; NEDS
LAGEVRIA (EUA) ORAL CAPSULE	6	GC; QL (40 per 30 days)
<i>lamivudine oral solution</i>	3	MO
<i>lamivudine oral tablet</i>	3	MO
<i>lamivudine-zidovudine oral tablet</i>	3	MO
<i>lopinavir-ritonavir oral solution</i>	4	MO
<i>lopinavir-ritonavir oral tablet</i>	3	MO
<i>maraviroc oral tablet</i>	5	MO; NEDS
<i>nevirapine oral suspension</i>	4	
<i>nevirapine oral tablet</i>	3	MO
<i>nevirapine oral tablet extended release 24 hr</i>	4	MO
NORVIR ORAL POWDER IN PACKET	4	MO
ODEFSEY ORAL TABLET	5	MO; NEDS
<i>oseltamivir oral capsule</i>	3	MO
<i>oseltamivir oral suspension for reconstitution</i>	3	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG	6	GC; QL (20 per 30 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	6	GC; QL (30 per 30 days)
PIFELTRO ORAL TABLET	5	MO; NEDS
PREVYMIS INTRAVENOUS SOLUTION	5	PA; NEDS
PREVYMIS ORAL TABLET	5	PA; MO; QL (30 per 30 days); NEDS
PREZCOBIX ORAL TABLET	5	MO; NEDS
PREZISTA ORAL SUSPENSION	5	MO; NEDS
PREZISTA ORAL TABLET 150 MG, 75 MG	4	MO
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE	4	MO
RETROVIR INTRAVENOUS SOLUTION	3	MO
REYATAZ ORAL POWDER IN PACKET	5	MO; NEDS
<i>ribavirin oral capsule</i>	3	MO
<i>ribavirin oral tablet 200 mg</i>	3	MO
<i>rimantadine oral tablet</i>	4	MO
<i>ritonavir oral tablet</i>	3	MO

药物名称	药物层级	要求/限制
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR	5	MO; NEDS
SELZENTRY ORAL SOLUTION	3	MO
SELZENTRY ORAL TABLET 25 MG, 75 MG	3	MO
STRIBILD ORAL TABLET	5	MO; NEDS
SUNLENCA ORAL TABLET	5	NEDS
SUNLENCA SUBCUTANEOUS SOLUTION	5	NEDS
SYMTUZA ORAL TABLET	5	MO; NEDS
SYNAGIS INTRAMUSCULAR SOLUTION	5	MO; LA; NEDS
<i>tenofovir disoproxil fumarate oral tablet</i>	4	MO
TIVICAY ORAL TABLET 10 MG	3	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	MO; NEDS
TIVICAY PD ORAL TABLET FOR SUSPENSION	5	MO; NEDS
TRIUMEQ ORAL TABLET	5	MO; NEDS
TRIUMEQ PD ORAL TABLET FOR SUSPENSION	5	MO; NEDS
TROGARZO INTRAVENOUS SOLUTION	5	MO; LA; NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>valacyclovir oral tablet 1 gram</i>	2	MO; QL (120 per 30 days)
<i>valacyclovir oral tablet 500 mg</i>	2	MO; QL (60 per 30 days)
<i>valganciclovir oral recon soln</i>	5	MO; NEDS
<i>valganciclovir oral tablet</i>	3	MO
VEKLURY INTRAVENOUS RECON SOLN	5	NEDS
VEMLIDY ORAL TABLET	5	MO; NEDS
VIRACEPT ORAL TABLET	5	MO; NEDS
VIREAD ORAL POWDER	5	MO; NEDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	4	MO
VOSEVI ORAL TABLET	5	PA; MO; QL (28 per 28 days); NEDS
XOFLUZA ORAL TABLET 40 MG, 80 MG	3	MO
<i>zidovudine oral capsule</i>	3	MO
<i>zidovudine oral syrup</i>	3	MO
<i>zidovudine oral tablet</i>	2	MO
CEPHALOSPORINS		
<i>cefaclor oral capsule</i>	2	MO
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml</i>	2	MO

药物名称	药物层级	要求/限制
<i>cefaclor oral suspension for reconstitution 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefaclor oral tablet extended release 12 hr</i>	4	MO
<i>cefadroxil oral capsule</i>	2	MO
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	MO
<i>cefazolin in dextrose (iso-os) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	4	MO
<i>cefazolin injection recon soln 1 gram, 500 mg</i>	4	MO
<i>cefazolin injection recon soln 10 gram, 100 gram, 300 gram</i>	4	
<i>cefazolin intravenous recon soln 1 gram</i>	4	
<i>cefdinir oral capsule</i>	2	MO
<i>cefdinir oral suspension for reconstitution</i>	3	MO
<i>cefepime in dextrose, iso-osm intravenous piggyback</i>	4	
<i>cefepime injection recon soln</i>	4	MO
<i>cefixime oral capsule</i>	4	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>cefixime oral suspension for reconstitution</i>	4	MO
<i>cefoxitin in dextrose, iso-osm intravenous piggyback</i>	4	PA
<i>cefoxitin intravenous recon soln 1 gram, 2 gram</i>	4	PA; MO
<i>cefoxitin intravenous recon soln 10 gram</i>	4	PA
<i>cefodoxime oral suspension for reconstitution</i>	4	MO
<i>cefodoxime oral tablet</i>	4	MO
<i>cefprozil oral suspension for reconstitution</i>	2	MO
<i>cefprozil oral tablet</i>	2	MO
<i>ceftazidime injection recon soln 1 gram, 2 gram</i>	4	PA; MO
<i>ceftazidime injection recon soln 6 gram</i>	4	PA
<i>ceftriaxone in dextrose,iso-osm intravenous piggyback</i>	4	MO
<i>ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg</i>	4	MO
<i>ceftriaxone injection recon soln 10 gram</i>	4	
<i>ceftriaxone intravenous recon soln</i>	4	MO
<i>cefuroxime axetil oral tablet</i>	2	MO

药物名称	药物层级	要求/限制
<i>cefuroxime sodium injection recon soln 750 mg</i>	4	PA; MO
<i>cefuroxime sodium intravenous recon soln 1.5 gram</i>	4	PA; MO
<i>cefuroxime sodium intravenous recon soln 7.5 gram</i>	4	PA
<i>cephalexin oral capsule 250 mg, 500 mg</i>	2	MO
<i>cephalexin oral suspension for reconstitution</i>	2	MO
<i>tazicef injection recon soln</i>	4	PA; MO
<i>tazicef intravenous recon soln</i>	4	PA
TEFLARO INTRAVENOUS RECON SOLN	5	PA; MO; NEDS
ERYTHROMYCINS / OTHER MACROLIDES		
<i>azithromycin intravenous recon soln</i>	4	PA; MO
<i>azithromycin oral packet</i>	3	MO
<i>azithromycin oral suspension for reconstitution</i>	2	MO
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	2	
<i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i>	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>clarithromycin oral suspension for reconstitution</i>	2	MO
<i>clarithromycin oral tablet</i>	2	MO
<i>clarithromycin oral tablet extended release 24 hr</i>	2	MO
DIFICID ORAL TABLET	5	MO; QL (20 per 10 days); NEDS
<i>e.e.s. 400 oral tablet</i>	4	MO
<i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i>	4	MO
<i>erythrocin (as stearate) oral tablet 250 mg</i>	4	
<i>erythromycin ethylsuccinate oral tablet</i>	4	MO
<i>erythromycin oral capsule, delayed release (dr/ec)</i>	4	MO
<i>erythromycin oral tablet</i>	4	MO
<i>erythromycin oral tablet, delayed release (dr/ec)</i>	4	MO
MISCELLANEOUS ANTIINFECTIVES		
<i>albendazole oral tablet</i>	5	MO; NEDS
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	4	PA; MO

药物名称	药物层级	要求/限制
<i>ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION</i>	5	PA; LA; NEDS
<i>atovaquone oral suspension</i>	4	MO
<i>atovaquone-proguanil oral tablet</i>	4	MO
<i>aztreonam injection recon soln</i>	4	PA; MO
<i>bacitracin intramuscular recon soln</i>	4	
<i>CAYSTON INHALATION SOLUTION FOR NEBULIZATION</i>	5	PA; MO; LA; QL (84 per 56 days); NEDS
<i>chloramphenicol sod succinate intravenous recon soln</i>	4	
<i>chloroquine phosphate oral tablet</i>	2	MO
<i>clindamycin hcl oral capsule</i>	2	MO
<i>clindamycin in 5 % dextrose intravenous piggyback</i>	4	PA; MO
<i>clindamycin phosphate injection solution</i>	4	PA; MO
<i>COARTEM ORAL TABLET</i>	4	MO
<i>colistin (colistimethate na) injection recon soln</i>	4	PA; MO; QL (30 per 10 days)
<i>dapsone oral tablet</i>	3	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
DAPTO MYCIN INTRAVENOUS RECON SOLN 350 MG	5	MO; NEDS
<i>daptomycin intravenous recon soln 500 mg</i>	5	MO; NEDS
EMVERM ORAL TABLET,CHEWABLE	5	MO; NEDS
<i>ertapenem injection recon soln</i>	4	PA; MO; QL (14 per 14 days)
<i>ethambutol oral tablet</i>	3	MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/50 ml</i>	4	PA; MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 80 mg/100 ml</i>	4	PA
<i>gentamicin injection solution 40 mg/ml</i>	4	PA; MO
<i>gentamicin sulfate (ped) (pf) injection solution</i>	4	PA; MO
<i>hydroxychloroquine oral tablet 200 mg</i>	2	MO
<i>imipenem-cilastatin intravenous recon soln</i>	4	PA; MO
<i>isoniazid injection solution</i>	4	
<i>isoniazid oral solution</i>	2	MO
<i>isoniazid oral tablet</i>	2	MO

药物名称	药物层级	要求/限制
<i>ivermectin oral tablet</i>	3	PA; MO; QL (20 per 30 days)
<i>lincomycin injection solution</i>	4	PA
<i>linezolid in dextrose 5% intravenous piggyback</i>	4	PA; MO
<i>linezolid oral suspension for reconstitution</i>	5	MO; NEDS
<i>linezolid oral tablet</i>	4	MO
<i>linezolid-0.9% sodium chloride intravenous parenteral solution</i>	4	PA
<i>mefloquine oral tablet</i>	2	
<i>meropenem intravenous recon soln 1 gram</i>	4	PA; QL (30 per 10 days)
<i>meropenem intravenous recon soln 500 mg</i>	4	PA; QL (10 per 10 days)
<i>metro i.v. intravenous piggyback</i>	4	PA; MO
<i>metronidazole in nacl (iso-os) intravenous piggyback</i>	4	PA; MO
<i>metronidazole oral tablet</i>	2	MO
<i>neomycin oral tablet</i>	2	MO
<i>nitazoxanide oral tablet</i>	5	MO; NEDS
<i>paromomycin oral capsule</i>	4	

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>pentamidine inhalation recon soln</i>	4	B/D PA; MO; QL (1 per 28 days)
<i>pentamidine injection recon soln</i>	4	MO
<i>praziquantel oral tablet</i>	4	MO
PRIFTIN ORAL TABLET	3	MO
PRIMAQUINE ORAL TABLET	4	MO
<i>pyrazinamide oral tablet</i>	4	MO
<i>pyrimethamine oral tablet</i>	5	PA; MO; NEDS
<i>quinine sulfate oral capsule</i>	4	MO
<i>rifabutin oral capsule</i>	4	MO
<i>rifampin intravenous recon soln</i>	4	MO
<i>rifampin oral capsule</i>	3	MO
SIRTURO ORAL TABLET	5	PA; LA; NEDS
STREPTOMYCIN INTRAMUSCULAR RECON SOLN	5	PA; MO; QL (60 per 30 days); NEDS
<i>tigecycline intravenous recon soln</i>	5	PA; MO; NEDS
<i>tinidazole oral tablet</i>	3	MO
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE	5	MO; QL (224 per 56 days); NEDS

药物名称	药物层级	要求/限制
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization</i>	5	PA; MO; QL (280 per 28 days); NEDS
<i>tobramycin inhalation solution for nebulization</i>	5	PA; MO; QL (224 per 28 days); NEDS
<i>tobramycin sulfate injection recon soln</i>	4	PA; QL (9 per 14 days)
<i>tobramycin sulfate injection solution</i>	4	PA; MO
TRECATOR ORAL TABLET	4	MO
VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML	3	PA; QL (4000 per 10 days)
VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 500 MG/100 ML	3	PA; QL (1000 per 10 days)
VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 750 MG/150 ML	3	PA; QL (4050 per 10 days)
VANCOMYCIN INJECTION RECON SOLN	4	PA; QL (1 per 10 days)
<i>vancomycin intravenous recon soln 1,000 mg</i>	4	PA; MO; QL (20 per 10 days)
<i>vancomycin intravenous recon soln 10 gram</i>	4	PA; QL (2 per 10 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>vancomycin intravenous recon soln 5 gram</i>	4	PA; QL (4 per 10 days)
<i>vancomycin intravenous recon soln 500 mg</i>	4	PA; MO; QL (10 per 10 days)
<i>vancomycin intravenous recon soln 750 mg</i>	4	PA; MO; QL (27 per 10 days)
<i>vancomycin oral capsule 125 mg</i>	4	PA; MO; QL (40 per 10 days)
<i>vancomycin oral capsule 250 mg</i>	4	PA; MO; QL (80 per 10 days)
VIBATIV INTRAVENOUS RECON SOLN 750 MG	5	PA; NEDS
XIFAXAN ORAL TABLET 200 MG	3	QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	MO; QL (90 per 30 days); NEDS
PENICILLINS		
<i>amoxicillin oral capsule</i>	1	MO; GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 400 mg/5 ml</i>	1	MO; GC
<i>amoxicillin oral suspension for reconstitution 200 mg/5 ml, 250 mg/5 ml</i>	2	MO
<i>amoxicillin oral tablet</i>	1	MO; GC

药物名称	药物层级	要求/限制
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	MO
<i>amoxicillin-pot clavulanate oral suspension for reconstitution</i>	2	MO
<i>amoxicillin-pot clavulanate oral tablet</i>	2	MO
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr</i>	4	MO
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg</i>	2	MO
<i>amoxicillin-pot clavulanate oral tablet, chewable 400-57 mg</i>	2	
<i>ampicillin oral capsule 500 mg</i>	2	MO
<i>ampicillin sodium injection recon soln</i>	4	PA; MO
<i>ampicillin sodium intravenous recon soln</i>	4	PA
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i>	4	PA; MO
<i>ampicillin-sulbactam injection recon soln 15 gram</i>	4	PA
<i>ampicillin-sulbactam intravenous recon soln</i>	4	PA

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML	4	MO
BICILLIN C-R INTRAMUSCULAR SYRINGE	3	PA; MO
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML	4	PA; MO
BICILLIN L-A INTRAMUSCULAR SYRINGE 600,000 UNIT/ML	4	PA
<i>dicloxacillin oral capsule</i>	2	MO
<i>nafcillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml</i>	4	PA
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	4	PA; MO
<i>nafcillin injection recon soln 10 gram</i>	5	PA; NEDS
<i>oxacillin in dextrose(iso-osm) intravenous piggyback</i>	4	PA
<i>oxacillin injection recon soln 1 gram, 10 gram</i>	4	PA
<i>oxacillin injection recon soln 2 gram</i>	4	PA; MO

药物名称	药物层级	要求/限制
PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 2 MILLION UNIT/50 ML, 3 MILLION UNIT/50 ML	4	PA
<i>penicillin g potassium injection recon soln</i>	4	PA; MO
<i>penicillin g sodium injection recon soln</i>	4	PA; MO
<i>penicillin v potassium oral recon soln</i>	2	MO
<i>penicillin v potassium oral tablet</i>	2	MO
<i>pfizerpen-g injection recon soln</i>	4	PA
<i>piperacillin-tazobactam intravenous recon soln 13.5 gram, 40.5 gram</i>	4	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i>	4	MO
QUINOLONES		
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i>	1	MO; GC
<i>ciprofloxacin hcl oral tablet 750 mg</i>	2	MO
<i>ciprofloxacin in 5 % dextrose intravenous piggyback</i>	4	PA; MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>ciprofloxacin oral suspension,microcapsule recon 500 mg/5 ml</i>	4	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml</i>	4	PA
<i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i>	4	PA; MO
<i>levofloxacin intravenous solution</i>	4	PA
<i>levofloxacin oral solution</i>	4	MO
<i>levofloxacin oral tablet</i>	2	MO
<i>moxifloxacin oral tablet</i>	3	MO
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback</i>	4	PA; MO
SULFA'S / RELATED AGENTS		
<i>sulfadiazine oral tablet</i>	4	MO
<i>sulfamethoxazole-trimethoprim intravenous solution</i>	4	PA; MO
<i>sulfamethoxazole-trimethoprim oral suspension</i>	2	MO
<i>sulfamethoxazole-trimethoprim oral tablet</i>	1	MO; GC
TETRACYCLINES		
<i>demeclacycline oral tablet</i>	4	MO

药物名称	药物层级	要求/限制
<i>doxy-100 intravenous recon soln</i>	4	PA; MO
<i>doxycycline hyclate intravenous recon soln</i>	4	PA
<i>doxycycline hyclate oral capsule</i>	2	MO
<i>doxycycline hyclate oral tablet 100 mg, 20 mg, 50 mg</i>	2	MO
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>	2	MO
<i>doxycycline monohydrate oral suspension for reconstitution</i>	4	MO
<i>doxycycline monohydrate oral tablet 100 mg, 50 mg, 75 mg</i>	2	MO
<i>minocycline oral capsule</i>	2	MO
<i>minocycline oral tablet</i>	4	MO
<i>monodoxyne nl oral capsule 100 mg</i>	2	
<i>tetracycline oral capsule</i>	4	MO
URINARY TRACT AGENTS		
<i>methenamine hippurate oral tablet</i>	3	MO
<i>methenamine mandelate oral tablet</i>	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	3	MO
<i>nitrofurantoin monohyd/m-cryst oral capsule</i>	3	MO
<i>trimethoprim oral tablet</i>	2	MO
ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS		
ADJUNCTIVE AGENTS		
<i>dexrazoxane hcl intravenous recon soln</i>	5	B/D PA; MO; NEDS
<i>ELITEK INTRAVENOUS RECON SOLN</i>	5	MO; NEDS
<i>KEPIVANCE INTRAVENOUS RECON SOLN 5.16 MG</i>	5	NEDS
<i>KHAPZORY INTRAVENOUS RECON SOLN 175 MG</i>	5	B/D PA; NEDS
<i>leucovorin calcium oral tablet</i>	3	MO
<i>levoleucovorin calcium intravenous recon soln</i>	5	B/D PA; MO; NEDS
<i>levoleucovorin calcium intravenous solution</i>	5	B/D PA; NEDS
<i>mesna intravenous solution</i>	2	B/D PA; MO
<i>MESNEX ORAL TABLET</i>	5	MO; NEDS

药物名称	药物层级	要求/限制
<i>VISTOGARD ORAL GRANULES IN PACKET</i>	5	PA; NEDS
<i>XGEVA SUBCUTANEOUS SOLUTION</i>	5	B/D PA; MO; NEDS
ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS		
<i>abiraterone oral tablet 250 mg</i>	5	PA; MO; QL (120 per 30 days); NEDS
<i>abiraterone oral tablet 500 mg</i>	5	PA; MO; QL (60 per 30 days); NEDS
<i>ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION</i>	5	B/D PA; MO; NEDS
<i>ADCETRIS INTRAVENOUS RECON SOLN</i>	5	B/D PA; MO; NEDS
<i>ADSTILADRIN INTRAVESICAL SUSPENSION</i>	5	PA; NEDS
<i>AKEEGA ORAL TABLET</i>	5	PA; LA; QL (60 per 30 days); NEDS
<i>ALECENSA ORAL CAPSULE</i>	5	PA; MO; QL (240 per 30 days); NEDS
<i>ALIQOPA INTRAVENOUS RECON SOLN</i>	5	B/D PA; LA; NEDS
<i>ALUNBRIG ORAL TABLET 180 MG, 90 MG</i>	5	PA; QL (30 per 30 days); NEDS
<i>ALUNBRIG ORAL TABLET 30 MG</i>	5	PA; QL (60 per 30 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
ALUNBRIG ORAL TABLETS,DOSE PACK	5	PA; QL (30 per 180 days); NEDS	BENDEKA INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
<i>anastrozole oral tablet</i>	2	MO	BESPONSA INTRAVENOUS RECON SOLN	5	B/D PA; MO; LA; NEDS
ANKTIVA INTRAVESICAL SOLUTION	5	PA; MO; NEDS	<i>bexarotene oral capsule</i>	5	PA; MO; NEDS
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	B/D PA; NEDS	<i>bexarotene topical gel</i>	5	PA; MO; NEDS
<i>arsenic trioxide intravenous solution 2 mg/ml</i>	5	B/D PA; MO; NEDS	<i>bicalutamide oral tablet</i>	2	MO
ASPARLAS INTRAVENOUS SOLUTION	5	PA; NEDS	<i>bleomycin injection recon soln</i>	2	B/D PA; MO
AUGTYRO ORAL CAPSULE 40 MG	5	PA; MO; QL (240 per 30 days); NEDS	BLINCYTO INTRAVENOUS KIT	5	B/D PA; NEDS
AYVAKIT ORAL TABLET	5	PA; LA; QL (30 per 30 days); NEDS	BORTEZOMIB INJECTION RECON SOLN 1 MG, 2.5 MG	5	B/D PA; NEDS
<i>azacitidine injection recon soln</i>	5	B/D PA; MO; NEDS	<i>bortezomib injection recon soln 3.5 mg</i>	5	B/D PA; MO; NEDS
<i>azathioprine oral tablet 50 mg</i>	2	B/D PA; MO	BOSULIF ORAL CAPSULE 100 MG	5	PA; MO; QL (90 per 30 days); NEDS
<i>azathioprine sodium injection recon soln</i>	2	B/D PA; MO	BOSULIF ORAL CAPSULE 50 MG	5	PA; MO; QL (30 per 30 days); NEDS
BALVERSA ORAL TABLET	5	PA; LA; NEDS	BOSULIF ORAL TABLET 100 MG	5	PA; MO; QL (90 per 30 days); NEDS
BAVENCIO INTRAVENOUS SOLUTION	5	B/D PA; LA; NEDS	BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA; MO; QL (30 per 30 days); NEDS
BELEODAQ INTRAVENOUS RECON SOLN	5	B/D PA; NEDS	BRAFTOVI ORAL CAPSULE	5	PA; MO; LA; QL (180 per 30 days); NEDS
<i>bendamustine intravenous recon soln</i>	5	B/D PA; MO; NEDS			

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
BRUKINSA ORAL CAPSULE	5	PA; LA; QL (120 per 30 days); NEDS
<i>busulfan intravenous solution</i>	5	B/D PA; NEDS
CABOMETYX ORAL TABLET	5	PA; MO; LA; QL (30 per 30 days); NEDS
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET	5	PA; LA; QL (60 per 30 days); NEDS
CALQUENCE ORAL CAPSULE	5	PA; LA; QL (60 per 30 days); NEDS
CAPRELSA ORAL TABLET 100 MG	5	PA; LA; QL (60 per 30 days); NEDS
CAPRELSA ORAL TABLET 300 MG	5	PA; LA; QL (30 per 30 days); NEDS
<i>carboplatin intravenous solution</i>	2	B/D PA; MO
<i>carmustine intravenous recon soln 100 mg</i>	5	B/D PA; MO; NEDS
<i>cisplatin intravenous solution</i>	2	B/D PA; MO
<i>cladribine intravenous solution</i>	5	B/D PA; MO; NEDS
<i>clofarabine intravenous solution</i>	5	B/D PA; NEDS
COLUMVI INTRAVENOUS SOLUTION	5	PA; MO; NEDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1)	5	PA; MO; QL (56 per 28 days); NEDS

药物名称	药物层级	要求/限制
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA; MO; QL (112 per 28 days); NEDS
COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)	5	PA; MO; QL (84 per 28 days); NEDS
COPIKTRA ORAL CAPSULE	5	PA; LA; QL (60 per 30 days); NEDS
COTELLIC ORAL TABLET	5	PA; MO; LA; QL (63 per 28 days); NEDS
<i>cyclophosphamide intravenous recon soln</i>	2	B/D PA; MO
<i>cyclophosphamide oral capsule</i>	3	B/D PA; MO
CYCLOPHOSPHA MIDE ORAL TABLET 25 MG	3	B/D PA
CYCLOPHOSPHA MIDE ORAL TABLET 50 MG	3	B/D PA; MO
<i>cyclosporine intravenous solution</i>	2	B/D PA
<i>cyclosporine modified oral capsule</i>	3	B/D PA; MO
<i>cyclosporine modified oral solution</i>	3	B/D PA
<i>cyclosporine oral capsule</i>	3	B/D PA; MO
CYRAMZA INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	2	B/D PA; MO	<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	5	B/D PA; NEDS
<i>cytarabine (pf) injection solution 20 mg/ml</i>	2	B/D PA	<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)</i>	5	B/D PA; MO; NEDS
<i>cytarabine injection solution</i>	2	B/D PA; MO	<i>doxorubicin intravenous recon soln 10 mg</i>	2	B/D PA
<i>dacarbazine intravenous recon soln</i>	2	B/D PA; MO	<i>doxorubicin intravenous recon soln 50 mg</i>	2	B/D PA; MO
<i>dactinomycin intravenous recon soln</i>	2	B/D PA; MO	<i>doxorubicin intravenous solution 10 mg/5 ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	B/D PA; MO
DANYELZA INTRAVENOUS SOLUTION	5	PA; NEDS	<i>doxorubicin intravenous solution 2 mg/ml</i>	2	B/D PA
DARZALEX INTRAVENOUS SOLUTION	5	B/D PA; MO; LA; NEDS	<i>doxorubicin, peg-liposomal intravenous suspension</i>	5	B/D PA; MO; NEDS
<i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 80 mg</i>	5	PA; MO; QL (30 per 30 days); NEDS	DROXIA ORAL CAPSULE	3	MO
<i>dasatinib oral tablet 20 mg, 70 mg</i>	5	PA; MO; QL (60 per 30 days); NEDS	ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE	3	PA; MO
<i>daunorubicin intravenous solution</i>	2	B/D PA	ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE	3	PA; MO
DAURISMO ORAL TABLET 100 MG	5	PA; MO; QL (30 per 30 days); NEDS			
DAURISMO ORAL TABLET 25 MG	5	PA; MO; QL (60 per 30 days); NEDS			
<i>decitabine intravenous recon soln</i>	5	B/D PA; MO; NEDS			

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE	3	PA; MO
ELIGARD SUBCUTANEOUS SYRINGE	3	PA; MO
ELREXFIO SUBCUTANEOUS SOLUTION	5	PA; NEDS
ELZONRIS INTRAVENOUS SOLUTION	5	PA; LA; NEDS
EMPLICITI INTRAVENOUS RECON SOLN	5	B/D PA; MO; NEDS
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR	4	B/D PA; MO
<i>epirubicin intravenous solution 200 mg/100 ml</i>	2	B/D PA
EPKINLY SUBCUTANEOUS SOLUTION	5	PA; NEDS
ERBITUX INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
<i>eribulin intravenous solution</i>	5	B/D PA; NEDS
ERIVEDGE ORAL CAPSULE	5	PA; MO; QL (30 per 30 days); NEDS
ERLEADA ORAL TABLET 240 MG	5	PA; MO; QL (30 per 30 days); NEDS
ERLEADA ORAL TABLET 60 MG	5	PA; MO; QL (120 per 30 days); NEDS

药物名称	药物层级	要求/限制
<i>erlotinib oral tablet 100 mg, 150 mg</i>	5	PA; MO; QL (30 per 30 days); NEDS
<i>erlotinib oral tablet 25 mg</i>	5	PA; MO; QL (60 per 30 days); NEDS
ERWINASE INJECTION RECON SOLN	5	B/D PA; NEDS
ETOPOPHOS INTRAVENOUS RECON SOLN	4	B/D PA; MO
<i>etoposide intravenous solution</i>	2	B/D PA; MO
<i>everolimus (antineoplastic) oral tablet</i>	5	PA; MO; QL (30 per 30 days); NEDS
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg</i>	5	PA; MO; QL (330 per 30 days); NEDS
<i>everolimus (antineoplastic) oral tablet for suspension 3 mg</i>	5	PA; MO; QL (240 per 30 days); NEDS
<i>everolimus (antineoplastic) oral tablet for suspension 5 mg</i>	5	PA; MO; QL (180 per 30 days); NEDS
<i>everolimus (immunosuppressive) oral tablet 0.25 mg</i>	4	B/D PA; MO
<i>everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg, 1 mg</i>	5	B/D PA; MO; NEDS
<i>exemestane oral tablet</i>	4	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA; MO; NEDS	<i>fulvestrant intramuscular syringe</i>	5	B/D PA; MO; NEDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	4	PA; MO	FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION	5	PA; NEDS
<i>flouxuridine injection recon soln</i>	2	B/D PA	GAVRETO ORAL CAPSULE	5	PA; LA; QL (120 per 30 days); NEDS
<i>fludarabine intravenous recon soln</i>	2	B/D PA; MO	GAZYVA INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
<i>fludarabine intravenous solution</i>	2	B/D PA	<i>gefitinib oral tablet</i>	5	PA; MO; QL (30 per 30 days); NEDS
<i>fluorouracil intravenous solution 1 gram/20 ml, 500 mg/10 ml</i>	2	B/D PA; MO	<i>gemcitabine intravenous recon soln 1 gram, 200 mg</i>	2	B/D PA; MO
<i>fluorouracil intravenous solution 2.5 gram/50 ml, 5 gram/100 ml</i>	2	B/D PA	<i>gemcitabine intravenous recon soln 2 gram</i>	2	B/D PA
FOLOTYN INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS	<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	2	B/D PA; MO
FOTIVDA ORAL CAPSULE	5	PA; LA; QL (21 per 28 days); NEDS	GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML	3	B/D PA
FRUZAQLA ORAL CAPSULE 1 MG	5	PA; QL (84 per 28 days); NEDS	<i>genograf oral capsule</i>	3	B/D PA; MO
FRUZAQLA ORAL CAPSULE 5 MG	5	PA; QL (21 per 28 days); NEDS	<i>genograf oral solution</i>	3	B/D PA; MO
			GILOTTRIF ORAL TABLET	5	PA; MO; QL (30 per 30 days); NEDS
			GLEOSTINE ORAL CAPSULE	5	MO; NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
HALAVEN INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
<i>hydroxyurea oral capsule</i>	2	MO
IBRANCE ORAL CAPSULE	5	PA; MO; QL (21 per 28 days); NEDS
IBRANCE ORAL TABLET	5	PA; MO; QL (21 per 28 days); NEDS
ICLUSIG ORAL TABLET	5	PA; QL (30 per 30 days); NEDS
<i>idarubicin intravenous solution</i>	2	B/D PA; MO
IDHIFA ORAL TABLET	5	PA; MO; LA; QL (30 per 30 days); NEDS
<i>ifosfamide intravenous recon soln</i>	2	B/D PA; MO
<i>ifosfamide intravenous solution 1 gram/20 ml</i>	2	B/D PA; MO
<i>ifosfamide intravenous solution 3 gram/60 ml</i>	2	B/D PA
<i>imatinib oral tablet 100 mg</i>	5	PA; MO; QL (180 per 30 days); NEDS
<i>imatinib oral tablet 400 mg</i>	5	PA; MO; QL (60 per 30 days); NEDS
IMBRUICA ORAL CAPSULE 140 MG	5	PA; QL (120 per 30 days); NEDS
IMBRUICA ORAL CAPSULE 70 MG	5	PA; QL (30 per 30 days); NEDS

药物名称	药物层级	要求/限制
IMBRUICA ORAL SUSPENSION	5	PA; QL (324 per 30 days); NEDS
IMBRUICA ORAL TABLET 140 MG, 280 MG, 420 MG	5	PA; QL (30 per 30 days); NEDS
IMDELLTRA INTRAVENOUS RECON SOLN	5	PA; NEDS
IMFINZI INTRAVENOUS SOLUTION	5	B/D PA; MO; LA; NEDS
IMJUDO INTRAVENOUS SOLUTION	5	PA; MO; NEDS
INLYTA ORAL TABLET 1 MG	5	PA; MO; QL (180 per 30 days); NEDS
INLYTA ORAL TABLET 5 MG	5	PA; MO; QL (120 per 30 days); NEDS
INQOVI ORAL TABLET	5	PA; MO; QL (5 per 28 days); NEDS
INREBIC ORAL CAPSULE	5	PA; MO; LA; QL (120 per 30 days); NEDS
<i>irinotecan intravenous solution 100 mg/5 ml</i>	2	B/D PA; MO
<i>irinotecan intravenous solution 300 mg/15 ml, 500 mg/25 ml</i>	5	B/D PA; NEDS
<i>irinotecan intravenous solution 40 mg/2 ml</i>	5	B/D PA; MO; NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
ISTODAX INTRAVENOUS RECON SOLN	5	B/D PA; MO; NEDS
IWLFIN ORAL TABLET	5	PA; LA; QL (240 per 30 days); NEDS
IXEMPRA INTRAVENOUS RECON SOLN	5	B/D PA; MO; NEDS
JAKAFI ORAL TABLET	5	PA; MO; QL (60 per 30 days); NEDS
JAYPIRCA ORAL TABLET 100 MG	5	PA; MO; QL (60 per 30 days); NEDS
JAYPIRCA ORAL TABLET 50 MG	5	PA; MO; QL (30 per 30 days); NEDS
JEMPERLI INTRAVENOUS SOLUTION	5	PA; MO; NEDS
JEVTANA INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
JYLAMVO ORAL SOLUTION	4	B/D PA; MO
KADCYLA INTRAVENOUS RECON SOLN	5	PA; MO; NEDS
KEYTRUDA INTRAVENOUS SOLUTION	5	PA; NEDS
KIMMTRAK INTRAVENOUS SOLUTION	5	PA; NEDS
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA; MO; QL (49 per 28 days); NEDS

药物名称	药物层级	要求/限制
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA; MO; QL (70 per 28 days); NEDS
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA; MO; QL (91 per 28 days); NEDS
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA; MO; QL (21 per 28 days); NEDS
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA; MO; QL (42 per 28 days); NEDS
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA; MO; QL (63 per 28 days); NEDS
KOSELUGO ORAL CAPSULE	5	PA; NEDS
KRAZATI ORAL TABLET	5	PA; QL (180 per 30 days); NEDS
KYPROLIS INTRAVENOUS RECON SOLN	5	B/D PA; NEDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i>	5	PA; MO; NEDS
<i>lapatinib oral tablet</i>	5	PA; MO; QL (180 per 30 days); NEDS
LAZCLUZE ORAL TABLET 240 MG	5	PA; LA; QL (30 per 30 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
LAZCLUZE ORAL TABLET 80 MG	5	PA; LA; QL (60 per 30 days); NEDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg</i>	5	PA; MO; QL (28 per 28 days); NEDS
<i>lenalidomide oral capsule 2.5 mg, 20 mg</i>	5	PA; QL (28 per 28 days); NEDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG	5	PA; MO; QL (30 per 30 days); NEDS
LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1)	5	PA; MO; QL (90 per 30 days); NEDS
LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2)	5	PA; MO; QL (60 per 30 days); NEDS
<i>letrozole oral tablet</i>	2	MO
LEUKERAN ORAL TABLET	5	MO; NEDS
<i>leuprolide subcutaneous kit</i>	5	PA; MO; NEDS
LIBTAYO INTRAVENOUS SOLUTION	5	PA; LA; NEDS
LONSURF ORAL TABLET	5	PA; MO; NEDS
LOQTORZI INTRAVENOUS SOLUTION	5	PA; NEDS

药物名称	药物层级	要求/限制
LORBRENA ORAL TABLET 100 MG	5	PA; MO; QL (30 per 30 days); NEDS
LORBRENA ORAL TABLET 25 MG	5	PA; MO; QL (90 per 30 days); NEDS
LUMAKRAS ORAL TABLET 120 MG, 320 MG	5	PA; MO; NEDS
LUNSUMIO INTRAVENOUS SOLUTION	5	PA; MO; NEDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT	5	PA; MO; NEDS
LYNPARZA ORAL TABLET	5	PA; MO; QL (120 per 30 days); NEDS
LYSODREN ORAL TABLET	5	NEDS
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA; LA; NEDS
MARGENZA INTRAVENOUS SOLUTION	5	PA; NEDS
MATULANE ORAL CAPSULE	5	NEDS
<i>megestrol oral suspension 400 mg/10 ml (10 ml)</i>	3	PA
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	3	PA; MO
<i>megestrol oral suspension 625 mg/5 ml (125 mg/ml)</i>	4	PA; MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>megestrol oral tablet</i>	3	PA; MO
MEKINIST ORAL RECON SOLN	5	PA; MO; QL (1260 per 30 days); NEDS
MEKINIST ORAL TABLET 0.5 MG	5	PA; MO; QL (90 per 30 days); NEDS
MEKINIST ORAL TABLET 2 MG	5	PA; MO; QL (30 per 30 days); NEDS
MEKTOVI ORAL TABLET	5	PA; MO; LA; QL (180 per 30 days); NEDS
<i>melphalan hcl intravenous recon soln</i>	5	B/D PA; NEDS
<i>mercaptopurine oral tablet</i>	3	MO
<i>methotrexate sodium (pf) injection recon soln</i>	2	B/D PA
<i>methotrexate sodium (pf) injection solution</i>	2	B/D PA; MO
<i>methotrexate sodium injection solution</i>	2	B/D PA; MO
<i>methotrexate sodium oral tablet</i>	2	B/D PA; MO
<i>mitomycin intravenous recon soln 20 mg, 5 mg</i>	2	B/D PA; MO
<i>mitomycin intravenous recon soln 40 mg</i>	5	B/D PA; MO; NEDS
<i>mitoxantrone intravenous concentrate</i>	2	B/D PA; MO

药物名称	药物层级	要求/限制
MONJUVI INTRAVENOUS RECON SOLN	5	PA; LA; NEDS
<i>mycophenolate mofetil (hcl) intravenous recon soln</i>	4	B/D PA; MO
<i>mycophenolate mofetil oral capsule</i>	3	B/D PA; MO
<i>mycophenolate mofetil oral suspension for reconstitution</i>	5	B/D PA; MO; NEDS
<i>mycophenolate mofetil oral tablet</i>	3	B/D PA; MO
<i>mycophenolate sodium oral tablet,delayed release (dr/ec)</i>	4	B/D PA; MO
MYHIBBIN ORAL SUSPENSION	5	B/D PA; NEDS
MYLOTARG INTRAVENOUS RECON SOLN	5	B/D PA; MO; LA; NEDS
<i>nelarabine intravenous solution</i>	5	B/D PA; MO; NEDS
NERLYNX ORAL TABLET	5	PA; MO; LA; NEDS
<i>nilutamide oral tablet</i>	5	PA; MO; NEDS
NINLARO ORAL CAPSULE	5	PA; MO; QL (3 per 28 days); NEDS
NUBEQA ORAL TABLET	5	PA; MO; LA; QL (120 per 30 days); NEDS
NULOJIX INTRAVENOUS RECON SOLN	5	B/D PA; MO; NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
<i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i>	5	PA; MO; NEDS	OJEMDA ORAL TABLET 600 MG/WEEK (100 MG X 6)	5	PA; QL (24 per 28 days); NEDS
<i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i>	4	PA; MO	OJJAARA ORAL TABLET	5	PA; QL (30 per 30 days); NEDS
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i>	4	PA; MO	ONCASPAR INJECTION SOLUTION	5	B/D PA; NEDS
<i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>	5	PA; MO; NEDS	ONIVYDE INTRAVENOUS DISPERSION	5	B/D PA; NEDS
<i>octreotide,microspheres intramuscular suspension,extended rel recon</i>	5	PA; NEDS	ONUREG ORAL TABLET	5	PA; MO; QL (14 per 28 days); NEDS
ODOMZO ORAL CAPSULE	5	PA; MO; LA; QL (30 per 30 days); NEDS	OPDIVO INTRAVENOUS SOLUTION	5	PA; MO; NEDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA; QL (56 per 28 days); NEDS	OPDUALAG INTRAVENOUS SOLUTION	5	PA; MO; NEDS
OGSIVEO ORAL TABLET 50 MG	5	PA; QL (180 per 30 days); NEDS	ORGOVYX ORAL TABLET	5	PA; LA; QL (30 per 28 days); NEDS
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION	5	PA; QL (96 per 28 days); NEDS	ORSERDU ORAL TABLET 345 MG	5	PA; QL (30 per 30 days); NEDS
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4)	5	PA; QL (16 per 28 days); NEDS	ORSERDU ORAL TABLET 86 MG	5	PA; QL (90 per 30 days); NEDS
OJEMDA ORAL TABLET 500 MG/WEEK (100 MG X 5)	5	PA; QL (20 per 28 days); NEDS	<i>oxaliplatin intravenous recon soln 100 mg</i>	2	B/D PA
			<i>oxaliplatin intravenous recon soln 50 mg</i>	2	B/D PA; MO
			<i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i>	2	B/D PA; MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>oxaliplatin intravenous solution 200 mg/40 ml</i>	2	B/D PA
<i>paclitaxel intravenous concentrate</i>	2	B/D PA; MO
<i>PADCEV INTRAVENOUS RECON SOLN</i>	5	PA; MO; NEDS
<i>paraplatin intravenous solution</i>	2	B/D PA
<i>pazopanib oral tablet</i>	5	PA; MO; QL (120 per 30 days); NEDS
<i>PEMAZYRE ORAL TABLET</i>	5	PA; LA; QL (28 per 28 days); NEDS
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 500 mg</i>	5	B/D PA; MO; NEDS
<i>pemetrexed disodium intravenous recon soln 100 mg</i>	4	B/D PA; MO
<i>pemetrexed disodium intravenous recon soln 750 mg</i>	5	B/D PA; NEDS
<i>PERJETA INTRAVENOUS SOLUTION</i>	5	B/D PA; MO; NEDS
<i>PIQRAY ORAL TABLET</i>	5	PA; MO; NEDS
<i>POLIVY INTRAVENOUS RECON SOLN</i>	5	PA; MO; NEDS
<i>POMALYST ORAL CAPSULE</i>	5	PA; MO; LA; NEDS

药物名称	药物层级	要求/限制
<i>PORTRAZZA INTRAVENOUS SOLUTION</i>	5	B/D PA; MO; NEDS
<i>POTELIGEO INTRAVENOUS SOLUTION</i>	5	PA; NEDS
<i>PRALATREXATE INTRAVENOUS SOLUTION</i>	5	B/D PA; MO; NEDS
<i>PROGRAF INTRAVENOUS SOLUTION</i>	3	B/D PA; MO
<i>PROGRAF ORAL GRANULES IN PACKET</i>	4	B/D PA; MO
<i>PURIXAN ORAL SUSPENSION</i>	5	NEDS
<i>QINLOCK ORAL TABLET</i>	5	PA; LA; QL (90 per 30 days); NEDS
<i>RETEVMO ORAL CAPSULE 40 MG</i>	5	PA; MO; LA; QL (180 per 30 days); NEDS
<i>RETEVMO ORAL CAPSULE 80 MG</i>	5	PA; MO; LA; QL (120 per 30 days); NEDS
<i>RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG</i>	5	PA; MO; LA; QL (60 per 30 days); NEDS
<i>RETEVMO ORAL TABLET 40 MG</i>	5	PA; MO; LA; QL (90 per 30 days); NEDS
<i>REVLIMID ORAL CAPSULE</i>	5	PA; MO; LA; QL (28 per 28 days); NEDS
<i>REZLIDHIA ORAL CAPSULE</i>	5	PA; QL (60 per 30 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
REZUROCK ORAL TABLET	5	PA; LA; QL (30 per 30 days); NEDS
<i>romidepsin intravenous recon soln</i>	5	B/D PA; NEDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA; MO; QL (150 per 30 days); NEDS
ROZLYTREK ORAL CAPSULE 200 MG	5	PA; MO; QL (90 per 30 days); NEDS
ROZLYTREK ORAL PELLETS IN PACKET	5	PA; MO; QL (336 per 28 days); NEDS
RUBRACA ORAL TABLET	5	PA; MO; LA; QL (120 per 30 days); NEDS
RUXIENCE INTRAVENOUS SOLUTION	5	PA; MO; NEDS
RYBREVANT INTRAVENOUS SOLUTION	5	PA; MO; NEDS
RYDAPT ORAL CAPSULE	5	PA; MO; QL (224 per 28 days); NEDS
RYLAZE INTRAMUSCULAR SOLUTION	5	PA; NEDS
RYTELO INTRAVENOUS RECON SOLN	5	PA; NEDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXT ENDED REL RECON	5	PA; MO; NEDS

药物名称	药物层级	要求/限制
SARCLISA INTRAVENOUS SOLUTION	5	PA; LA; NEDS
SCEMBLIX ORAL TABLET 100 MG	5	PA; QL (120 per 30 days); NEDS
SCEMBLIX ORAL TABLET 20 MG	5	PA; QL (600 per 30 days); NEDS
SCEMBLIX ORAL TABLET 40 MG	5	PA; QL (300 per 30 days); NEDS
SIGNIFOR SUBCUTANEOUS SOLUTION	5	PA; NEDS
SIMULECT INTRAVENOUS RECON SOLN	3	B/D PA; MO
<i>sirolimus oral solution</i>	5	B/D PA; MO; NEDS
<i>sirolimus oral tablet</i>	4	B/D PA; MO
SOLTAMOX ORAL SOLUTION	5	MO; NEDS
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE	5	PA; MO; NEDS
<i>sorafenib oral tablet</i>	5	PA; MO; QL (120 per 30 days); NEDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 80 MG	5	PA; MO; QL (30 per 30 days); NEDS
SPRYCEL ORAL TABLET 20 MG, 70 MG	5	PA; MO; QL (60 per 30 days); NEDS
STIVARGA ORAL TABLET	5	PA; MO; QL (84 per 28 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
sunitinib malate oral capsule	5	PA; MO; QL (30 per 30 days); NEDS
TABLOID ORAL TABLET	4	MO
TABRECTA ORAL TABLET	5	PA; MO; NEDS
tacrolimus oral capsule	3	B/D PA; MO
TAFINLAR ORAL CAPSULE	5	PA; MO; QL (120 per 30 days); NEDS
TAFINLAR ORAL TABLET FOR SUSPENSION	5	PA; MO; QL (840 per 28 days); NEDS
TAGRISSO ORAL TABLET	5	PA; MO; LA; QL (30 per 30 days); NEDS
TALVEY SUBCUTANEOUS SOLUTION	5	PA; NEDS
TALZENNA ORAL CAPSULE	5	PA; MO; QL (30 per 30 days); NEDS
<i>tamoxifen oral tablet</i>	2	MO
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA; MO; QL (112 per 28 days); NEDS
TASIGNA ORAL CAPSULE 50 MG	5	PA; MO; QL (120 per 30 days); NEDS
TAZVERIK ORAL TABLET	5	PA; LA; NEDS
TECENTRIQ HYBREZA SUBCUTANEOUS SOLUTION	5	B/D PA; LA; NEDS
TECENTRIQ INTRAVENOUS SOLUTION	5	B/D PA; MO; LA; NEDS

药物名称	药物层级	要求/限制
TECVAYLI SUBCUTANEOUS SOLUTION	5	PA; NEDS
TEMODAR INTRAVENOUS RECON SOLN	5	B/D PA; MO; NEDS
<i>temsirolimus intravenous recon soln</i>	5	B/D PA; MO; NEDS
TEPMETKO ORAL TABLET	5	PA; LA; NEDS
TEVIMBRA INTRAVENOUS SOLUTION	5	PA; NEDS
THALOMID ORAL CAPSULE 100 MG	5	PA; MO; QL (112 per 28 days); NEDS
THALOMID ORAL CAPSULE 150 MG, 200 MG	5	PA; QL (56 per 28 days); NEDS
THALOMID ORAL CAPSULE 50 MG	5	PA; MO; QL (28 per 28 days); NEDS
<i>thiotepa injection recon soln 100 mg</i>	5	B/D PA; NEDS
<i>thiotepa injection recon soln 15 mg</i>	5	B/D PA; MO; NEDS
TIBSOVO ORAL TABLET	5	PA; NEDS
TIVDAK INTRAVENOUS RECON SOLN	5	PA; MO; NEDS
<i>topotecan intravenous recon soln</i>	5	B/D PA; MO; NEDS
<i>topotecan intravenous solution</i>	5	B/D PA; MO; NEDS
<i>toremifene oral tablet</i>	5	MO; NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>torpenz oral tablet</i>	5	PA; QL (30 per 30 days); NEDS
TRAZIMERA INTRAVENOUS RECON SOLN	5	B/D PA; MO; NEDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	4	PA; MO
<i>tretinoin (antineoplastic) oral capsule</i>	5	MO; NEDS
TRODELVY INTRAVENOUS RECON SOLN	5	PA; LA; NEDS
TRUQAP ORAL TABLET	5	PA; QL (64 per 28 days); NEDS
TUKYSA ORAL TABLET 150 MG	5	PA; LA; QL (120 per 30 days); NEDS
TUKYSA ORAL TABLET 50 MG	5	PA; LA; QL (300 per 30 days); NEDS
TURALIO ORAL CAPSULE 125 MG	5	PA; LA; QL (120 per 30 days); NEDS
UNITUXIN INTRAVENOUS SOLUTION	5	B/D PA; NEDS
<i>valrubicin intravesical solution</i>	5	B/D PA; MO; NEDS
VANFLYTA ORAL TABLET	5	PA; QL (56 per 28 days); NEDS
VECTIBIX INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS

药物名称	药物层级	要求/限制
VENCLEXTA ORAL TABLET 10 MG	4	PA; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA; LA; QL (180 per 30 days); NEDS
VENCLEXTA ORAL TABLET 50 MG	5	PA; LA; QL (30 per 30 days); NEDS
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK	5	PA; LA; QL (42 per 180 days); NEDS
VERZENIO ORAL TABLET	5	PA; MO; LA; QL (60 per 30 days); NEDS
<i>vinblastine intravenous solution</i>	2	B/D PA; MO
<i>vincristine intravenous solution</i>	2	B/D PA; MO
<i>vinorelbine intravenous solution</i>	2	B/D PA; MO
VITRAKVI ORAL CAPSULE 100 MG	5	PA; MO; LA; QL (60 per 30 days); NEDS
VITRAKVI ORAL CAPSULE 25 MG	5	PA; MO; LA; QL (180 per 30 days); NEDS
VITRAKVI ORAL SOLUTION	5	PA; MO; LA; QL (300 per 30 days); NEDS
VIZIMPRO ORAL TABLET	5	PA; MO; QL (30 per 30 days); NEDS
VONJO ORAL CAPSULE	5	PA; QL (120 per 30 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
VORANIGO ORAL TABLET 10 MG	5	PA; QL (60 per 30 days); NEDS
VORANIGO ORAL TABLET 40 MG	5	PA; QL (30 per 30 days); NEDS
VOTRIENT ORAL TABLET	5	PA; MO; QL (120 per 30 days); NEDS
VYXEOS INTRAVENOUS RECON SOLN	5	B/D PA; NEDS
WELIREG ORAL TABLET	5	PA; LA; NEDS
XALKORI ORAL CAPSULE	5	PA; MO; QL (60 per 30 days); NEDS
XALKORI ORAL PELLET 150 MG	5	PA; MO; QL (180 per 30 days); NEDS
XALKORI ORAL PELLET 20 MG, 50 MG	5	PA; MO; QL (120 per 30 days); NEDS
XATMEP ORAL SOLUTION	4	B/D PA; MO
XERMELO ORAL TABLET	5	PA; LA; QL (84 per 28 days); NEDS
XOSPATA ORAL TABLET	5	PA; LA; QL (90 per 30 days); NEDS
XPOVIO ORAL TABLET	5	PA; LA; NEDS
XTANDI ORAL CAPSULE	5	PA; MO; QL (120 per 30 days); NEDS
XTANDI ORAL TABLET 40 MG	5	PA; MO; QL (120 per 30 days); NEDS

药物名称	药物层级	要求/限制
XTANDI ORAL TABLET 80 MG	5	PA; MO; QL (60 per 30 days); NEDS
YERVOY INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
YONDELIS INTRAVENOUS RECON SOLN	5	B/D PA; NEDS
ZALTRAP INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
ZANOSAR INTRAVENOUS RECON SOLN	4	B/D PA; MO
ZEJULA ORAL TABLET 100 MG	5	PA; MO; LA; QL (90 per 30 days); NEDS
ZEJULA ORAL TABLET 200 MG, 300 MG	5	PA; MO; LA; QL (30 per 30 days); NEDS
ZELBORAF ORAL TABLET	5	PA; MO; QL (240 per 30 days); NEDS
ZEPZELCA INTRAVENOUS RECON SOLN	5	PA; NEDS
ZIRABEV INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
ZOLADEX SUBCUTANEOUS IMPLANT	4	PA; MO
ZOLINZA ORAL CAPSULE	5	PA; MO; QL (120 per 30 days); NEDS
ZYDELIG ORAL TABLET	5	PA; MO; QL (60 per 30 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
ZYKADIA ORAL TABLET	5	PA; MO; QL (90 per 30 days); NEDS
ZYNLONTA INTRAVENOUS RECON SOLN	5	PA; LA; NEDS
ZYNYZ INTRAVENOUS SOLUTION	5	PA; NEDS
AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH		
ANTICONVULSANTS		
APTIOM ORAL TABLET 200 MG	5	MO; QL (180 per 30 days); NEDS
APTIOM ORAL TABLET 400 MG	5	MO; QL (90 per 30 days); NEDS
APTIOM ORAL TABLET 600 MG, 800 MG	5	MO; QL (60 per 30 days); NEDS
BRIVIACT INTRAVENOUS SOLUTION	4	MO; QL (600 per 30 days)
BRIVIACT ORAL SOLUTION	5	MO; QL (600 per 30 days); NEDS
BRIVIACT ORAL TABLET	5	MO; QL (60 per 30 days); NEDS
<i>carbamazepine oral capsule, er multiphase 12 hr</i>	3	MO
<i>carbamazepine oral suspension 100 mg/5 ml</i>	2	MO
<i>carbamazepine oral suspension 100 mg/5 ml (5 ml), 200 mg/10 ml</i>	2	

药物名称	药物层级	要求/限制
<i>carbamazepine oral tablet</i>	2	MO
<i>carbamazepine oral tablet extended release 12 hr</i>	3	MO
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	MO
<i>clobazam oral suspension</i>	4	PA; MO; QL (480 per 30 days)
<i>clobazam oral tablet</i>	4	PA; MO; QL (60 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	2	MO; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	2	MO; QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	MO; QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	2	MO; QL (300 per 30 days)
DIACOMIT ORAL CAPSULE	5	PA; LA; NEDS
DIACOMIT ORAL POWDER IN PACKET	5	PA; LA; NEDS
<i>diazepam rectal kit</i>	4	MO
DILANTIN 30 MG ORAL CAPSULE	4	MO
<i>divalproex oral capsule, delayed rel sprinkle</i>	2	MO
<i>divalproex oral tablet extended release 24 hr</i>	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>divalproex oral tablet, delayed release (dr/ec)</i>	2	MO
EPIDIOLEX ORAL SOLUTION	5	PA; MO; LA; NEDS
<i>epitol oral tablet</i>	2	MO
EPRONTIA ORAL SOLUTION	4	PA; MO
<i>ethosuximide oral capsule</i>	3	MO
<i>ethosuximide oral solution</i>	3	MO
felbamate oral suspension	5	MO; NEDS
felbamate oral tablet	4	MO
FINTEPLA ORAL SOLUTION	5	PA; LA; QL (360 per 30 days); NEDS
<i>fosphenytoin injection solution</i>	2	MO
FYCOMPA ORAL SUSPENSION	5	MO; QL (720 per 30 days); NEDS
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	MO; QL (30 per 30 days); NEDS
FYCOMPA ORAL TABLET 2 MG	4	MO; QL (60 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	MO; QL (60 per 30 days); NEDS
<i>gabapentin oral capsule 100 mg, 400 mg</i>	2	MO; QL (270 per 30 days)
<i>gabapentin oral capsule 300 mg</i>	2	MO; QL (360 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i>	3	MO; QL (2160 per 30 days)

药物名称	药物层级	要求/限制
<i>gabapentin oral solution 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i>	3	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i>	2	MO; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i>	2	MO; QL (120 per 30 days)
<i>gabapentin oral tablet extended release 24 hr 300 mg</i>	3	PA; MO; QL (30 per 30 days)
<i>gabapentin oral tablet extended release 24 hr 600 mg</i>	3	PA; MO; QL (90 per 30 days)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG	3	PA; MO; QL (30 per 30 days)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 450 MG, 750 MG, 900 MG	3	PA; MO; QL (60 per 30 days)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	3	PA; MO; QL (90 per 30 days)
<i>lacosamide intravenous solution</i>	3	MO; QL (1200 per 30 days)
<i>lacosamide oral solution</i>	4	MO; QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg</i>	4	MO; QL (60 per 30 days)
<i>lacosamide oral tablet 50 mg</i>	3	MO; QL (120 per 30 days)
<i>lamotrigine oral tablet</i>	1	MO; GC

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
<i>lamotrigine oral tablet disintegrating, dose pk</i>	4	MO	<i>oxcarbazepine oral suspension</i>	4	MO
<i>lamotrigine oral tablet, chewable dispersible</i>	2	MO	<i>oxcarbazepine oral tablet</i>	3	MO
<i>lamotrigine oral tablet,disintegrating</i>	4	MO	<i>phenobarbital oral elixir</i>	4	PA; MO
<i>lamotrigine oral tablets,dose pack</i>	4	MO	<i>phenobarbital oral tablet 100 mg, 15 mg, 30 mg, 60 mg</i>	3	PA
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 500 mg/100 ml</i>	2	MO	<i>phenobarbital oral tablet 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg</i>	3	PA; MO
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,500 mg/100 ml</i>	2		<i>phenobarbital sodium injection solution 130 mg/ml</i>	2	MO
<i>levetiracetam intravenous solution</i>	2	MO	<i>phenobarbital sodium injection solution 65 mg/ml</i>	2	
<i>levetiracetam oral solution 100 mg/ml</i>	2	MO	<i>phenytoin oral suspension 100 mg/4 ml</i>	2	
<i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i>	2		<i>phenytoin oral suspension 125 mg/5 ml</i>	2	MO
<i>levetiracetam oral tablet</i>	2	MO	<i>phenytoin oral tablet,chewable</i>	2	MO
<i>levetiracetam oral tablet extended release 24 hr</i>	2	MO	<i>phenytoin sodium extended oral capsule 100 mg</i>	2	MO
LIBERVANT BUCCAL FILM	5	PA; QL (10 per 30 days); NEDS	<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i>	2	
<i>methylsuximide oral capsule</i>	4	MO	<i>phenytoin sodium intravenous solution</i>	2	
NAYZILAM NASAL SPRAY, NON-AEROSOL	5	PA; MO; QL (10 per 30 days); NEDS	<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>	3	MO; QL (90 per 30 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>pregabalin oral capsule 225 mg, 300 mg</i>	3	MO; QL (60 per 30 days)
<i>pregabalin oral solution</i>	3	MO; QL (900 per 30 days)
PRIMIDONE ORAL TABLET 125 MG	4	MO
<i>primidone oral tablet 250 mg, 50 mg</i>	2	MO
<i>roweepra oral tablet 500 mg</i>	2	MO
<i>rufinamide oral suspension</i>	5	PA; MO; NEDS
<i>rufinamide oral tablet 200 mg</i>	4	PA; MO
<i>rufinamide oral tablet 400 mg</i>	5	PA; MO; NEDS
SPRITAM ORAL TABLET FOR SUSPENSION	4	MO
<i>subvenite oral tablet 100 mg, 200 mg, 25 mg</i>	1	MO; GC
<i>subvenite oral tablet 150 mg</i>	1	GC
<i>subvenite starter (blue) kit oral tablets,dose pack</i>	4	MO
<i>subvenite starter (green) kit oral tablets,dose pack</i>	4	MO
<i>subvenite starter (orange) kit oral tablets,dose pack</i>	4	MO
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA; MO; QL (60 per 30 days); NEDS

药物名称	药物层级	要求/限制
SYMPAZAN ORAL FILM 5 MG	4	PA; MO; QL (60 per 30 days)
<i>tiagabine oral tablet</i>	4	MO
<i>topiramate oral capsule, sprinkle</i>	2	PA; MO
<i>topiramate oral tablet</i>	2	PA; MO
<i>valproate sodium intravenous solution</i>	2	MO
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	MO
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i>	2	
<i>valproic acid oral capsule</i>	2	MO
VALTOCO NASAL SPRAY, NON-AEROSOL	5	PA; MO; QL (10 per 30 days); NEDS
<i>vigabatrin oral powder in packet</i>	5	PA; MO; LA; NEDS
<i>vigabatrin oral tablet</i>	5	PA; MO; LA; NEDS
<i>vigadronе oral powder in packet</i>	5	PA; LA; NEDS
<i>vigadronе oral tablet</i>	5	PA; LA; NEDS
<i>vigpoder oral powder in packet</i>	5	PA; LA; NEDS
XCOPRI MAINTENANCE PACK ORAL TABLET	5	MO; QL (56 per 28 days); NEDS
XCOPRI ORAL TABLET 100 MG	5	MO; QL (120 per 30 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
XCOPRI ORAL TABLET 150 MG, 200 MG	5	MO; QL (60 per 30 days); NEDS
XCOPRI ORAL TABLET 25 MG	5	MO; QL (30 per 30 days); NEDS
XCOPRI ORAL TABLET 50 MG	5	MO; QL (240 per 30 days); NEDS
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14)	4	MO; QL (28 per 180 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	5	MO; QL (28 per 180 days); NEDS
ZONISADE ORAL SUSPENSION	5	PA; MO; NEDS
<i>zonisamide oral capsule</i>	2	PA; MO
ZTALMY ORAL SUSPENSION	5	PA; LA; QL (1100 per 30 days); NEDS
ANTIPARKINSONISM AGENTS		
APOKYN SUBCUTANEOUS CARTRIDGE	5	PA; MO; LA; QL (90 per 30 days); NEDS
<i>apomorphine subcutaneous cartridge</i>	5	PA; QL (90 per 30 days); NEDS
<i>benztropine injection solution</i>	2	MO
<i>benztropine oral tablet</i>	2	PA; MO

药物名称	药物层级	要求/限制
<i>bromocriptine oral capsule</i>	4	MO
<i>bromocriptine oral tablet</i>	4	MO
<i>carbidopa oral tablet</i>	2	MO
<i>carbidopa-levodopa oral tablet</i>	2	MO
<i>carbidopa-levodopa oral tablet extended release</i>	2	MO
<i>carbidopa-levodopa oral tablet,disintegrating</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet</i>	4	MO
<i>entacapone oral tablet</i>	4	MO
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE	5	PA; QL (300 per 30 days); NEDS
NEUPRO TRANSDERMAL PATCH 24 HOUR	4	MO
<i>pramipexole oral tablet</i>	2	MO
<i>rasagiline oral tablet</i>	4	MO
<i>ropinirole oral tablet</i>	2	MO
<i>ropinirole oral tablet extended release 24 hr</i>	4	MO
<i>selegiline hcl oral capsule</i>	2	MO
<i>selegiline hcl oral tablet</i>	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
MIGRAINE / CLUSTER HEADACHE THERAPY		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-Injector	3	PA; MO; QL (1 per 30 days)
dihydroergotamine injection solution	5	NEDS
dihydroergotamine nasal spray,non-aerosol	5	QL (8 per 28 days); NEDS
eletriptan oral tablet	4	MO; QL (18 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR	3	PA; MO; QL (2 per 30 days)
EMGALITY SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; MO; QL (2 per 30 days)
ergotamine-caffeine oral tablet	3	MO
naratriptan oral tablet	3	MO; QL (18 per 28 days)
NURTEC ODT ORAL TABLET,DISINTE GRATING	3	PA; QL (16 per 30 days)
QULIPTA ORAL TABLET	3	PA; MO; QL (30 per 30 days)
rizatriptan oral tablet	2	MO; QL (36 per 28 days)
rizatriptan oral tablet,disintegrating	3	MO; QL (36 per 28 days)
sumatriptan nasal spray,non-aerosol 20 mg/actuation	4	MO; QL (18 per 28 days)

药物名称	药物层级	要求/限制
sumatriptan nasal spray,non-aerosol 5 mg/actuation	4	MO; QL (36 per 28 days)
sumatriptan succinate oral tablet	2	MO; QL (18 per 28 days)
sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml	4	MO; QL (8 per 28 days)
sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml	4	QL (8 per 28 days)
sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml	4	QL (8 per 28 days)
sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml	4	MO; QL (8 per 28 days)
sumatriptan succinate subcutaneous solution	4	MO; QL (8 per 28 days)
UBRELVY ORAL TABLET	3	PA; QL (20 per 30 days)
zolmitriptan oral tablet	4	MO; QL (18 per 28 days)
zolmitriptan oral tablet,disintegrating	4	MO; QL (18 per 28 days)
MISCELLANEOUS NEUROLOGICAL THERAPY		
BRIUMVI INTRAVENOUS SOLUTION	5	PA; MO; QL (24 per 180 days); NEDS
dalfampridine oral tablet extended release 12 hr	3	PA; MO; QL (60 per 30 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i>	5	PA; MO; QL (14 per 30 days); NEDS	<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; MO; QL (12 per 28 days); NEDS
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i>	5	PA; MO; QL (120 per 180 days); NEDS	INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK	5	PA; LA; QL (28 per 180 days); NEDS
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i>	5	PA; MO; QL (60 per 30 days); NEDS	INGREZZA ORAL CAPSULE	5	PA; LA; QL (30 per 30 days); NEDS
<i>donepezil oral tablet 10 mg, 5 mg</i>	1	MO; GC	INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE	5	PA; LA; QL (30 per 30 days); NEDS
<i>donepezil oral tablet 23 mg</i>	4	MO	KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (1.6 per 28 days); NEDS
<i>donepezil oral tablet,disintegrating</i>	1	MO; GC	<i>memantine oral capsule,sprinkle,er 24hr</i>	4	PA; MO
<i>fingolimod oral capsule</i>	5	PA; MO; QL (30 per 30 days); NEDS	<i>memantine oral solution</i>	3	PA; MO
FIRDAPSE ORAL TABLET	5	PA; LA; NEDS	<i>memantine oral tablet</i>	2	PA; MO
<i>galantamine oral capsule,ext rel. pellets 24 hr</i>	3	MO	NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK	3	PA
<i>galantamine oral solution</i>	4	MO	NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR	3	PA; MO
<i>galantamine oral tablet</i>	3	MO	NUEDEXTA ORAL CAPSULE	5	PA; MO; NEDS
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	5	PA; QL (30 per 30 days); NEDS	RADICAVA ORS ORAL SUSPENSION	5	PA; MO; NEDS
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	5	PA; QL (12 per 28 days); NEDS	RADICAVA ORS STARTER KIT SUSP ORAL SUSPENSION	5	PA; MO; NEDS
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; MO; QL (30 per 30 days); NEDS			

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>rivastigmine tartrate oral capsule</i>	3	MO
<i>rivastigmine transdermal patch 24 hour</i>	4	MO
<i>teriflunomide oral tablet</i>	5	PA; MO; QL (30 per 30 days); NEDS
<i>tetrabenazine oral tablet 12.5 mg</i>	5	PA; MO; QL (240 per 30 days); NEDS
<i>tetrabenazine oral tablet 25 mg</i>	5	PA; MO; QL (120 per 30 days); NEDS
VUMERTY ORAL CAPSULE,DELAY ED RELEASE(DR/EC)	5	PA; MO; QL (120 per 30 days); NEDS
ZEPOSIA ORAL CAPSULE	5	PA; MO; QL (30 per 30 days); NEDS
ZEPOSIA STARTER KIT (28-DAY) ORAL CAPSULE,DOSE PACK	5	PA; MO; QL (28 per 180 days); NEDS
ZEPOSIA STARTER PACK (7-DAY) ORAL CAPSULE,DOSE PACK	5	PA; MO; QL (7 per 180 days); NEDS
MUSCLE RELAXANTS / ANTISPASMODIC THERAPY		
<i>baclofen oral tablet</i>	2	MO
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	4	PA; MO
<i>dantrolene intravenous recon soln</i>	2	

药物名称	药物层级	要求/限制
<i>dantrolene oral capsule</i>	4	MO
LIORESAL INTRATHECAL SOLUTION 2,000 MCG/ML, 500 MCG/ML	3	B/D PA; MO
LIORESAL INTRATHECAL SOLUTION 50 MCG/ML	3	B/D PA
<i>pyridostigmine bromide oral tablet 60 mg</i>	3	MO
<i>pyridostigmine bromide oral tablet extended release</i>	3	
<i>revonto intravenous recon soln</i>	2	
<i>tizanidine oral tablet</i>	2	MO
NARCOTIC ANALGESICS		
<i>acetaminophen-codeine oral solution 120 mg-12 mg /5 ml (5 ml), 300 mg-30 mg /12.5 ml</i>	2	QL (4500 per 30 days); NEDS
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	2	MO; QL (4500 per 30 days); NEDS
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	MO; QL (360 per 30 days); NEDS
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	MO; QL (180 per 30 days); NEDS
BELBUCA Buccal Film	3	PA; MO; QL (60 per 30 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
buprenorphine hcl injection syringe	2	NEDS
buprenorphine hcl sublingual tablet	2	MO
buprenorphine transdermal patch transdermal patch weekly	4	PA; MO; QL (4 per 28 days); NEDS
endocet oral tablet 10-325 mg, 2.5-325 mg, 7.5-325 mg	3	QL (360 per 30 days); NEDS
endocet oral tablet 5-325 mg	3	MO; QL (360 per 30 days); NEDS
fentanyl citrate (pf) injection solution	2	NEDS
fentanyl citrate (pf) intravenous syringe 100 mcg/2 ml (50 mcg/ml)	2	NEDS
fentanyl citrate buccal lozenge on a handle 1,200 mcg, 600 mcg	5	PA; MO; QL (120 per 30 days); NEDS
fentanyl citrate buccal lozenge on a handle 200 mcg	4	PA; MO; QL (120 per 30 days); NEDS
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr	4	PA; MO; QL (10 per 30 days); NEDS
hydrocodone-acetaminophen oral solution 10-325 mg/15 ml	3	QL (5550 per 30 days); NEDS
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	3	MO; QL (5550 per 30 days); NEDS

药物名称	药物层级	要求/限制
hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg	3	MO; QL (390 per 30 days); NEDS
hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg	3	MO; QL (360 per 30 days); NEDS
hydrocodone-ibuprofen oral tablet	3	MO; QL (50 per 30 days); NEDS
hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml, 2 mg/ml	4	NEDS
hydromorphone injection solution 2 mg/ml	4	MO; NEDS
hydromorphone injection syringe 1 mg/ml, 4 mg/ml	4	MO; NEDS
hydromorphone injection syringe 2 mg/ml	4	NEDS
hydromorphone oral liquid	4	MO; QL (2400 per 30 days); NEDS
hydromorphone oral tablet	3	MO; QL (180 per 30 days); NEDS
hydromorphone oral tablet extended release 24 hr	4	PA; MO; QL (60 per 30 days); NEDS
methadone injection solution	3	NEDS
methadone intensol oral concentrate	3	PA; MO; QL (90 per 30 days); NEDS
methadone oral concentrate	3	PA; QL (90 per 30 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>methadone oral solution 10 mg/5 ml</i>	3	PA; MO; QL (600 per 30 days); NEDS
<i>methadone oral solution 5 mg/5 ml</i>	3	PA; MO; QL (1200 per 30 days); NEDS
<i>methadone oral tablet 10 mg</i>	3	PA; MO; QL (120 per 30 days); NEDS
<i>methadone oral tablet 5 mg</i>	3	PA; MO; QL (240 per 30 days); NEDS
<i>methadose oral concentrate</i>	3	PA; MO; QL (90 per 30 days); NEDS
<i>morphine (pf) injection solution 0.5 mg/ml</i>	4	NEDS
<i>morphine (pf) injection solution 1 mg/ml</i>	4	MO; NEDS
<i>morphine concentrate oral solution</i>	3	MO; QL (900 per 30 days); NEDS
<i>morphine injection syringe 4 mg/ml</i>	4	MO; NEDS
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml</i>	4	MO; NEDS
<i>morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml</i>	4	NEDS
<i>morphine oral solution</i>	3	MO; QL (900 per 30 days); NEDS
<i>morphine oral tablet</i>	3	MO; QL (180 per 30 days); NEDS

药物名称	药物层级	要求/限制
<i>morphine oral tablet extended release</i>	3	PA; MO; QL (120 per 30 days); NEDS
<i>oxycodone oral capsule</i>	3	MO; QL (360 per 30 days); NEDS
<i>oxycodone oral concentrate</i>	4	MO; QL (180 per 30 days); NEDS
<i>oxycodone oral solution</i>	3	MO; QL (1200 per 30 days); NEDS
<i>oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i>	3	MO; QL (180 per 30 days); NEDS
<i>oxycodone oral tablet 5 mg</i>	3	MO; QL (360 per 30 days); NEDS
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	3	MO; QL (360 per 30 days); NEDS
<i>OXYCONTIN, ORAL ONLY, EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG</i>	3	PA; MO; QL (90 per 30 days); NEDS
<i>OXYCONTIN, ORAL ONLY, EXT.REL.12 HR 80 MG</i>	5	PA; MO; QL (60 per 30 days); NEDS
NON-NARCOTIC ANALGESICS		
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	3	MO; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg</i>	3	MO; QL (360 per 30 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
buprenorphine-naloxone sublingual film 4-1 mg, 8-2 mg	3	MO; QL (90 per 30 days)
buprenorphine-naloxone sublingual tablet 2-0.5 mg	2	MO; QL (360 per 30 days)
buprenorphine-naloxone sublingual tablet 8-2 mg	2	MO; QL (90 per 30 days)
butorphanol injection solution	2	MO; NEDS
butorphanol nasal spray, non-aerosol	4	MO; QL (10 per 28 days); NEDS
celecoxib oral capsule	2	MO
clonidine (pf) epidural solution 5,000 mcg/10 ml	2	
diclofenac potassium oral tablet 50 mg	2	MO
diclofenac sodium oral tablet extended release 24 hr	2	MO
diclofenac sodium oral tablet, delayed release (dr/ec)	2	MO
diclofenac sodium topical gel 1 %	3	MO; QL (1000 per 28 days)
diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic	4	MO
diflunisal oral tablet	3	MO
ec-naproxen oral tablet, delayed release (dr/ec)	2	
etodolac oral capsule	3	MO
etodolac oral tablet	3	MO

药物名称	药物层级	要求/限制
etodolac oral tablet extended release 24 hr	4	MO
flurbiprofen oral tablet 100 mg	2	MO
ibu oral tablet	1	MO; GC
ibuprofen oral suspension	2	MO
ibuprofen oral tablet 400 mg, 600 mg, 800 mg	1	MO; GC
meloxicam oral tablet	1	MO; GC; QL (30 per 30 days)
nabumetone oral tablet	2	MO
nalbuphine injection solution	2	NEDS
naloxone injection solution	2	MO
naloxone injection syringe 0.4 mg/ml (prefilled syringe)	2	
naloxone injection syringe 0.4 mg/ml, 1 mg/ml	2	MO
naloxone nasal spray, non-aerosol	2	MO
naltrexone oral tablet	2	MO
naproxen oral tablet	1	MO; GC
naproxen oral tablet, delayed release (dr/ec)	2	MO
naproxen sodium oral tablet 275 mg, 550 mg	2	MO
oxaprozin oral tablet	4	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>piroxicam oral capsule</i>	3	MO
<i>salsalate oral tablet</i>	1	MO; GC
<i>sulindac oral tablet</i>	2	MO
<i>tramadol oral tablet 50 mg</i>	2	MO; QL (240 per 30 days); NEDS
<i>tramadol-acetaminophen oral tablet</i>	2	MO; QL (240 per 30 days); NEDS
VIVITROL INTRAMUSCULAR SUSPENSION,EXTENDED RELATIONSHIP RECON	5	MO; NEDS
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	3	MO; QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	3	MO; QL (60 per 30 days)
PSYCHOTHERAPEUTIC DRUGS		
<i>abilify</i>	5	MO; QL (2.4 per 56 days); NEDS

药物名称	药物层级	要求/限制
<i>ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED RELATIONSHIP SYRINGE 720 MG/2.4 ML</i>	5	MO; QL (3.2 per 56 days); NEDS
<i>abilify</i>	5	MO; QL (1 per 28 days); NEDS
<i>MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED RELATIONSHIP RECON</i>	5	MO; QL (1 per 28 days); NEDS
<i>amitriptyline oral tablet</i>	2	MO
<i>amoxapine oral tablet</i>	3	MO
<i>ariPIPRAZOLE ORAL SOLUTION</i>	4	MO
<i>ariPIPRAZOLE ORAL TABLET</i>	2	MO; QL (30 per 30 days)
<i>ariPIPRAZOLE ORAL TABLET,DISINTEGRATING</i>	4	MO; QL (60 per 30 days)
<i>ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED RELATIONSHIP SYRINGE</i>	5	MO; QL (4.8 per 365 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 1,064 MG/3.9 ML	5	MO; QL (3.9 per 56 days); NEDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 441 MG/1.6 ML	5	MO; QL (1.6 per 28 days); NEDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 662 MG/2.4 ML	5	MO; QL (2.4 per 28 days); NEDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 882 MG/3.2 ML	5	MO; QL (3.2 per 28 days); NEDS
armodafinil oral tablet	4	PA; MO; QL (30 per 30 days)
asenapine maleate sublingual tablet	4	MO; QL (60 per 30 days)
atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg	4	MO; QL (60 per 30 days)
atomoxetine oral capsule 100 mg, 60 mg, 80 mg	4	MO; QL (30 per 30 days)
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC	5	ST; QL (60 per 30 days); NEDS

药物名称	药物层级	要求/限制
BELSOMRA ORAL TABLET	3	PA; QL (30 per 30 days)
bupropion hcl oral tablet	2	MO
bupropion hcl oral tablet extended release 24 hr 150 mg	2	MO; QL (90 per 30 days)
bupropion hcl oral tablet extended release 24 hr 300 mg	2	MO; QL (30 per 30 days)
bupropion hcl oral tablet sustained-release 12 hr	2	MO; QL (60 per 30 days)
buspirone oral tablet	2	MO
CAPLYTA ORAL CAPSULE	4	MO; QL (30 per 30 days)
chlorpromazine injection solution	2	MO
chlorpromazine oral concentrate	4	MO
chlorpromazine oral tablet	4	MO
citalopram oral solution	3	MO
citalopram oral tablet	1	MO; GC; QL (30 per 30 days)
clomipramine oral capsule	4	MO
clonidine hcl oral tablet extended release 12 hr	4	MO
clorazepate dipotassium oral tablet 15 mg	3	PA; MO; QL (180 per 30 days)
clorazepate dipotassium oral tablet 3.75 mg	3	PA; MO; QL (90 per 30 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>clorazepate dipotassium oral tablet 7.5 mg</i>	3	PA; MO; QL (360 per 30 days)
<i>clozapine oral tablet</i>	3	
<i>clozapine oral tablet,disintegrating</i>	4	
<i>COBENFY ORAL CAPSULE</i>	5	QL (60 per 30 days); NEDS
<i>COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK</i>	5	QL (56 per 180 days); NEDS
<i>desipramine oral tablet</i>	2	MO
<i>desvenlafaxine succinate oral tablet extended release 24 hr</i>	3	MO; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr</i>	4	MO
<i>dextroamphetamine-amphetamine oral tablet</i>	3	MO
<i>diazepam injection solution</i>	2	PA
<i>diazepam injection syringe</i>	2	PA
<i>diazepam intensol oral concentrate</i>	2	PA; MO; QL (240 per 30 days)
<i>diazepam oral concentrate</i>	2	PA; QL (240 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	PA; MO; QL (1200 per 30 days)

药物名称	药物层级	要求/限制
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml, 5 ml)</i>	2	PA; QL (1200 per 30 days)
<i>diazepam oral tablet</i>	2	PA; MO; QL (120 per 30 days)
<i>doxepin oral capsule</i>	4	MO
<i>doxepin oral concentrate</i>	4	MO
<i>doxepin oral tablet</i>	3	MO; QL (30 per 30 days)
<i>DRIZALMA ORAL CAPSULE, DELAYED REL SPROINKLE 20 MG, 30 MG, 60 MG</i>	4	MO; QL (60 per 30 days)
<i>DRIZALMA ORAL CAPSULE, DELAYED REL SPROINKLE 40 MG</i>	4	MO; QL (90 per 30 days)
<i>duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>	2	MO; QL (60 per 30 days)
<i>EMSAM TRANSDERMAL PATCH 24 HOUR</i>	5	MO; NEDS
<i>escitalopram oxalate oral solution</i>	2	MO
<i>escitalopram oxalate oral tablet</i>	1	MO; GC; QL (30 per 30 days)
<i>eszopiclone oral tablet</i>	4	MO; QL (30 per 30 days)
<i>FANAPT ORAL TABLET</i>	4	MO; QL (60 per 30 days)
<i>FANAPT ORAL TABLETS,DOSE PACK</i>	4	MO; QL (8 per 180 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)-40 MG (26)	3	QL (28 per 180 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR	3	QL (30 per 30 days)
<i>flumazenil intravenous solution</i>	2	
<i>fluoxetine (pmdd) oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>fluoxetine (pmdd) oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>fluoxetine oral capsule 10 mg</i>	1	MO; GC; QL (30 per 30 days)
<i>fluoxetine oral capsule 20 mg</i>	1	MO; GC; QL (90 per 30 days)
<i>fluoxetine oral capsule 40 mg</i>	1	MO; GC; QL (60 per 30 days)
<i>fluoxetine oral capsule,delayed release(dr/ec)</i>	2	MO; QL (4 per 28 days)
<i>fluoxetine oral solution</i>	2	MO
<i>fluoxetine oral tablet 10 mg</i>	2	MO; QL (240 per 30 days)
<i>fluoxetine oral tablet 20 mg</i>	2	MO; QL (120 per 30 days)
<i>fluphenazine decanoate injection solution</i>	4	MO
<i>fluphenazine hcl injection solution</i>	4	MO
<i>fluphenazine hcl oral concentrate</i>	4	MO

药物名称	药物层级	要求/限制
<i>fluphenazine hcl oral elixir</i>	4	MO
<i>fluphenazine hcl oral tablet</i>	4	MO
<i>fluvoxamine oral capsule,extended release 24hr</i>	4	MO; QL (60 per 30 days)
<i>fluvoxamine oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)
<i>fluvoxamine oral tablet 25 mg</i>	2	MO; QL (30 per 30 days)
<i>fluvoxamine oral tablet 50 mg</i>	2	MO; QL (60 per 30 days)
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	4	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i>	4	MO
<i>haloperidol lactate injection solution</i>	4	MO
<i>haloperidol lactate intramuscular syringe</i>	2	
<i>haloperidol lactate oral concentrate</i>	2	MO
<i>haloperidol oral tablet</i>	2	MO
<i>imipramine hcl oral tablet</i>	4	MO
<i>imipramine pamoate oral capsule</i>	4	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	MO; QL (3.5 per 180 days); NEDS
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	MO; QL (5 per 180 days); NEDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	MO; QL (0.75 per 28 days); NEDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	MO; QL (1 per 28 days); NEDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	MO; QL (1.5 per 28 days); NEDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	MO; QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	MO; QL (0.5 per 28 days); NEDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	MO; QL (0.88 per 90 days); NEDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	MO; QL (1.32 per 90 days); NEDS

药物名称	药物层级	要求/限制
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	MO; QL (1.75 per 90 days); NEDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	MO; QL (2.63 per 90 days); NEDS
<i>lithium carbonate oral capsule</i>	1	MO; GC
<i>lithium carbonate oral tablet</i>	1	MO; GC
<i>lithium carbonate oral tablet extended release</i>	1	MO; GC
<i>lithium citrate oral solution</i>	2	
<i>lorazepam injection solution</i>	2	PA; MO
<i>lorazepam injection syringe</i>	2	PA; MO
<i>lorazepam intensol oral concentrate</i>	2	PA; QL (150 per 30 days)
<i>lorazepam oral concentrate</i>	2	PA; MO; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	2	PA; MO; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i>	2	PA; MO; QL (150 per 30 days)
<i>loxapine succinate oral capsule</i>	2	MO
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i>	5	MO; QL (30 per 30 days); NEDS
<i>lurasidone oral tablet 80 mg</i>	5	MO; QL (60 per 30 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
MARPLAN ORAL TABLET	4	MO
<i>methylphenidate hcl oral capsule,er biphasic 50-50</i>	4	MO
<i>methylphenidate hcl oral solution</i>	4	MO
<i>methylphenidate hcl oral tablet</i>	3	MO
<i>methylphenidate hcl oral tablet extended release</i>	4	MO
<i>methylphenidate hcl oral tablet,chewable</i>	4	MO
<i>mirtazapine oral tablet</i>	2	MO
<i>mirtazapine oral tablet,disintegrating</i>	3	MO
<i>modafinil oral tablet 100 mg</i>	3	PA; MO; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i>	3	PA; MO; QL (60 per 30 days)
<i>molindone oral tablet 10 mg, 25 mg</i>	4	
<i>molindone oral tablet 5 mg</i>	4	MO
<i>nefazodone oral tablet</i>	4	MO
<i>nortriptyline oral capsule</i>	2	MO
<i>nortriptyline oral solution</i>	4	MO
NUPLAZID ORAL CAPSULE	4	PA; MO; QL (30 per 30 days)

药物名称	药物层级	要求/限制
NUPLAZID ORAL TABLET	4	PA; MO; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln</i>	4	MO
<i>olanzapine oral tablet</i>	2	MO; QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating</i>	4	MO; QL (30 per 30 days)
<i>olanzapine-fluoxetine oral capsule</i>	4	MO
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i>	4	MO; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	4	MO; QL (60 per 30 days)
<i>paroxetine hcl oral suspension</i>	4	MO
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 40 mg</i>	2	MO; QL (30 per 30 days)
<i>paroxetine hcl oral tablet 30 mg</i>	2	MO; QL (60 per 30 days)
<i>paroxetine hcl oral tablet extended release 24 hr</i>	3	MO; QL (60 per 30 days)
<i>pentobarbital sodium injection solution</i>	4	
<i>perphenazine oral tablet</i>	4	MO
PERSERIS SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING	5	MO; QL (1 per 30 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>phenelzine oral tablet</i>	3	MO
<i>pimozide oral tablet</i>	4	MO
<i>protriptyline oral tablet</i>	4	MO
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	2	MO; QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i>	2	MO; QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i>	3	MO; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i>	3	MO; QL (60 per 30 days)
<i>ramelteon oral tablet</i>	3	MO; QL (30 per 30 days)
REXULTI ORAL TABLET	4	MO; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	3	MO; QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	MO; QL (2 per 28 days); NEDS

药物名称	药物层级	要求/限制
<i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i>	3	MO; QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i>	5	MO; QL (2 per 28 days); NEDS
<i>risperidone oral solution</i>	2	MO
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	1	MO; GC; QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i>	1	MO; GC; QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	4	MO; QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 4 mg</i>	4	MO; QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR	5	MO; QL (30 per 30 days); NEDS
<i>sertraline oral concentrate</i>	4	MO
<i>sertraline oral tablet 100 mg, 50 mg</i>	1	MO; GC; QL (60 per 30 days)
<i>sertraline oral tablet 25 mg</i>	1	MO; GC; QL (30 per 30 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
SODIUM OXYBATE ORAL SOLUTION	5	PA; LA; QL (540 per 30 days); NEDS	UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 200 MG/0.56 ML	5	MO; QL (0.56 per 56 days); NEDS
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA; MO; NEDS	UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 250 MG/0.7 ML	5	MO; QL (0.7 per 56 days); NEDS
<i>thioridazine oral tablet</i>	3	MO	UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 50 MG/0.14 ML	5	MO; QL (0.14 per 28 days); NEDS
<i>thiothixene oral capsule</i>	2	MO	UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 75 MG/0.21 ML	5	MO; QL (0.21 per 28 days); NEDS
<i>tranylcypromine oral tablet</i>	4	MO	<i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg</i>	2	MO; QL (30 per 30 days)
<i>trazodone oral tablet</i>	1	MO; GC	<i>venlafaxine oral capsule, extended release 24hr 75 mg</i>	2	MO; QL (90 per 30 days)
<i>trifluoperazine oral tablet</i>	3	MO	<i>venlafaxine oral tablet</i>	2	MO; QL (90 per 30 days)
<i>trimipramine oral capsule</i>	4	MO	VERSACLOZ ORAL SUSPENSION	5	NEDS
TRINTELLIX ORAL TABLET	3	QL (30 per 30 days)	<i>vilazodone oral tablet</i>	3	MO; QL (30 per 30 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 100 MG/0.28 ML	5	MO; QL (0.28 per 28 days); NEDS	VRAYLAR ORAL CAPSULE	4	MO; QL (30 per 30 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 125 MG/0.35 ML	5	MO; QL (0.35 per 28 days); NEDS	<i>zaleplon oral capsule 10 mg</i>	4	MO; QL (60 per 30 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 150 MG/0.42 ML	5	MO; QL (0.42 per 56 days); NEDS			

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
zaleplon oral capsule 5 mg	4	MO; QL (30 per 30 days)
ziprasidone hcl oral capsule	3	MO; QL (60 per 30 days)
ziprasidone mesylate intramuscular recon soln	4	MO
zolpidem oral tablet	2	MO; QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE	5	PA; MO; NEDS
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	3	MO; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	MO; QL (2 per 28 days); NEDS
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	MO; QL (1 per 28 days); NEDS
CARDIOVASCULAR, HYPERTENSION / LIPIDS		
ANTIARRHYTHMIC AGENTS		
adenosine intravenous solution	2	
adenosine intravenous syringe	2	

药物名称	药物层级	要求/限制
amiodarone intravenous solution	2	B/D PA; MO
amiodarone intravenous syringe	2	B/D PA
amiodarone oral tablet 100 mg, 200 mg	2	MO
amiodarone oral tablet 400 mg	2	
dofetilide oral capsule	4	MO
flecainide oral tablet	2	MO
ibutilide fumarate intravenous solution	2	
lidocaine (pf) intravenous solution	2	
lidocaine (pf) intravenous syringe	2	
lidocaine in 5 % dextrose (pf) intravenous parenteral solution 4 mg/ml (0.4 %), 8 mg/ml (0.8 %)	4	
mexiletine oral capsule	3	MO
MULTAQ ORAL TABLET	3	MO
pacerone oral tablet 100 mg, 200 mg, 400 mg	2	MO
procainamide injection solution	2	
propafenone oral capsule,extended release 12 hr	4	MO
propafenone oral tablet	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>quinidine sulfate oral tablet</i>	2	MO
<i>sorine oral tablet 120 mg</i>	2	
<i>sorine oral tablet 160 mg</i>	2	MO
<i>sotalol af oral tablet</i>	2	
<i>sotalol oral tablet</i>	2	MO
ANTIHYPERTENSIVE THERAPY		
<i>acebutolol oral capsule</i>	2	MO
<i>aliskiren oral tablet</i>	4	MO
<i>amiloride oral tablet</i>	2	MO
<i>amiloride-hydrochlorothiazide oral tablet</i>	2	MO
<i>amlodipine oral tablet</i>	1	MO; GC
<i>amlodipine-benazepril oral capsule</i>	1	MO; GC
<i>amlodipine-olmesartan oral tablet</i>	1	MO; GC
<i>amlodipine-valsartan oral tablet</i>	6	MO; GC
<i>amlodipine-valsartan-hctiazid oral tablet</i>	2	MO
<i>atenolol oral tablet</i>	1	MO; GC
<i>atenolol-chlorthalidone oral tablet</i>	1	MO; GC
<i>benazepril oral tablet</i>	6	MO; GC
<i>benazepril-hydrochlorothiazide oral tablet</i>	6	MO; GC

药物名称	药物层级	要求/限制
<i>betaxolol oral tablet</i>	3	MO
<i>bisoprolol fumarate oral tablet</i>	2	MO
<i>bisoprolol-hydrochlorothiazide oral tablet</i>	1	MO; GC
<i>bumetanide injection solution</i>	4	MO
<i>bumetanide oral tablet</i>	2	MO
<i>candesartan oral tablet</i>	1	MO; GC
<i>candesartan-hydrochlorothiazide oral tablet</i>	2	MO
<i>captopril oral tablet 100 mg, 50 mg</i>	2	MO
<i>captopril oral tablet 12.5 mg, 25 mg</i>	1	MO; GC
<i>captopril-hydrochlorothiazide oral tablet</i>	2	
<i>cartia xt oral capsule, extended release 24hr</i>	2	MO
<i>carvedilol oral tablet</i>	1	MO; GC
<i>chlorothiazide sodium intravenous recon soln</i>	2	MO
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	MO
<i>clonidine (pf) epidural solution 1,000 mcg/10 ml (100 mcg/ml)</i>	2	
<i>clonidine hcl oral tablet</i>	1	MO; GC

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>clonidine transdermal patch weekly</i>	4	MO; QL (4 per 28 days)
<i>diltiazem hcl intravenous recon soln</i>	2	
<i>diltiazem hcl intravenous solution</i>	2	
<i>diltiazem hcl oral capsule,ext.rel 24h degradable</i>	2	MO
<i>diltiazem hcl oral capsule,extended release 12 hr</i>	2	MO
<i>diltiazem hcl oral capsule,extended release 24 hr</i>	2	MO
<i>diltiazem hcl oral capsule,extended release 24hr</i>	2	MO
<i>diltiazem hcl oral tablet</i>	2	MO
<i>diltiazem hcl oral tablet extended release 24 hr</i>	2	MO
<i>dilt-xr oral capsule,ext.rel 24h degradable</i>	2	MO
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg</i>	2	MO; QL (30 per 30 days)
<i>doxazosin oral tablet 8 mg</i>	2	MO; QL (60 per 30 days)
<i>EDARBI ORAL TABLET</i>	3	MO
<i>EDARBYCLOR ORAL TABLET</i>	3	MO
<i>enalapril maleate oral tablet</i>	6	MO; GC
<i>enalaprilat intravenous solution</i>	2	

药物名称	药物层级	要求/限制
<i>enalapril-hydrochlorothiazide oral tablet</i>	6	MO; GC
<i>eplerenone oral tablet</i>	3	MO
<i>esmolol intravenous solution</i>	2	
<i>ethacrynat sodium intravenous recon soln</i>	5	NEDS
<i>felodipine oral tablet extended release 24 hr</i>	2	MO
<i>fosinopril oral tablet</i>	6	MO; GC
<i>fosinopril-hydrochlorothiazide oral tablet</i>	1	MO; GC
<i>furosemide injection solution</i>	4	MO
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	MO
<i>furosemide oral tablet</i>	1	MO; GC
<i>hydralazine injection solution</i>	2	MO
<i>hydralazine oral tablet</i>	2	MO
<i>hydrochlorothiazide oral capsule</i>	1	MO; GC
<i>hydrochlorothiazide oral tablet</i>	1	MO; GC
<i>indapamide oral tablet</i>	1	MO; GC
<i>irbesartan oral tablet</i>	6	MO; GC

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>irbesartan-hydrochlorothiazide oral tablet</i>	6	MO; GC
<i>isosorbide-hydralazine oral tablet</i>	3	MO; QL (180 per 30 days)
<i>isradipine oral capsule</i>	2	
<i>KERENDIA ORAL TABLET</i>	3	PA; QL (30 per 30 days)
<i>labetalol intravenous solution</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet</i>	2	MO
<i>lisinopril oral tablet</i>	6	MO; GC
<i>lisinopril-hydrochlorothiazide oral tablet</i>	6	MO; GC
<i>losartan oral tablet</i>	6	MO; GC
<i>losartan-hydrochlorothiazide oral tablet</i>	6	MO; GC
<i>mannitol 20 % intravenous parenteral solution</i>	4	
<i>mannitol 25 % intravenous solution</i>	2	MO
<i>matzim la oral tablet extended release 24 hr</i>	2	MO
<i>metolazone oral tablet</i>	2	MO
<i>metoprolol succinate oral tablet extended release 24 hr</i>	1	MO; GC

药物名称	药物层级	要求/限制
<i>metoprolol tar-hydrochlorothiazide oral tablet</i>	2	MO
<i>metoprolol tartrate intravenous solution</i>	2	
<i>metoprolol tartrate oral tablet</i>	1	MO; GC
<i>metyrosine oral capsule</i>	5	PA; MO; NEDS
<i>minoxidil oral tablet</i>	2	MO
<i>moexipril oral tablet</i>	1	GC
<i>nadolol oral tablet</i>	4	MO
<i>nebivolol oral tablet</i>	2	MO
<i>nicardipine intravenous solution</i>	2	
<i>nicardipine oral capsule</i>	4	MO
<i>nifedipine oral tablet extended release</i>	2	MO
<i>nifedipine oral tablet extended release 24hr</i>	2	MO
<i>nimodipine oral capsule</i>	4	MO
<i>nisoldipine oral tablet extended release 24 hr</i>	4	MO
<i>olmesartan oral tablet</i>	1	MO; GC
<i>olmesartan-amlodipine-hcthiazid oral tablet</i>	2	MO
<i>olmesartan-hydrochlorothiazide oral tablet</i>	1	MO; GC
<i>osmitrol 20 % intravenous parenteral solution</i>	4	

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>perindopril erbumine oral tablet</i>	1	MO; GC
<i>phentolamine injection recon soln</i>	2	
<i>pindolol oral tablet</i>	3	MO
<i>prazosin oral capsule</i>	2	MO
<i>propranolol intravenous solution</i>	2	
<i>propranolol oral capsule,extended release 24 hr</i>	2	MO
<i>propranolol oral solution</i>	2	MO
<i>propranolol oral tablet</i>	1	MO; GC
<i>quinapril oral tablet</i>	6	MO; GC
<i>quinapril-hydrochlorothiazide oral tablet</i>	1	MO; GC
<i>ramipril oral capsule</i>	6	MO; GC
<i>spironolactone oral tablet</i>	1	MO; GC
<i>spironolacton-hydrochlorothiaz oral tablet</i>	2	MO
<i>telmisartan oral tablet</i>	1	MO; GC
<i>telmisartan-amlodipine oral tablet</i>	2	MO
<i>telmisartan-hydrochlorothiazid oral tablet</i>	2	MO
<i>terazosin oral capsule 1 mg, 2 mg, 5 mg</i>	1	MO; GC; QL (30 per 30 days)

药物名称	药物层级	要求/限制
<i>terazosin oral capsule 10 mg</i>	1	MO; GC; QL (60 per 30 days)
<i>tiadylt er oral capsule,extended release 24 hr</i>	2	MO
<i>timolol maleate oral tablet</i>	4	MO
<i>torsemide oral tablet</i>	2	MO
<i>trandolapril oral tablet</i>	6	MO; GC
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr</i>	2	MO
<i>treprostinil sodium injection solution</i>	5	PA; MO; LA; NEDS
<i>triamterene-hydrochlorothiazid oral capsule</i>	1	MO; GC
<i>triamterene-hydrochlorothiazid oral tablet</i>	1	MO; GC
<i>UPTRAVI ORAL TABLET</i>	5	PA; MO; LA; NEDS
<i>UPTRAVI ORAL TABLETS,DOSE PACK</i>	5	PA; MO; LA; NEDS
<i>valsartan oral tablet</i>	6	MO; GC
<i>valsartan-hydrochlorothiazide oral tablet</i>	6	MO; GC
<i>veletri intravenous recon soln</i>	2	B/D PA; MO
<i>verapamil intravenous solution</i>	2	
<i>verapamil intravenous syringe</i>	2	

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>verapamil oral capsule, 24 hr er pellet ct</i>	2	MO
<i>verapamil oral capsule, ext rel. pellets 24 hr</i>	2	MO
<i>verapamil oral tablet</i>	1	MO; GC
<i>verapamil oral tablet extended release</i>	2	MO
COAGULATION THERAPY		
<i>aminocaproic acid intravenous solution</i>	2	MO
<i>aminocaproic acid oral solution</i>	5	MO; NEDS
<i>aminocaproic acid oral tablet</i>	5	MO; NEDS
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr</i>	4	MO
<i>BRILINTA ORAL TABLET</i>	3	MO
<i>CABLIVI INJECTION KIT</i>	5	PA; LA; NEDS
<i>CEPROTIN (BLUE BAR) INTRAVENOUS RECON SOLN</i>	3	PA; MO
<i>CEPROTIN (GREEN BAR) INTRAVENOUS RECON SOLN</i>	3	PA; MO
<i>cilostazol oral tablet</i>	2	MO
<i>clopidogrel oral tablet 300 mg</i>	2	MO
<i>clopidogrel oral tablet 75 mg</i>	1	MO; GC; QL (30 per 30 days)
<i>dabigatran etexilate oral capsule</i>	4	MO

药物名称	药物层级	要求/限制
<i>dipyridamole intravenous solution</i>	2	
<i>dipyridamole oral tablet</i>	4	MO
<i>DOPTELET (10 TAB PACK) ORAL TABLET</i>	5	PA; MO; LA; NEDS
<i>DOPTELET (15 TAB PACK) ORAL TABLET</i>	5	PA; MO; LA; NEDS
<i>DOPTELET (30 TAB PACK) ORAL TABLET</i>	5	PA; MO; LA; NEDS
<i>ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK</i>	3	MO
<i>ELIQUIS ORAL TABLET</i>	3	MO
<i>enoxaparin subcutaneous solution</i>	2	MO; QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i>	4	MO; QL (28 per 28 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i>	4	MO; QL (22.4 per 28 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml, 60 mg/0.6 ml</i>	4	MO; QL (16.8 per 28 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i>	4	MO; QL (11.2 per 28 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>	5	MO; NEDS	<i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml</i>	3	MO
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	4	MO	<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	3	
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml)</i>	3		<i>heparin, porcine (pf) injection solution 5,000 unit/0.5 ml</i>	3	MO
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i>	3	MO	<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	3	MO
<i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml</i>	3	MO	<i>HEPARIN, PORCINE (PF) INJECTION SYRINGE 5,000 UNIT/ML</i>	3	
<i>heparin (porcine) in nacl (pf) intravenous parenteral solution 2,000 unit/1,000 ml</i>	3		<i>HEPARIN, PORCINE (PF) SUBCUTANEOUS SYRINGE</i>	3	MO
<i>heparin (porcine) injection cartridge</i>	3	MO	<i>jantoven oral tablet</i>	1	MO; GC
<i>heparin (porcine) injection solution</i>	3	MO	<i>pentoxifylline oral tablet extended release</i>	2	MO
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	3	MO	<i>prasugrel oral tablet</i>	3	MO
<i>HEPARIN(PORCIN E) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML</i>	3		<i>PROMACTA ORAL POWDER IN PACKET</i>	5	PA; MO; LA; NEDS
			<i>PROMACTA ORAL TABLET</i>	5	PA; MO; LA; NEDS
			<i>protamine intravenous solution</i>	2	
			<i>warfarin oral tablet</i>	1	MO; GC

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK	3	MO
XARELTO ORAL SUSPENSION FOR RECONSTITUTION	3	MO
XARELTO ORAL TABLET	3	MO
LIPID/CHOLESTEROL LOWERING AGENTS		
<i>amlodipine-atorvastatin oral tablet</i>	2	MO; QL (30 per 30 days)
<i>atorvastatin oral tablet</i>	6	MO; GC; QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder</i>	3	MO
<i>cholestyramine (with sugar) oral powder in packet</i>	3	MO
<i>cholestyramine light oral powder</i>	3	
<i>cholestyramine light oral powder in packet</i>	3	
<i>colesevelam oral powder in packet</i>	4	MO
<i>colesevelam oral tablet</i>	4	MO
<i>colestipol oral granules</i>	4	MO
<i>colestipol oral packet</i>	4	
<i>colestipol oral tablet</i>	4	MO
<i>ezetimibe oral tablet</i>	2	MO

药物名称	药物层级	要求/限制
<i>ezetimibe-simvastatin oral tablet 10-10 mg, 10-40 mg, 10-80 mg</i>	2	MO; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i>	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 43 mg, 67 mg</i>	2	MO
<i>fenofibrate nanocrystallized oral tablet</i>	2	MO
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	MO
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec)</i>	4	MO
<i>fenofibric acid oral tablet</i>	2	
<i>fluvastatin oral capsule 20 mg</i>	2	MO; QL (30 per 30 days)
<i>fluvastatin oral capsule 40 mg</i>	2	MO; QL (60 per 30 days)
<i>gemfibrozil oral tablet</i>	1	MO; GC
<i>icosapent ethyl oral capsule</i>	3	MO
JUXTAPID ORAL CAPSULE	5	PA; MO; LA; NEDS
<i>lovastatin oral tablet 10 mg</i>	6	MO; GC; QL (30 per 30 days)
<i>lovastatin oral tablet 20 mg, 40 mg</i>	6	MO; GC; QL (60 per 30 days)
NEXLETOL ORAL TABLET	3	PA; MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
NEXLIZET ORAL TABLET	3	PA; MO	CORLANOR ORAL SOLUTION	3	QL (450 per 30 days)
<i>niacin oral tablet 500 mg</i>	2	MO	CORLANOR ORAL TABLET	3	MO; QL (60 per 30 days)
<i>niacin oral tablet extended release 24 hr</i>	4	MO	<i>digoxin oral solution</i>	3	MO
<i>omega-3 acid ethyl esters oral capsule</i>	2	MO	<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	MO
<i>pitavastatin calcium oral tablet</i>	6	MO; GC; QL (30 per 30 days)	<i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i>	3	MO
<i>pravastatin oral tablet</i>	6	MO; GC; QL (30 per 30 days)	<i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i>	2	B/D PA
<i>prevalite oral powder</i>	3	MO	<i>dobutamine intravenous solution</i>	2	B/D PA
<i>prevalite oral powder in packet</i>	3	MO	<i>dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i>	2	B/D PA
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR	3	PA; QL (7 per 28 days)	<i>dopamine in 5 % dextrose intravenous solution 800 mg/250 ml (3,200 mcg/ml)</i>	2	B/D PA; MO
REPATHA SUBCUTANEOUS SYRINGE	3	PA; QL (6 per 28 days)	<i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml)</i>	2	B/D PA
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR	3	PA; QL (6 per 28 days)			
<i>rosuvastatin oral tablet</i>	6	MO; GC; QL (30 per 30 days)			
<i>simvastatin oral tablet</i>	6	MO; GC; QL (30 per 30 days)			

MISCELLANEOUS CARDIOVASCULAR AGENTS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
dopamine intravenous solution 400 mg/10 ml (40 mg/ml)	2	B/D PA; MO
ENTRESTO ORAL TABLET	3	QL (60 per 30 days)
ENTRESTO SPRINKLE ORAL PELLET	3	QL (240 per 30 days)
ivabradine oral tablet	3	MO; QL (60 per 30 days)
milrinone in 5 % dextrose intravenous piggyback	2	B/D PA
milrinone intravenous solution	2	B/D PA
norepinephrine bitartrate intravenous solution	2	
ranolazine oral tablet extended release 12 hr	3	MO
sodium nitroprusside intravenous solution	2	B/D PA
VECAMYL ORAL TABLET	5	NEDS
VERQUVO ORAL TABLET	3	MO; QL (30 per 30 days)
VYNDAMAX ORAL CAPSULE	5	PA; MO; NEDS
NITRATES		
isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg	2	MO
isosorbide mononitrate oral tablet	1	GC

药物名称	药物层级	要求/限制
isosorbide mononitrate oral tablet extended release 24 hr	1	MO; GC
nitro-bid transdermal ointment	3	MO
nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml)	2	B/D PA
nitroglycerin intravenous solution	2	B/D PA
nitroglycerin sublingual tablet	2	MO
nitroglycerin transdermal patch 24 hour	2	MO
nitroglycerin translingual spray, non-aerosol	4	MO
DERMATOLOGICALS/TOPICAL THERAPY		
ANTIPSORIATIC / ANTISEBORRHEIC		
acitretin oral capsule	4	MO
calcipotriene scalp solution	3	MO; QL (120 per 30 days)
calcipotriene topical cream	4	MO; QL (120 per 30 days)
calcipotriene topical ointment	4	MO; QL (120 per 30 days)
calcitriol topical ointment	4	

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>selenium sulfide topical lotion</i>	2	MO
SKYRIZI SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (2 per 28 days); NEDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; MO; QL (2 per 28 days); NEDS
STELARA INTRAVENOUS SOLUTION	5	PA; MO; QL (104 per 180 days); NEDS
STELARA SUBCUTANEOUS SOLUTION	5	PA; MO; QL (0.5 per 28 days); NEDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	5	PA; MO; QL (0.5 per 28 days); NEDS
STELARA SUBCUTANEOUS SYRINGE 90 MG/ML	5	PA; MO; QL (1 per 28 days); NEDS
TALTZ AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; QL (4 per 28 days); NEDS
TALTZ AUTOINJECTOR (3 PACK) SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; QL (3 per 180 days); NEDS
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; QL (1 per 28 days); NEDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 20 MG/0.25 ML	5	PA; MO; QL (0.25 per 28 days); NEDS

药物名称	药物层级	要求/限制
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 40 MG/0.5 ML	5	PA; MO; QL (0.5 per 28 days); NEDS
TALTZ SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; MO; QL (1 per 28 days); NEDS
MISCELLANEOUS DERMATOLOGICALS		
ADBRY SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; QL (6 per 28 days); NEDS
ADBRY SUBCUTANEOUS SYRINGE	5	PA; MO; QL (6 per 28 days); NEDS
<i>ammonium lactate topical cream</i>	2	MO
<i>ammonium lactate topical lotion</i>	2	MO
<i>chloroprocaine (pf) injection solution</i>	2	
CIBINQO ORAL TABLET	5	PA; MO; QL (30 per 30 days); NEDS
<i>dermacinrx lidocan topical adhesive patch,medicated</i>	4	PA; QL (90 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	4	PA; MO; QL (100 per 28 days)
DUPIXENT SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML	5	PA; MO; QL (4.56 per 28 days); NEDS
DUPIXENT SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; MO; QL (8 per 28 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; QL (1.34 per 28 days); NEDS
DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML	5	PA; MO; QL (4.56 per 28 days); NEDS
DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML	5	PA; MO; QL (8 per 28 days); NEDS
<i>fluorouracil topical cream 5 %</i>	3	MO
<i>fluorouracil topical solution</i>	3	MO
<i>glydo mucous membrane jelly in applicator</i>	2	MO; QL (60 per 30 days)
<i>imiquimod topical cream in packet 5 %</i>	3	MO
<i>lidocaine (pf) injection solution</i>	2	
<i>lidocaine hcl injection solution</i>	2	
<i>lidocaine hcl laryngotracheal solution</i>	3	
<i>lidocaine hcl mucous membrane jelly in applicator</i>	2	MO; QL (60 per 30 days)
<i>lidocaine hcl mucous membrane solution 2 %</i>	2	MO
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	3	MO
<i>lidocaine topical adhesive patch,medicated 5 %</i>	4	PA; MO; QL (90 per 30 days)

药物名称	药物层级	要求/限制
<i>lidocaine topical ointment</i>	4	MO; QL (36 per 30 days)
<i>lidocaine viscous mucous membrane solution</i>	2	
<i>lidocaine-epinephrine (pf) injection solution 1.5 %-1:200,000, 2 %-1:200,000</i>	2	
<i>lidocaine-epinephrine injection solution</i>	2	
<i>lidocaine-prilocaine topical cream</i>	3	MO; QL (30 per 30 days)
<i>lidocan iii topical adhesive patch,medicated</i>	4	PA; QL (90 per 30 days)
<i>lidocan iv topical adhesive patch,medicated</i>	4	PA; QL (90 per 30 days)
<i>lidocan v topical adhesive patch,medicated</i>	4	PA; QL (90 per 30 days)
<i>methoxsalen oral capsule,liqd-filled,rapid rel</i>	5	MO; NEDS
PANRETIN TOPICAL GEL	5	PA; MO; NEDS
<i>pimecrolimus topical cream</i>	4	PA; MO; QL (100 per 30 days)
<i>podofilox topical solution</i>	3	MO
<i>polocaine injection solution 1 % (10 mg/ml)</i>	2	
<i>polocaine-mpf injection solution</i>	2	

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
REGRANEX TOPICAL GEL	5	MO; QL (15 per 30 days); NEDS
SANTYL TOPICAL OINTMENT	3	MO; QL (180 per 30 days)
<i>silver sulfadiazine topical cream</i>	2	MO
<i>ssd topical cream</i>	2	MO
<i>tacrolimus topical ointment</i>	4	PA; MO; QL (100 per 30 days)
<i>tridacaine ii topical adhesive patch,medicated</i>	4	PA; QL (90 per 30 days)
VALCHLOR TOPICAL GEL	5	PA; MO; NEDS
THERAPY FOR ACNE		
<i>accutane oral capsule</i>	4	
<i>amnesteem oral capsule</i>	4	
<i>azelaic acid topical gel</i>	4	MO
<i>claravis oral capsule</i>	4	
<i>clindamycin phosphate topical gel</i>	3	MO; QL (120 per 30 days)
<i>clindamycin phosphate topical gel, once daily</i>	3	MO; QL (150 per 30 days)
<i>clindamycin phosphate topical lotion</i>	3	MO; QL (120 per 30 days)
<i>clindamycin phosphate topical solution</i>	3	MO; QL (120 per 30 days)
<i>ery pads topical swab</i>	3	MO

药物名称	药物层级	要求/限制
<i>erythromycin with ethanol topical solution</i>	2	MO
<i>isotretinoin oral capsule</i>	4	
<i>ivermectin topical cream</i>	2	MO; QL (90 per 30 days)
<i>metronidazole topical cream</i>	4	MO
<i>metronidazole topical gel</i>	4	MO
<i>metronidazole topical gel with pump</i>	4	MO
<i>metronidazole topical lotion</i>	4	MO
<i>tazarotene topical cream</i>	4	PA; MO
<i>tazarotene topical gel</i>	4	PA; MO
<i>tretinoiin topical cream 0.025 %, 0.05 %, 0.1 %</i>	4	PA; MO
<i>tretinoiin topical gel 0.01 %, 0.025 %, 0.05 %</i>	3	PA; MO
<i>zenatane oral capsule</i>	4	
TOPICAL ANTIBACTERIALS		
<i>gentamicin topical cream</i>	3	MO; QL (60 per 30 days)
<i>gentamicin topical ointment</i>	3	MO; QL (60 per 30 days)
<i>mupirocin topical ointment</i>	2	MO; QL (44 per 30 days)
<i>sulfacetamide sodium (acne) topical suspension</i>	4	MO
TOPICAL ANTIFUNGALS		

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
ciclodan topical solution	2	QL (6.6 per 28 days)
ciclopirox topical cream	2	MO; QL (90 per 28 days)
ciclopirox topical gel	3	MO; QL (100 per 28 days)
ciclopirox topical shampoo	3	MO; QL (120 per 28 days)
ciclopirox topical solution	2	MO; QL (6.6 per 28 days)
ciclopirox topical suspension	3	MO; QL (60 per 28 days)
clotrimazole topical cream	2	MO; QL (45 per 28 days)
clotrimazole topical solution	2	MO; QL (30 per 28 days)
clotrimazole-betamethasone topical cream	3	MO; QL (45 per 28 days)
clotrimazole-betamethasone topical lotion	4	MO; QL (60 per 28 days)
econazole topical cream	4	MO; QL (85 per 28 days)
ketoconazole topical cream	2	MO; QL (60 per 28 days)
ketoconazole topical shampoo	2	MO; QL (120 per 28 days)
klayesta topical powder	3	MO; QL (180 per 30 days)
naftifine topical cream	4	MO; QL (60 per 28 days)
naftifine topical gel 2 %	4	MO; QL (60 per 28 days)
nyamyc topical powder	3	MO; QL (180 per 30 days)
nystatin topical cream	2	MO; QL (30 per 28 days)

药物名称	药物层级	要求/限制
nystatin topical ointment	2	MO; QL (30 per 28 days)
nystatin topical powder	3	MO; QL (180 per 30 days)
nystatin-triamcinolone topical cream	3	MO; QL (60 per 28 days)
nystatin-triamcinolone topical ointment	3	MO; QL (60 per 28 days)
nystop topical powder	3	MO; QL (180 per 30 days)
TOPICAL ANTIVIRALS		
acyclovir topical ointment	4	PA; MO; QL (30 per 30 days)
penciclovir topical cream	4	MO; QL (5 per 30 days)
TOPICAL CORTICOSTEROIDS		
ala-cort topical cream 1 %	2	MO
ala-cort topical cream 2.5 %	2	
alclometasone topical cream	3	MO
alclometasone topical ointment	3	MO
betamethasone dipropionate topical cream	2	MO
betamethasone dipropionate topical lotion	2	MO
betamethasone dipropionate topical ointment	2	MO
betamethasone valerate topical cream	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>betamethasone valerate topical lotion</i>	2	MO
<i>betamethasone valerate topical ointment</i>	2	MO
<i>betamethasone, augmented topical cream</i>	2	MO
<i>betamethasone, augmented topical gel</i>	2	MO
<i>betamethasone, augmented topical lotion</i>	2	MO
<i>betamethasone, augmented topical ointment</i>	2	MO
<i>clobetasol scalp solution</i>	4	MO; QL (100 per 28 days)
<i>clobetasol topical cream</i>	4	MO; QL (120 per 28 days)
<i>clobetasol topical foam</i>	4	MO; QL (100 per 28 days)
<i>clobetasol topical gel</i>	4	MO; QL (120 per 28 days)
<i>clobetasol topical lotion</i>	4	MO; QL (118 per 28 days)
<i>clobetasol topical ointment</i>	4	MO; QL (120 per 28 days)
<i>clobetasol topical shampoo</i>	4	MO; QL (236 per 28 days)
<i>clobetasol-emollient topical cream</i>	4	MO; QL (120 per 28 days)
<i>clodan topical shampoo</i>	4	MO; QL (236 per 28 days)
<i>desonide topical cream</i>	4	MO
<i>desonide topical gel</i>	4	MO

药物名称	药物层级	要求/限制
<i>desonide topical lotion</i>	4	MO
<i>desonide topical ointment</i>	4	MO
<i>fluocinolone and shower cap scalp oil</i>	4	MO
<i>fluocinolone topical cream</i>	4	MO
<i>fluocinolone topical oil</i>	4	MO
<i>fluocinolone topical ointment</i>	4	MO
<i>fluocinolone topical solution</i>	4	MO
<i>fluocinonide topical cream 0.05 %</i>	4	MO; QL (120 per 30 days)
<i>fluocinonide topical gel</i>	4	MO; QL (120 per 30 days)
<i>fluocinonide topical ointment</i>	4	MO; QL (120 per 30 days)
<i>fluocinonide topical solution</i>	4	MO; QL (120 per 30 days)
<i>fluocinonide-emollient topical cream</i>	4	MO; QL (120 per 30 days)
<i>halobetasol propionate topical cream</i>	4	MO
<i>halobetasol propionate topical ointment</i>	4	MO
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	2	MO
<i>hydrocortisone topical lotion 2.5 %</i>	2	MO
<i>hydrocortisone topical ointment 1 %, 2.5 %</i>	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>mometasone topical cream</i>	2	MO
<i>mometasone topical ointment</i>	2	MO
<i>mometasone topical solution</i>	2	MO
<i>prednicarbate topical ointment</i>	4	
<i>triamcinolone acetonide topical cream</i>	2	MO
<i>triamcinolone acetonide topical lotion</i>	2	MO
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	MO
<i>triderm topical cream</i>	2	
TOPICAL SCABICIDES / PEDICULICIDES		
<i>crotan topical lotion</i>	2	
<i>malathion topical lotion</i>	4	MO
<i>permethrin topical cream</i>	3	MO; QL (60 per 30 days)
DIAGNOSTICS / MISCELLANEOUS AGENTS		
ANTIDOTES		
<i>acetylcysteine intravenous solution</i>	3	
IRRIGATING SOLUTIONS		
<i>lactated ringers irrigation solution</i>	4	
<i>neomycin-polymyxin b gu irrigation solution</i>	2	

药物名称	药物层级	要求/限制
<i>ringer's irrigation solution</i>	4	MO
MISCELLANEOUS AGENTS		
<i>acamprostate oral tablet, delayed release (dr/ec)</i>	4	MO
<i>acetic acid irrigation solution</i>	2	MO
<i>anagrelide oral capsule</i>	3	MO
<i>caffeine citrate intravenous solution</i>	2	
<i>caffeine citrate oral solution</i>	2	MO
<i>carglumic acid oral tablet, dispersible</i>	5	PA; MO; NEDS
<i>cevimeline oral capsule</i>	4	MO
<i>CHEMET ORAL CAPSULE</i>	3	PA
<i>CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION</i>	4	B/D PA
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	4	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	MO	<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	4	MO
<i>deferasirox oral granules in packet</i>	5	PA; MO; NEDS	<i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i>	4	
<i>deferasirox oral tablet 180 mg, 360 mg</i>	5	PA; MO; NEDS	<i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i>	4	
<i>deferasirox oral tablet 90 mg</i>	4	PA; MO	<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	4	
<i>deferasirox oral tablet, dispersible 125 mg</i>	4	PA; MO	<i>dextrose 50 % in water (d50w) intravenous syringe</i>	4	
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i>	5	PA; MO; NEDS	<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	4	
<i>deferiprone oral tablet</i>	5	PA; MO; NEDS	<i>disulfiram oral tablet 250 mg</i>	2	MO
<i>deferoxamine injection recon soln</i>	2	B/D PA; MO	<i>disulfiram oral tablet 500 mg</i>	2	
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>	4		<i>droxidopa oral capsule</i>	5	PA; MO; NEDS
<i>dextrose 10 % in water (d10w) intravenous parenteral solution</i>	4		<i>ENDARI ORAL POWDER IN PACKET</i>	5	PA; MO; NEDS
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	4		<i>glutamine (sickle cell) oral powder in packet</i>	5	PA; MO; NEDS
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	4	MO	<i>INCRELEX SUBCUTANEOUS SOLUTION</i>	5	MO; LA; NEDS
<i>dextrose 5 % in water (d5w) intravenous piggyback</i>	4	MO	<i>kionex (with sorbitol) oral suspension</i>	3	

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>levocarnitine (with sugar) oral solution</i>	4	MO
<i>levocarnitine oral solution 100 mg/ml</i>	4	MO
<i>levocarnitine oral tablet</i>	4	MO
<i>LOKELMA ORAL POWDER IN PACKET</i>	3	MO
<i>midodrine oral tablet</i>	3	MO
<i>nitisinone oral capsule</i>	5	PA; MO; NEDS
<i>pilocarpine hcl oral tablet</i>	4	MO
<i>PROLASTIN-C INTRAVENOUS SOLUTION</i>	5	PA; MO; LA; NEDS
<i>REVCOVI INTRAMUSCULAR SOLUTION</i>	5	PA; LA; NEDS
<i>REZDIFRA ORAL TABLET</i>	5	PA; MO; QL (30 per 30 days); NEDS
<i>riluzole oral tablet</i>	3	PA; MO
<i>risedronate oral tablet 30 mg</i>	3	MO; QL (30 per 30 days)
<i>sevelamer carbonate oral tablet</i>	4	MO; QL (270 per 30 days)
<i>sodium benzoate-sodium phenylacetate intravenous solution</i>	5	NEDS
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	4	MO
<i>sodium chloride 0.9 % intravenous piggyback</i>	4	MO

药物名称	药物层级	要求/限制
<i>sodium chloride irrigation solution</i>	4	MO
<i>sodium phenylbutyrate oral powder</i>	5	PA; MO; NEDS
<i>sodium phenylbutyrate oral tablet</i>	5	PA; NEDS
<i>sodium polystyrene sulfonate oral powder</i>	3	MO
<i>sps (with sorbitol) oral suspension</i>	3	MO
<i>sps (with sorbitol) rectal enema</i>	3	
<i>trientine oral capsule 250 mg</i>	5	PA; MO; NEDS
<i>VELPHORO ORAL TABLET,CHEWABLE</i>	5	MO; QL (180 per 30 days); NEDS
<i>VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 8.4 GRAM</i>	3	MO
<i>VELTASSA ORAL POWDER IN PACKET 25.2 GRAM</i>	3	
<i>water for irrigation, sterile irrigation solution</i>	4	MO
<i>XIAFLEX INJECTION RECON SOLN</i>	5	PA; NEDS
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i>	2	PA; MO
SMOKING DETERRENTS		

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr</i>	2	MO
NICOTROL INHALATION CARTRIDGE	4	
NICOTROL NS NASAL SPRAY, NON- AEROSOL	4	MO
<i>varenicline oral tablet 0.5 mg, 1 mg</i>	4	MO
<i>varenicline oral tablet 1 mg (56 pack)</i>	4	
<i>varenicline oral tablets, dose pack</i>	4	MO
EAR, NOSE / THROAT MEDICATIONS		
MISCELLANEOUS AGENTS		
<i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %)</i>	3	MO; QL (60 per 30 days)
<i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i>	3	QL (60 per 30 days)
<i>chlorhexidine gluconate mucous membrane mouthwash</i>	1	MO; GC
<i>denta 5000 plus dental cream</i>	2	MO
<i>dentagel dental gel</i>	2	MO
<i>fluoride (sodium) dental cream</i>	2	
<i>fluoride (sodium) dental gel</i>	2	

药物名称	药物层级	要求/限制
<i>fluoride (sodium) dental paste</i>	2	MO
<i>fraiche 5000 dental gel</i>	2	
<i>ipratropium bromide nasal spray, non- aerosol</i>	2	MO; QL (30 per 30 days)
<i>kourzeq dental paste</i>	2	
<i>oralone dental paste</i>	2	
<i>periogard mucous membrane mouthwash</i>	1	GC
PREVIDENT 5000 BOOSTER PLUS DENTAL PASTE	4	MO
PREVIDENT 5000 DRY MOUTH DENTAL PASTE	4	MO
<i>sf 5000 plus dental cream</i>	2	MO
<i>sf dental gel</i>	2	MO
<i>sodium fluoride 5000 dry mouth dental paste</i>	2	MO
<i>sodium fluoride 5000 plus dental cream</i>	2	
<i>sodium fluoride-pot nitrate dental paste</i>	2	MO
<i>triamcinolone acetonide dental paste</i>	2	MO
MISCELLANEOUS OTIC PREPARATIONS		
<i>acetic acid otic (ear) solution</i>	2	MO
<i>ciprofloxacin hcl otic (ear) dropperette</i>	4	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>flac otic oil otic (ear) drops</i>	4	
<i>fluocinolone acetonide oil otic (ear) drops</i>	4	MO
<i>hydrocortisone-acetic acid otic (ear) drops</i>	3	MO
<i>ofloxacin otic (ear) drops</i>	3	MO
OTIC STEROID / ANTIBIOTIC		
<i>ciprofloxacin-dexamethasone otic (ear) drops, suspension</i>	3	MO; QL (7.5 per 7 days)
<i>neomycin-polymyxin-hc otic (ear) drops, suspension</i>	3	MO
<i>neomycin-polymyxin-hc otic (ear) solution</i>	3	MO
ENDOCRINE/DIABETES		
ADRENAL HORMONES		
<i>cortisone oral tablet</i>	2	
<i>dexamethasone intensol oral drops</i>	2	MO
<i>dexamethasone oral elixir</i>	2	MO
<i>dexamethasone oral solution</i>	2	MO
<i>dexamethasone oral tablet</i>	2	MO
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	2	MO

药物名称	药物层级	要求/限制
<i>dexamethasone sodium phosphate injection solution</i>	2	MO
<i>dexamethasone sodium phosphate injection syringe</i>	2	MO
<i>fludrocortisone oral tablet</i>	2	MO
<i>hydrocortisone oral tablet</i>	2	MO
<i>methylprednisolone acetate injection suspension</i>	2	MO
<i>methylprednisolone oral tablet</i>	2	B/D PA; MO
<i>methylprednisolone oral tablets, dose pack</i>	2	MO
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	MO
<i>methylprednisolone sodium succ intravenous recon soln</i>	2	MO
<i>prednisolone oral solution</i>	2	MO
<i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	MO
<i>prednisolone sodium phosphate oral solution 15 mg/5 ml (5 ml)</i>	2	
<i>prednisone intensol oral concentrate</i>	4	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>prednisone oral solution</i>	2	MO
<i>prednisone oral tablet</i>	1	MO; GC
<i>prednisone oral tablets, dose pack</i>	1	MO; GC
<i>triamcinolone acetonide injection suspension 40 mg/ml</i>	2	MO
ANTITHYROID AGENTS		
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	MO; GC
<i>propylthiouracil oral tablet</i>	2	MO
DIABETES THERAPY		
<i>acarbose oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)
<i>acarbose oral tablet 25 mg</i>	2	MO; QL (360 per 30 days)
<i>acarbose oral tablet 50 mg</i>	2	MO; QL (180 per 30 days)
<i>alcohol pads topical pads, medicated</i>	3	MO
<i>BAQSIMI NASAL SPRAY, NON-AEROSOL</i>	3	MO
<i>BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR</i>	3	PA; MO; QL (4 per 28 days)
<i>BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML</i>	3	PA; MO; QL (2.4 per 30 days)

药物名称	药物层级	要求/限制
<i>BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML</i>	3	PA; MO; QL (1.2 per 30 days)
<i>diazoxide oral suspension</i>	4	MO
<i>DROPSAFE ALCOHOL PREP PADS TOPICAL PADS, MEDICATED</i>	3	
<i>FARXIGA ORAL TABLET 10 MG</i>	3	MO; QL (30 per 30 days)
<i>FARXIGA ORAL TABLET 5 MG</i>	3	MO; QL (60 per 30 days)
<i>glimepiride oral tablet 1 mg</i>	6	MO; GC; QL (240 per 30 days)
<i>glimepiride oral tablet 2 mg</i>	6	MO; GC; QL (120 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	6	MO; GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	6	MO; GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	6	MO; GC; QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i>	6	MO; GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg</i>	6	MO; GC; QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 5 mg</i>	6	MO; GC; QL (120 per 30 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
glipizide-metformin oral tablet 2.5-250 mg	6	MO; GC; QL (240 per 30 days)
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg	6	MO; GC; QL (120 per 30 days)
GLYXAMBI ORAL TABLET	3	MO; QL (30 per 30 days)
GVOKE HYPOOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML	3	
GVOKE HYPOOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 1 MG/0.2 ML	3	MO
GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR	3	MO
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	MO
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	MO
GVOKE SUBCUTANEOUS SOLUTION	3	MO
HUMALOG JUNIOR KWIKPEN U-100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT	3	MO

药物名称	药物层级	要求/限制
HUMALOG KWIKPEN	3	MO
INSULIN SUBCUTANEOUS INSULIN PEN		
HUMALOG MIX 50-50 KWIKPEN	3	MO
SUBCUTANEOUS INSULIN PEN		
HUMALOG MIX 75-25 KWIKPEN	3	MO
SUBCUTANEOUS INSULIN PEN		
HUMALOG MIX 75-25(U-100)INSULN	3	MO
SUBCUTANEOUS SUSPENSION		
HUMALOG U-100 INSULIN	3	MO
SUBCUTANEOUS CARTRIDGE		
HUMALOG U-100 INSULIN	3	MO
SUBCUTANEOUS SOLUTION		
HUMULIN 70/30 U-100 INSULIN	3	MO
SUBCUTANEOUS SUSPENSION		
HUMULIN 70/30 U-100 KWIKPEN	3	MO
SUBCUTANEOUS INSULIN PEN		
HUMULIN N NPH INSULIN	3	MO
KWIKPEN		
SUBCUTANEOUS INSULIN PEN		

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION	3	MO	JARDIANCE ORAL TABLET	3	MO; QL (30 per 30 days)
HUMULIN R REGULAR U-100 INSULIN INJECTION SOLUTION	3	MO	JENTADUETO ORAL TABLET	3	MO; QL (60 per 30 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION	3	MO	JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	MO; QL (60 per 30 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN	3	MO	JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	MO; QL (30 per 30 days)
INPEFA ORAL TABLET 200 MG	3	PA; MO; QL (60 per 30 days)	LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN	3	MO
INPEFA ORAL TABLET 400 MG	3	PA; MO; QL (30 per 30 days)	LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION	3	MO
INSULIN LISPRO SUBCUTANEOUS SOLUTION	3	MO	LYUMJEV KWIKPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN	3	MO
JANUMET ORAL TABLET	3	MO; QL (60 per 30 days)	LYUMJEV KWIKPEN U-200 INSULIN SUBCUTANEOUS INSULIN PEN	3	MO
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	MO; QL (30 per 30 days)	LYUMJEV U-100 INSULIN SUBCUTANEOUS SOLUTION	3	MO
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	MO; QL (60 per 30 days)	<i>metformin oral tablet 1,000 mg</i>	6	MO; GC; QL (75 per 30 days)
JANUVIA ORAL TABLET	3	MO; QL (30 per 30 days)	<i>metformin oral tablet 500 mg</i>	6	MO; GC; QL (150 per 30 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>metformin oral tablet 850 mg</i>	6	MO; GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	MO; GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	MO; GC; QL (60 per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR	3	PA; MO; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg</i>	2	MO; QL (90 per 30 days)
<i>nateglinide oral tablet 60 mg</i>	2	MO; QL (180 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; MO; QL (3 per 28 days)
<i>pioglitazone oral tablet</i>	6	MO; GC; QL (30 per 30 days)
QTERN ORAL TABLET	3	MO; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	2	MO; QL (960 per 30 days)
<i>repaglinide oral tablet 1 mg</i>	2	MO; QL (480 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	MO; QL (240 per 30 days)
RYBELSUS ORAL TABLET	3	PA; MO; QL (30 per 30 days)
<i>saxagliptin oral tablet</i>	3	MO; QL (30 per 30 days)

药物名称	药物层级	要求/限制
<i>saxagliptin-metformin oral tablet, er multiphase 24 hr 2.5-1,000 mg</i>	3	MO; QL (60 per 30 days)
<i>saxagliptin-metformin oral tablet, er multiphase 24 hr 5-1,000 mg, 5-500 mg</i>	3	MO; QL (30 per 30 days)
SEGLUROMET ORAL TABLET 2.5-1,000 MG, 7.5-1,000 MG, 7.5-500 MG	3	MO; QL (60 per 30 days)
SEGLUROMET ORAL TABLET 2.5-500 MG	3	MO; QL (120 per 30 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN	3	MO; QL (90 per 30 days)
STEGLATRO ORAL TABLET	3	MO; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (10.8 per 30 days); NEDS
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (6 per 30 days); NEDS
SYNJARDY ORAL TABLET	3	MO; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	MO; QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	MO; QL (60 per 30 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN	3	MO
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN	3	MO
TRADJENTA ORAL TABLET	3	MO; QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	MO; QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	MO; QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR	3	PA; MO; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	MO; QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	3	MO; QL (60 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR	3	MO

药物名称	药物层级	要求/限制
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE	3	MO
MISCELLANEOUS HORMONES		
ALDURAZYME INTRAVENOUS SOLUTION	5	PA; MO; NEDS
<i>cabergoline oral tablet</i>	3	MO
<i>calcitonin (salmon) injection solution</i>	5	MO; NEDS
<i>calcitonin (salmon) nasal spray, non-aerosol</i>	3	MO
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule</i>	2	MO
<i>calcitriol oral solution</i>	4	
<i>cinacalcet oral tablet</i>	4	PA; MO
<i>clomid oral tablet</i>	2	PA; MO
<i>clomiphene citrate oral tablet</i>	2	PA
CRYSVITA SUBCUTANEOUS SOLUTION	5	PA; MO; LA; NEDS
<i>danazol oral capsule</i>	4	MO
<i>desmopressin injection solution</i>	2	MO
<i>desmopressin nasal spray with pump</i>	4	MO
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	4	

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>desmopressin oral tablet</i>	3	MO
<i>doxercalciferol intravenous solution</i>	2	MO
<i>doxercalciferol oral capsule</i>	4	MO
ELAPRASE INTRAVENOUS SOLUTION	5	PA; MO; NEDS
FABRAZYME INTRAVENOUS RECON SOLN	5	PA; MO; NEDS
KANUMA INTRAVENOUS SOLUTION	5	PA; MO; NEDS
KORLYM ORAL TABLET	5	PA; NEDS
LUMIZYME INTRAVENOUS RECON SOLN	5	PA; MO; NEDS
MEPSEVII INTRAVENOUS SOLUTION	5	PA; MO; NEDS
<i>mifepristone oral tablet 300 mg</i>	5	PA; MO; NEDS
MYALEPT SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; NEDS
NAGLAZYME INTRAVENOUS SOLUTION	5	PA; MO; LA; NEDS
<i>pamidronate intravenous solution</i>	2	MO
<i>paricalcitol intravenous solution</i>	2	
<i>paricalcitol oral capsule</i>	4	MO
<i>sapropterin oral powder in packet</i>	5	PA; MO; NEDS

药物名称	药物层级	要求/限制
<i>sapropterin oral tablet,soluble</i>	5	PA; MO; NEDS
SOMAVERT SUBCUTANEOUS RECON SOLN	5	PA; MO; NEDS
STRENSIQ SUBCUTANEOUS SOLUTION	5	PA; LA; NEDS
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	3	PA; MO
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	3	PA
<i>testosterone enanthate intramuscular oil</i>	3	PA; MO
<i>testosterone transdermal gel</i>	3	PA; MO; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i>	4	PA; QL (120 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	3	PA; MO; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	4	PA; MO; QL (150 per 30 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5 gram), 1 % (50 mg/5 gram)</i>	3	PA; MO; QL (300 per 30 days)
<i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram)</i>	4	PA; MO; QL (37.5 per 30 days)
<i>testosterone transdermal gel in packet 1.62 % (40.5 mg/2.5 gram)</i>	4	PA; MO; QL (150 per 30 days)
<i>testosterone transdermal solution in metered pump w/app</i>	4	PA; MO; QL (180 per 30 days)
<i>tolvaptan oral tablet</i>	5	PA; MO; NEDS
VIMIZIM INTRAVENOUS SOLUTION	5	PA; MO; LA; NEDS
<i>zoledronic acid intravenous solution</i>	2	B/D PA; MO
THYROID HORMONES		
<i>euthyrox oral tablet</i>	1	MO; GC
<i>levo-t oral tablet</i>	1	GC
<i>levothyroxine intravenous recon soln</i>	2	
<i>levothyroxine oral tablet</i>	1	MO; GC
<i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	MO; GC

药物名称	药物层级	要求/限制
<i>liothyronine intravenous solution</i>	2	MO
<i>liothyronine oral tablet</i>	2	MO
<i>unithroid oral tablet</i>	1	MO; GC
GASTROENTEROLOGY		
ANTIDIARRHEALS / ANTISPASMODICS		
<i>atropine injection solution 0.4 mg/ml</i>	2	
<i>atropine injection syringe 0.1 mg/ml</i>	2	
<i>atropine intravenous solution 0.4 mg/ml</i>	2	
<i>atropine intravenous syringe 0.25 mg/5 ml (0.05 mg/ml)</i>	2	
<i>dicyclomine intramuscular solution</i>	2	MO
<i>dicyclomine oral capsule</i>	2	MO
<i>dicyclomine oral solution</i>	4	MO
<i>dicyclomine oral tablet</i>	2	MO
<i>diphenoxylate-atropine oral liquid</i>	4	MO
<i>diphenoxylate-atropine oral tablet</i>	3	MO
<i>glycopyrrolate (pf) in water intravenous syringe 0.4 mg/2 ml (0.2 mg/ml)</i>	2	MO
<i>glycopyrrolate injection solution</i>	2	MO
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	3	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
glycopyrrolate oral tablet 1.5 mg	3	
loperamide oral capsule	2	MO
opium tincture oral tincture	2	MO
MISCELLANEOUS GASTROINTESTINAL AGENTS		
alosetron oral tablet 0.5 mg	4	PA; MO
alosetron oral tablet 1 mg	5	PA; MO; NEDS
aprepitant oral capsule	4	B/D PA; MO
aprepitant oral capsule,dose pack	4	B/D PA; MO
balsalazide oral capsule	3	MO
betaine oral powder	5	MO; NEDS
budesonide oral capsule,delayed,extnd.release	4	MO
budesonide oral tablet,delayed and ext.release	5	MO; NEDS
CHENODAL ORAL TABLET	5	PA; LA; NEDS
CHOLBAM ORAL CAPSULE 250 MG	5	PA; NEDS
CHOLBAM ORAL CAPSULE 50 MG	5	PA; QL (120 per 30 days); NEDS
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT	5	PA; MO; QL (2 per 28 days); NEDS

药物名称	药物层级	要求/限制
CIMZIA STARTER KIT	5	PA; MO; QL (3 per 180 days); NEDS
SUBCUTANEOUS SYRINGE KIT		
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; MO; QL (2 per 28 days); NEDS
CINVANTI INTRAVENOUS EMULSION	3	MO
compro rectal suppository	4	MO
constulose oral solution	2	MO
CORTIFOAM RECTAL FOAM	3	MO
CREON ORAL CAPSULE,DELAY ED RELEASE(DR/EC)	3	MO
cromolyn oral concentrate	4	MO
dimenhydrinate injection solution	2	MO
dronabinol oral capsule 10 mg	4	B/D PA; MO
dronabinol oral capsule 2.5 mg, 5 mg	4	B/D PA
droperidol injection solution	2	MO
EMEND ORAL SUSPENSION FOR RECONSTITUTION	4	B/D PA
ENTYVIO INTRAVENOUS RECON SOLN	5	PA; MO; QL (2 per 28 days); NEDS
enulose oral solution	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
<i>fosaprepitant intravenous recon soln</i>	2	MO	<i>lactulose oral solution 10 gram/15 ml (15 ml), 20 gram/30 ml</i>	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT	5	PA; MO; NEDS	LINZESS ORAL CAPSULE	3	MO; QL (30 per 30 days)
GATTEX ONE-VIAL SUBCUTANEOUS KIT	5	PA; MO; NEDS	<i>lubiprostone oral capsule</i>	4	MO; QL (60 per 30 days)
<i>gavilyte-c oral recon soln</i>	2	MO	<i>meclizine oral tablet 12.5 mg, 25 mg</i>	2	MO
<i>gavilyte-g oral recon soln</i>	2	MO	<i>mesalamine oral capsule (with del rel tablets)</i>	4	MO
<i>gavilyte-n oral recon soln</i>	2		<i>mesalamine oral capsule, extended release</i>	5	NEDS
<i>generlac oral solution</i>	2		<i>mesalamine oral capsule,extended release 24hr</i>	4	MO
<i>gransetron (pf) intravenous solution 1 mg/ml (1 ml)</i>	2	MO	<i>mesalamine oral tablet,delayed release (dr/ec)</i>	4	MO
<i>gransetron hcl intravenous solution 1 mg/ml</i>	2	MO	<i>mesalamine rectal enema</i>	4	MO
<i>gransetron hcl intravenous solution 1 mg/ml (1 ml)</i>	2		<i>mesalamine rectal suppository</i>	4	MO
<i>gransetron hcl oral tablet</i>	3	B/D PA; MO	<i>mesalamine with cleansing wipe rectal enema kit</i>	4	MO
<i>hydrocortisone rectal enema</i>	4	MO	<i>metoclopramide hcl injection solution</i>	2	MO
<i>hydrocortisone topical cream with perineal applicator</i>	2	MO	<i>metoclopramide hcl injection syringe</i>	2	
<i>lactulose oral solution 10 gram/15 ml</i>	2	MO	<i>metoclopramide hcl oral solution</i>	2	MO
			<i>metoclopramide hcl oral tablet</i>	1	MO; GC
			MOVANTIK ORAL TABLET	3	MO; QL (30 per 30 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>nitroglycerin rectal ointment</i>	3	MO
OCALIVA ORAL TABLET	5	PA; MO; LA; QL (30 per 30 days); NEDS
<i>ondansetron hcl (pf) injection solution</i>	2	MO
<i>ondansetron hcl (pf) injection syringe</i>	2	
<i>ondansetron hcl intravenous solution</i>	2	MO
<i>ondansetron hcl oral solution</i>	4	B/D PA; MO
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	B/D PA; MO
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i>	2	B/D PA; MO
<i>palonosetron intravenous solution 0.25 mg/5 ml</i>	2	MO
<i>palonosetron intravenous syringe</i>	2	
<i>peg 3350-electrolytes oral recon soln</i>	2	
<i>peg3350-sod sulf-nacl-kcl-asb-c oral powder in packet</i>	4	MO
<i>peg-electrolyte oral recon soln</i>	2	MO
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG	4	MO
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	MO

药物名称	药物层级	要求/限制
<i>prochlorperazine maleate oral tablet</i>	2	MO
<i>prochlorperazine rectal suppository</i>	4	MO
<i>procto-med hc topical cream with perineal applicator</i>	2	MO
<i>proctosol hc topical cream with perineal applicator</i>	2	MO
<i>proctozone-hc topical cream with perineal applicator</i>	2	MO
RECTIV RECTAL OINTMENT	3	MO
RELISTOR SUBCUTANEOUS SOLUTION	5	MO; QL (18 per 30 days); NEDS
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	MO; QL (18 per 30 days); NEDS
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	MO; QL (12 per 30 days); NEDS
REMICADE INTRAVENOUS RECON SOLN	5	PA; MO; QL (20 per 28 days); NEDS
SANCUSO TRANSDERMAL PATCH WEEKLY	5	MO; NEDS
<i>scopolamine base transdermal patch 3 day</i>	4	MO
SKYRIZI INTRAVENOUS SOLUTION	5	PA; MO; QL (30 per 180 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML)	5	PA; MO; QL (1.2 per 56 days); NEDS	ZENPEP ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	MO
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML)	5	PA; MO; QL (2.4 per 56 days); NEDS	ZENPEP ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 60,000-189,600- 252,600 UNIT	5	MO; NEDS
<i>sodium,potassium,m ag sulfates oral recon soln 17.5- 3.13-1.6 gram</i>	4	MO	ZYMFENTRA SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (2 per 28 days); NEDS
<i>sodium,potassium,m ag sulfates oral recon soln 17.5- 3.13-1.6 gram 2 pack (480ml)</i>	4		ZYMFENTRA SUBCUTANEOUS SYRINGE KIT	5	PA; MO; QL (2 per 28 days); NEDS
SUCRAID ORAL SOLUTION	5	PA; NEDS	ULCER THERAPY		
<i>sulfasalazine oral tablet</i>	2	MO	<i>cimetidine hcl oral solution</i>	2	
<i>sulfasalazine oral tablet,delayed release (dr/ec)</i>	2	MO	<i>cimetidine oral tablet</i>	2	MO
TRULANCE ORAL TABLET	3	QL (30 per 30 days)	<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i>	3	MO; QL (30 per 30 days)
<i>ursodiol oral capsule 300 mg</i>	3	MO			
<i>ursodiol oral tablet</i>	3	MO			
VARUBI ORAL TABLET	3	B/D PA			
VIBERZI ORAL TABLET	5	MO; QL (60 per 30 days); NEDS			
VIOKACE ORAL TABLET	3	MO			

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i>	3	MO; QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 40 mg</i>	2	MO
<i>famotidine (pf) intravenous solution</i>	2	MO
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback</i>	2	MO
<i>famotidine intravenous solution</i>	2	MO
<i>famotidine oral tablet 20 mg, 40 mg</i>	1	MO; GC
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i>	2	MO; QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i>	2	MO; QL (60 per 30 days)
<i>misoprostol oral tablet</i>	3	MO
<i>nizatidine oral capsule</i>	3	MO
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg</i>	1	MO; GC; QL (30 per 30 days)
<i>omeprazole oral capsule, delayed release(dr/ec) 40 mg</i>	1	MO; GC; QL (60 per 30 days)
<i>pantoprazole intravenous recon soln</i>	2	MO
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i>	1	MO; GC; QL (30 per 30 days)

药物名称	药物层级	要求/限制
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i>	1	MO; GC; QL (60 per 30 days)
<i>sucralfate oral suspension</i>	4	MO
<i>sucralfate oral tablet</i>	2	MO
IMMUNOLOGY, VACCINES / BIOTECHNOLOGY		
BIOTECHNOLOGY DRUGS		
<i>ACTIMMUNE SUBCUTANEOUS SOLUTION</i>	5	B/D PA; MO; NEDS
<i>ARCALYST SUBCUTANEOUS RECON SOLN</i>	5	PA; NEDS
<i>AVONEX INTRAMUSCULAR PEN INJECTOR KIT</i>	5	PA; MO; QL (1 per 28 days); NEDS
<i>AVONEX INTRAMUSCULAR SYRINGE KIT</i>	5	PA; MO; QL (1 per 28 days); NEDS
<i>BESREMI SUBCUTANEOUS SYRINGE</i>	5	PA; LA; NEDS
<i>BETASERON SUBCUTANEOUS KIT</i>	5	PA; MO; QL (14 per 28 days); NEDS
<i>ILARIS (PF) SUBCUTANEOUS SOLUTION</i>	5	PA; MO; LA; QL (2 per 28 days); NEDS
<i>LEUKINE INJECTION RECON SOLN</i>	5	PA; MO; NEDS
<i>MOZOBIL SUBCUTANEOUS SOLUTION</i>	5	B/D PA; MO; NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
NIVESTYM INJECTION SOLUTION	5	PA; MO; NEDS
NIVESTYM SUBCUTANEOUS SYRINGE	5	PA; MO; NEDS
NYVEPRIA SUBCUTANEOUS SYRINGE	5	PA; MO; NEDS
OMNITROPE SUBCUTANEOUS CARTRIDGE	5	PA; MO; NEDS
OMNITROPE SUBCUTANEOUS RECON SOLN	5	PA; MO; NEDS
PEGASYS SUBCUTANEOUS SOLUTION	5	MO; QL (4 per 28 days); NEDS
PEGASYS SUBCUTANEOUS SYRINGE	5	MO; QL (2 per 28 days); NEDS
PLEGRIDY INTRAMUSCULA R SYRINGE	5	PA; MO; QL (1 per 28 days); NEDS
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; MO; QL (1 per 28 days); NEDS
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; QL (1 per 180 days); NEDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; MO; QL (1 per 28 days); NEDS

药物名称	药物层级	要求/限制
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; QL (1 per 180 days); NEDS
<i>plerixafor subcutaneous solution</i>	5	B/D PA; MO; NEDS
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO
PROCRIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML	5	PA; MO; NEDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; MO; NEDS
ZARXIO INJECTION SYRINGE	5	PA; MO; NEDS
ZIEXTENZO SUBCUTANEOUS SYRINGE	5	PA; MO; NEDS

VACCINES / MISCELLANEOUS IMMUNOLOGICALS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN	6	GC; V
ACTHIB (PF) INTRAMUSCULAR RECON SOLN	3	
ADACEL(TDAP ADOLESN/ADULT (PF) INTRAMUSCULAR SUSPENSION	6	GC; V
ADACEL(TDAP ADOLESN/ADULT (PF) INTRAMUSCULAR SYRINGE	6	GC; V
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	6	GC; V
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION	6	GC; V
BEXSERO INTRAMUSCULAR SYRINGE	6	GC; V
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION	6	GC; V
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE	6	GC; V
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION	3	

药物名称	药物层级	要求/限制
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION	3	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION	6	B/D PA; GC; V
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE	6	B/D PA; GC; V
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE	6	B/D PA; GC; V
<i>fomepizole</i> <i>intravenous solution</i>	2	
GAMASTAN INTRAMUSCULAR SOLUTION	3	MO
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION	6	GC; V
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE	6	GC; V
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	6	GC; V
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE	6	B/D PA; GC; V
HIBERIX (PF) INTRAMUSCULAR RECON SOLN	3	

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
HIZENTRA SUBCUTANEOUS SOLUTION	5	B/D PA; MO; NEDS	MENVEO A-C-Y- W-135-DIP (PF) INTRAMUSCULA R KIT	6	GC; V
HIZENTRA SUBCUTANEOUS SYRINGE	5	B/D PA; MO; NEDS	MENVEO A-C-Y- W-135-DIP (PF) INTRAMUSCULA R SOLUTION	6	GC; V
HYPERHEP B INTRAMUSCULA R SOLUTION	3		M-M-R II (PF) SUBCUTANEOUS RECON SOLN	6	GC; V
HYPERHEP B NEONATAL INTRAMUSCULA R SYRINGE	3		MRESVIA (PF) INTRAMUSCULA R SYRINGE	6	GC; V
IMOVAX RABIES VACCINE (PF) INTRAMUSCULA R RECON SOLN	6	GC; V	PEDIARIX (PF) INTRAMUSCULA R SYRINGE	3	
INFANRIX (DTAP) (PF) INTRAMUSCULA R SYRINGE	3		PEDVAX HIB (PF) INTRAMUSCULA R SOLUTION	3	
IPOP INJECTION SUSPENSION	6	GC; V	PENBRAYA (PF) INTRAMUSCULA R KIT	6	GC; V
IXCHIQ (PF) INTRAMUSCULA R RECON SOLN	6	GC; V	PENTACEL (PF) INTRAMUSCULA R KIT 15LF- 48MCG-62DU -10 MCG/0.5ML	3	
IXIARO (PF) INTRAMUSCULA R SYRINGE	6	GC; V	PREHEVBRIOS (PF) INTRAMUSCULA R SUSPENSION	6	B/D PA; GC; V
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION	6	B/D PA; GC; V	PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTIO N	6	GC; V
KINRIX (PF) INTRAMUSCULA R SYRINGE	3		PRIVIGEN INTRAVENOUS SOLUTION	5	PA; MO; NEDS
MENACTRA (PF) INTRAMUSCULA R SOLUTION	6	GC; V			
MENQUADFI (PF) INTRAMUSCULA R SOLUTION	6	GC; V			

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	6	GC; V
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION	6	B/D PA; GC; V
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE	6	B/D PA; GC; V
ROTARIX ORAL SUSPENSION	3	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION	3	
ROTAQUE VACCINE ORAL SOLUTION	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	6	GC; V; QL (2 per 720 days)

药物名称	药物层级	要求/限制
TDVAX INTRAMUSCULAR SUSPENSION	6	GC; V
TENIVAC (PF) INTRAMUSCULAR SUSPENSION	6	GC; V
TENIVAC (PF) INTRAMUSCULAR SYRINGE	6	GC; V
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION	3	
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION	3	B/D PA
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	V
TRUMENBA INTRAMUSCULAR SYRINGE	6	GC; V
TWINRIX (PF) INTRAMUSCULAR SYRINGE	6	GC; V
TYPHIM VI INTRAMUSCULAR SOLUTION	6	GC; V
TYPHIM VI INTRAMUSCULAR SYRINGE	6	GC; V

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	6	GC; V
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	6	GC; V
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION	6	GC; V
VARIZIG INTRAMUSCULAR SOLUTION	3	
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION	6	GC; V
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION	6	GC; V
MISCELLANEOUS SUPPLIES		
MISCELLANEOUS SUPPLIES		

药物名称	药物层级	要求/限制
BD INSULIN SYRINGE	3	MO
SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE		
X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29		
GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64"		
BD PEN NEEDLE	3	MO
BD PEN NEEDLE	3	
CEQUR SIMPLICITY DEVICE	3	MO
CEQUR SIMPLICITY INSERTER	3	MO
GAUZE PADS 2 X 2	3	MO
INSULIN SYRINGE- NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE	3	MO
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE	3	MO; QL (1 per 720 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 720 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	MO
OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	

药物名称	药物层级	要求/限制
OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE	3	
PEN NEEDLES (NON-PREFERRED BRANDS) NEEDLE 29 GAUGE X 1/2"	3	MO
V-GO 20 DEVICE	3	MO
V-GO 30 DEVICE	3	MO
V-GO 40 DEVICE	3	MO
MUSCULOSKELETAL / RHEUMATOLOGY		
GOUT THERAPY		
<i>allopurinol oral tablet 100 mg, 300 mg</i>	1	MO; GC
<i>allopurinol sodium intravenous recon soln</i>	2	
<i>aloprim intravenous recon soln</i>	2	
<i>colchicine oral tablet</i>	2	MO
<i>febuxostat oral tablet</i>	3	MO
<i>probenecid oral tablet</i>	3	MO
<i>probenecid- colchicine oral tablet</i>	3	MO
OSTEOPOROSIS THERAPY		

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
alendronate oral solution	2	MO; QL (300 per 28 days)
alendronate oral tablet 10 mg	1	MO; GC; QL (30 per 30 days)
alendronate oral tablet 35 mg, 70 mg	1	MO; GC; QL (4 per 28 days)
FOSAMAX PLUS D ORAL TABLET	4	ST; MO; QL (4 per 28 days)
ibandronate intravenous solution	2	PA
ibandronate intravenous syringe	2	PA; MO
ibandronate oral tablet	2	MO; QL (1 per 30 days)
PROLIA SUBCUTANEOUS SYRINGE	4	PA; MO; QL (1 per 180 days)
raloxifene oral tablet	2	MO
risedronate oral tablet 150 mg	3	MO; QL (1 per 30 days)
risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)	3	MO; QL (4 per 28 days)
risedronate oral tablet 5 mg	3	MO; QL (30 per 30 days)
risedronate oral tablet, delayed release (dr/ec)	4	MO; QL (4 per 28 days)
TERIPARATIDE SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML)	5	PA; QL (2.48 per 28 days); NEDS

OTHER RHEUMATOLOGICALS

ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (3.6 per 28 days); NEDS
--	---	------------------------------------

药物名称	药物层级	要求/限制
ACTEMRA INTRAVENOUS SOLUTION	5	PA; MO; QL (160 per 28 days); NEDS
ACTEMRA SUBCUTANEOUS SYRINGE	5	PA; MO; QL (3.6 per 28 days); NEDS
ADALIMUMAB-ADAZ SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (1.6 per 28 days); NEDS
ADALIMUMAB-ADAZ SUBCUTANEOUS SYRINGE	5	PA; MO; QL (1.6 per 28 days); NEDS
ADALIMUMAB-ADBM (ONLY NDCS STARTING WITH 00597) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; MO; QL (4 per 28 days); NEDS
ADALIMUMAB-ADBM (ONLY NDCS STARTING WITH 00597) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	5	PA; MO; QL (2 per 28 days); NEDS
ADALIMUMAB-ADBM (ONLY NDCS STARTING WITH 00597) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	5	PA; QL (4 per 28 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
ADALIMUMAB-ADBM (ONLY NDCS STARTING WITH 00597) SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (4 per 28 days); NEDS	CYLTEZO(CF) PEN PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT	5	PA; QL (4 per 180 days); NEDS
ADALIMUMAB-ADBM(CF) PEN CROHNS (ONLY NDCS STARTING WITH 00597) SUBCUTANEOUS PEN INJECTOR KIT	5	PA; QL (6 per 180 days); NEDS	CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (4 per 28 days); NEDS
ADALIMUMAB-ADBM(CF) PEN PS-UV (ONLY NDCS STARTING WITH 00597) SUBCUTANEOUS PEN INJECTOR KIT	5	PA; QL (4 per 180 days); NEDS	CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	5	PA; MO; QL (2 per 28 days); NEDS
BENLYSTA INTRAVENOUS RECON SOLN	5	PA; MO; NEDS	CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	5	PA; QL (4 per 28 days); NEDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; NEDS	CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (4 per 28 days); NEDS
BENLYSTA SUBCUTANEOUS SYRINGE	5	PA; MO; NEDS	ENBREL MINI SUBCUTANEOUS CARTRIDGE	5	PA; MO; QL (8 per 28 days); NEDS
CYLTEZO(CF) PEN CROHN'S-UC-HS SUBCUTANEOUS PEN INJECTOR KIT	5	PA; QL (6 per 180 days); NEDS	ENBREL SUBCUTANEOUS SOLUTION	5	PA; MO; QL (8 per 28 days); NEDS
			ENBREL SUBCUTANEOUS SYRINGE	5	PA; MO; QL (8 per 28 days); NEDS
			ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (8 per 28 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
HUMIRA (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (4 per 28 days); NEDS	HUMIRA(CF) PEN CROHNS-UC-HS (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (3 per 180 days); NEDS
HUMIRA PEN (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (4 per 28 days); NEDS	HUMIRA(CF) PEN PEDIATRIC UC (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT	5	PA; QL (4 per 180 days); NEDS
HUMIRA(CF) (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML	5	PA; MO; QL (2 per 28 days); NEDS	HUMIRA(CF) PEN PSOR-UV-ADOL HS (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (3 per 180 days); NEDS
HUMIRA(CF) (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	5	PA; MO; QL (4 per 28 days); NEDS	HYRIMOZ PEN CROHN'S-UC STARTER (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (2.4 per 180 days); NEDS
HUMIRA(CF) PEN (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; MO; QL (4 per 28 days); NEDS	HYRIMOZ PEN PSORIASIS STARTER (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (1.6 per 180 days); NEDS
HUMIRA(CF) PEN (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; MO; QL (2 per 28 days); NEDS			

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
HYRIMOZ(CF) (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 10 MG/0.1 ML	5	PA; MO; QL (0.2 per 28 days); NEDS	HYRIMOZ(CF) PEN (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS PEN INJECTOR 40 MG/0.4 ML	5	PA; QL (1.6 per 28 days); NEDS
HYRIMOZ(CF) (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 20 MG/0.2 ML	5	PA; MO; QL (0.4 per 28 days); NEDS	HYRIMOZ(CF) PEN (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS PEN INJECTOR 80 MG/0.8 ML	5	PA; MO; QL (1.6 per 28 days); NEDS
HYRIMOZ(CF) (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; QL (1.6 per 28 days); NEDS	<i>leflunomide oral tablet</i>	2	MO; QL (30 per 30 days)
HYRIMOZ(CF) PEDI CROHN STARTER (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 80 MG/0.8 ML	5	PA; MO; QL (2.4 per 180 days); NEDS	ORENCIA (WITH MALTOSA) INTRAVENOUS RECON SOLN	5	PA; MO; QL (12 per 28 days); NEDS
HYRIMOZ(CF) PEDI CROHN STARTER (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 80 MG/0.8 ML- 40 MG/0.4 ML	5	PA; MO; QL (1.2 per 180 days); NEDS	ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; QL (4 per 28 days); NEDS
			ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML	5	PA; MO; QL (4 per 28 days); NEDS
			ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML	5	PA; MO; QL (1.6 per 28 days); NEDS
			ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML	5	PA; MO; QL (2.8 per 28 days); NEDS
			OTEZLA ORAL TABLET	5	PA; MO; QL (60 per 30 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47)	5	PA; MO; QL (55 per 180 days); NEDS
<i>penicillamine oral tablet</i>	5	PA; MO; NEDS
RIDAURA ORAL CAPSULE	5	MO; NEDS
RINVOQ LQ ORAL SOLUTION	5	PA; MO; QL (360 per 30 days); NEDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG	5	PA; MO; QL (30 per 30 days); NEDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 45 MG	5	PA; MO; QL (84 per 180 days); NEDS
SAVELLA ORAL TABLET	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK	3	QL (55 per 180 days)
SIMLANDI(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT	5	PA; MO; QL (6 per 28 days); NEDS
TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (3.6 per 28 days); NEDS
TYENNE INTRAVENOUS SOLUTION	5	PA; MO; QL (160 per 28 days); NEDS

药物名称	药物层级	要求/限制
TYENNE SUBCUTANEOUS SYRINGE	5	PA; MO; QL (3.6 per 28 days); NEDS
XELJANZ ORAL SOLUTION	5	PA; MO; QL (480 per 24 days); NEDS
XELJANZ ORAL TABLET	5	PA; MO; QL (60 per 30 days); NEDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR	5	PA; MO; QL (30 per 30 days); NEDS
OBSTETRICS / GYNECOLOGY		
ESTROGENS / PROGESTINS		
<i>camila oral tablet</i>	2	MO
<i>deblitane oral tablet</i>	2	MO
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE	4	MO
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	3	PA; MO; QL (8 per 28 days)
<i>dotti transdermal patch semiweekly 0.05 mg/24 hr</i>	3	PA; QL (8 per 28 days)
DUAVEE ORAL TABLET	3	MO
<i>emzahh oral tablet</i>	2	
<i>errin oral tablet</i>	2	MO
<i>estradiol oral tablet</i>	4	PA; MO
<i>estradiol transdermal patch semiweekly</i>	3	PA; MO; QL (8 per 28 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>estradiol transdermal patch weekly</i>	3	PA; MO; QL (4 per 28 days)
<i>estradiol vaginal cream</i>	4	MO
<i>estradiol vaginal tablet</i>	4	MO
<i>estradiol valerate intramuscular oil</i>	4	MO
<i>estradiol-norethindrone acet oral tablet</i>	3	PA; MO
<i>fyavolv oral tablet</i>	4	PA; MO
<i>gallifrey oral tablet</i>	2	MO
<i>heather oral tablet</i>	2	MO
IMVEXXY MAINTENANCE PACK VAGINAL INSERT	3	MO
IMVEXXY STARTER PACK VAGINAL INSERT, DOSE PACK	3	MO
<i>incassia oral tablet</i>	2	MO
<i>jencycla oral tablet</i>	2	MO
<i>jinteli oral tablet</i>	4	PA; MO
<i>lyleq oral tablet</i>	2	MO
<i>lyllana transdermal patch semiweekly</i>	3	PA; MO; QL (8 per 28 days)
<i>lyza oral tablet</i>	2	
<i>medroxyprogesterone intramuscular suspension</i>	2	MO
<i>medroxyprogesterone intramuscular syringe</i>	2	MO

药物名称	药物层级	要求/限制
<i>medroxyprogesterone oral tablet</i>	2	MO
MENEST ORAL TABLET	3	PA; MO
<i>mimvey oral tablet</i>	3	PA; MO
<i>nora-be oral tablet</i>	2	MO
<i>norethindrone (contraceptive) oral tablet</i>	2	
<i>norethindrone acetate oral tablet</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet</i> 0.5-2.5 mg-mcg, 1-5 mg-mcg	4	PA; MO
PREMARIN ORAL TABLET	3	MO
PREMARIN VAGINAL CREAM	3	MO
PREMPHASE ORAL TABLET	3	MO
PREMPRO ORAL TABLET	3	MO
<i>progesterone intramuscular oil</i>	2	MO
<i>progesterone micronized oral capsule</i>	2	MO
<i>sharobel oral tablet</i>	2	MO
<i>yuvafem vaginal tablet</i>	4	
MISCELLANEOUS OB/GYN		
<i>clindamycin phosphate vaginal cream</i>	3	MO
<i>eluryng vaginal ring</i>	4	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>etonogestrel-ethinyl estradiol vaginal ring</i>	4	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i>	3	MO
<i>mifepristone oral tablet 200 mg</i>	2	LA
MYFEMBREE ORAL TABLET	5	PA; MO; NEDS
NEXPLANON SUBDERMAL IMPLANT	4	
<i>norelgestromin-ethinestradiol transdermal patch weekly</i>	3	
<i>terconazole vaginal cream</i>	3	MO
<i>terconazole vaginal suppository</i>	3	MO
<i>tranexamic acid oral tablet</i>	3	MO
<i>vandazole vaginal gel</i>	3	MO
<i>xulane transdermal patch weekly</i>	4	
<i>zafemy transdermal patch weekly</i>	4	MO
ORAL CONTRACEPTIVES / RELATED AGENTS		
<i>altavera (28) oral tablet</i>	2	MO
<i>alyacen 1/35 (28) oral tablet</i>	2	MO
<i>alyacen 7/7/7 (28) oral tablet</i>	2	MO
<i>amethyst (28) oral tablet</i>	2	MO

药物名称	药物层级	要求/限制
<i>apri oral tablet</i>	2	MO
<i>aranelle (28) oral tablet</i>	2	MO
<i>aubra eq oral tablet</i>	2	MO
<i>aviane oral tablet</i>	2	MO
<i>azurette (28) oral tablet</i>	2	MO
<i>camrese oral tablets,dose pack,3 month</i>	2	MO
<i>cryselle (28) oral tablet</i>	2	MO
<i>cyred eq oral tablet</i>	2	MO
<i>dasetta 1/35 (28) oral tablet</i>	2	MO
<i>dasetta 7/7/7 (28) oral tablet</i>	2	MO
<i>daysee oral tablets,dose pack,3 month</i>	2	MO
<i>desog-e.estriadiol/e.estriadol oral tablet</i>	2	
<i>desogestrel-ethinyl estradiol oral tablet</i>	2	
<i>drospirenone-e.estriadiol-lm.fa oral tablet 3-0.03-0.451 mg (21) (7)</i>	4	MO
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	2	MO
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	2	
<i>elinest oral tablet</i>	2	MO
<i>enpresse oral tablet</i>	2	MO
<i>enskyce oral tablet</i>	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>estarrylla oral tablet</i>	2	MO
<i>ethynodiol diac-eth estradiol oral tablet</i>	2	
<i>falmina (28) oral tablet</i>	2	MO
<i>introvale oral tablets,dose pack,3 month</i>	2	
<i>isibloom oral tablet</i>	2	MO
<i>jasmiel (28) oral tablet</i>	2	MO
<i>jolessa oral tablets,dose pack,3 month</i>	2	MO
<i>juleber oral tablet</i>	2	MO
<i>kalliga oral tablet</i>	2	
<i>kariva (28) oral tablet</i>	2	
<i>kelnor 1/35 (28) oral tablet</i>	2	MO
<i>kelnor 1/50 (28) oral tablet</i>	2	MO
<i>kurvelo (28) oral tablet</i>	2	MO
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	2	MO
<i>larin 1.5/30 (21) oral tablet</i>	2	MO

药物名称	药物层级	要求/限制
<i>larin 1/20 (21) oral tablet</i>	2	MO
<i>larin 24 fe oral tablet</i>	2	MO
<i>larin fe 1.5/30 (28) oral tablet</i>	2	MO
<i>larin fe 1/20 (28) oral tablet</i>	2	MO
<i>lessina oral tablet</i>	2	MO
<i>levonest (28) oral tablet</i>	2	MO
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	2	MO
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg, 90-20 mcg (28)</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month</i>	2	
<i>levonorg-eth estrad triphasic oral tablet</i>	2	
<i>levora-28 oral tablet</i>	2	MO
<i>loryna (28) oral tablet</i>	2	MO
<i>low-ogestrel (28) oral tablet</i>	2	MO
<i>lo-zumandimine (28) oral tablet</i>	2	MO
<i>lutera (28) oral tablet</i>	2	MO
<i>marlissa (28) oral tablet</i>	2	MO
<i>microgestin 1.5/30 (21) oral tablet</i>	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>microgestin 1/20 (21) oral tablet</i>	2	MO
<i>microgestin fe 1.5/30 (28) oral tablet</i>	2	MO
<i>microgestin fe 1/20 (28) oral tablet</i>	2	MO
<i>mihi oral tablet</i>	2	MO
<i>mono-linyah oral tablet</i>	2	MO
<i>nikki (28) oral tablet</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>	2	MO
<i>norethindrone-e.estriadiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg, 0.25-35 mg-mcg</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	MO
<i>nortrel 0.5/35 (28) oral tablet</i>	2	MO
<i>nortrel 1/35 (21) oral tablet</i>	2	MO
<i>nortrel 1/35 (28) oral tablet</i>	2	MO
<i>nortrel 7/7/7 (28) oral tablet</i>	2	MO
<i>philith oral tablet</i>	2	MO
<i>pimtrea (28) oral tablet</i>	2	MO
<i>portia 28 oral tablet</i>	2	MO

药物名称	药物层级	要求/限制
<i>reclipsen (28) oral tablet</i>	2	MO
<i>setlakin oral tablets,dose pack,3 month</i>	2	MO
<i>sprintec (28) oral tablet</i>	2	MO
<i>sronyx oral tablet</i>	2	MO
<i>syeda oral tablet</i>	2	MO
<i>tarina 24 fe oral tablet</i>	2	MO
<i>tarina fe 1-20 eq (28) oral tablet</i>	2	MO
<i>tilia fe oral tablet</i>	2	MO
<i>tri-estarrylla oral tablet</i>	2	MO
<i>tri-legest fe oral tablet</i>	2	MO
<i>tri-linyah oral tablet</i>	2	MO
<i>tri-lo-estarrylla oral tablet</i>	2	MO
<i>tri-lo-marzia oral tablet</i>	2	MO
<i>tri-lo-sprintec oral tablet</i>	2	
<i>tri-sprintec (28) oral tablet</i>	2	MO
<i>trivora (28) oral tablet</i>	2	MO
<i>turqoz (28) oral tablet</i>	2	MO
<i>velivet triphasic regimen (28) oral tablet</i>	2	MO
<i>vestura (28) oral tablet</i>	2	MO
<i>vienna oral tablet</i>	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>viorele (28) oral tablet</i>	2	MO
<i>wera (28) oral tablet</i>	2	MO
<i>zovia 1-35 (28) oral tablet</i>	2	MO
<i>zumandimine (28) oral tablet</i>	2	MO
OXYTOCICS		
<i>methylergonovine oral tablet</i>	4	PA
OPHTHALMOLOGY		
ANTIBIOTICS		
<i>AZASITE OPHTHALMIC (EYE) DROPS</i>	3	MO
<i>bacitracin ophthalmic (eye) ointment</i>	3	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment</i>	2	MO
<i>BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION</i>	3	MO
<i>ciprofloxacin hcl ophthalmic (eye) drops</i>	2	MO
<i>erythromycin ophthalmic (eye) ointment</i>	2	MO; QL (3.5 per 14 days)
<i>gatifloxacin ophthalmic (eye) drops</i>	4	MO
<i>gentamicin ophthalmic (eye) drops</i>	2	MO; QL (70 per 30 days)

药物名称	药物层级	要求/限制
<i>levofloxacin ophthalmic (eye) drops</i>	3	
<i>moxifloxacin ophthalmic (eye) drops</i>	3	MO
<i>moxifloxacin ophthalmic (eye) drops, viscous</i>	3	
<i>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION</i>	4	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment</i>	3	MO
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops</i>	3	MO
<i>neo-polycin ophthalmic (eye) ointment</i>	3	
<i>ofloxacin ophthalmic (eye) drops</i>	2	MO
<i>polycin ophthalmic (eye) ointment</i>	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops</i>	2	MO
<i>tobramycin ophthalmic (eye) drops</i>	2	MO; QL (10 per 14 days)
ANTIVIRALS		

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
<i>trifluridine ophthalmic (eye) drops</i>	3	MO	<i>cyclosporine ophthalmic (eye) dropperette</i>	3	MO; QL (60 per 30 days)
ZIRGAN OPHTHALMIC (EYE) GEL	4	MO	CYSTARAN OPHTHALMIC (EYE) DROPS	5	PA; NEDS
BETA-BLOCKERS					
<i>betaxolol ophthalmic (eye) drops</i>	3	MO	<i>epinastine ophthalmic (eye) drops</i>	3	MO
<i>carteolol ophthalmic (eye) drops</i>	2	MO	EYLEA INTRAVITREAL SOLUTION	5	PA; MO; NEDS
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	MO	EYLEA INTRAVITREAL SYRINGE	5	PA; MO; NEDS
<i>timolol maleate ophthalmic (eye) drops</i>	1	MO; GC	MIEBO (PF) OPHTHALMIC (EYE) DROPS	3	MO
<i>timolol maleate ophthalmic (eye) gel forming solution</i>	4	MO	<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	3	MO
MISCELLANEOUS OPHTHALMOLOGICS					
<i>atropine ophthalmic (eye) drops 1 %</i>	3	MO	OXERVATE OPHTHALMIC (EYE) DROPS	5	PA; MO; NEDS
<i>azelastine ophthalmic (eye) drops</i>	2	MO	PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS	4	
<i>bepotastine besilate ophthalmic (eye) drops</i>	3	MO	<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	3	MO
<i>bss intraocular solution</i>	2		<i>sulfacetamide sodium ophthalmic (eye) drops</i>	2	MO
CIMERLI INTRAVITREAL SOLUTION	5	PA; MO; NEDS	<i>sulfacetamide sodium ophthalmic (eye) ointment</i>	2	
<i>cromolyn ophthalmic (eye) drops</i>	2	MO	<i>sulfacetamide-prednisolone ophthalmic (eye) drops</i>	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
XDEMVY OPHTHALMIC (EYE) DROPS	5	PA; QL (10 per 42 days); NEDS
XIIDRA OPHTHALMIC (EYE) DROPPERETTE	3	MO; QL (60 per 30 days)
NON-STEROIDAL ANTI-INFLAMMATORY AGENTS		
bromfenac ophthalmic (eye) drops	3	MO
BROMSITE OPHTHALMIC (EYE) DROPS	3	MO
diclofenac sodium ophthalmic (eye) drops	2	MO
flurbiprofen sodium ophthalmic (eye) drops	2	MO
ketorolac ophthalmic (eye) drops	2	MO
PROLENSA OPHTHALMIC (EYE) DROPS	3	MO
ORAL DRUGS FOR GLAUCOMA		
acetazolamide oral capsule, extended release	3	MO
acetazolamide oral tablet	3	MO
acetazolamide sodium injection recon soln	2	MO
methazolamide oral tablet	4	MO
OTHER GLAUCOMA DRUGS		

药物名称	药物层级	要求/限制
brimonidine-timolol ophthalmic (eye) drops	3	MO
dorzolamide ophthalmic (eye) drops	2	
dorzolamide-timolol ophthalmic (eye) drops	2	MO
latanoprost ophthalmic (eye) drops	1	MO; GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	MO
miostat intraocular solution	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS	3	
ROCKLATAN OPHTHALMIC (EYE) DROPS	3	
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION	3	MO
tafluprost (pf) ophthalmic (eye) dropperette	3	MO
travoprost ophthalmic (eye) drops	3	MO
STEROID-ANTIBIOTIC COMBINATIONS		
neomycin- bacitracin-poly-hc ophthalmic (eye) ointment	3	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension</i>	2	MO
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment</i>	2	MO
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension</i>	3	MO
<i>neo-polycin hc ophthalmic (eye) ointment</i>	3	
TOBRADEX OPHTHALMIC (EYE) OINTMENT	3	MO; QL (3.5 per 14 days)
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension</i>	3	MO; QL (10 per 14 days)
STEROIDS		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION	3	MO
<i>dexamethasone sodium phosphate ophthalmic (eye) drops</i>	2	MO
<i>fluorometholone ophthalmic (eye) drops,suspension</i>	3	MO
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION	3	MO

药物名称	药物层级	要求/限制
<i>loteprednol etabonate ophthalmic (eye) drops,gel</i>	3	MO
<i>loteprednol etabonate ophthalmic (eye) drops,suspension</i>	3	MO
OZURDEX INTRAVITREAL IMPLANT	5	MO; NEDS
<i>prednisolone acetate ophthalmic (eye) drops,suspension</i>	2	MO
<i>prednisolone sodium phosphate ophthalmic (eye) drops</i>	2	MO
SYMPATHOMIMETICS		
<i>apraclonidine ophthalmic (eye) drops</i>	3	MO
<i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i>	3	MO
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	MO
RESPIRATORY AND ALLERGY		
ANTIHISTAMINE / ANTIALLERGENIC AGENTS		
<i>adrenalin injection solution 1 mg/ml</i>	2	
<i>adrenalin injection solution 1 mg/ml (1 ml)</i>	2	MO
<i>cetirizine oral solution 1 mg/ml</i>	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
diphenhydramine hcl injection solution 50 mg/ml	2	MO
diphenhydramine hcl injection syringe	2	MO
diphenhydramine hcl oral elixir	2	PA
epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml (manufactured by mylan specialty)	3	MO; QL (4 per 30 days)
epinephrine injection solution 1 mg/ml	2	
hydroxyzine hcl oral tablet	2	PA; MO
levocetirizine oral solution	4	MO
levocetirizine oral tablet	2	MO; QL (30 per 30 days)
promethazine injection solution	4	MO
promethazine oral syrup	4	PA; MO
promethazine oral tablet	4	PA; MO

PULMONARY AGENTS

acetylcysteine solution	3	B/D PA; MO
ADEMPAS ORAL TABLET	5	PA; MO; LA; NEDS
ADVAIR HFA AEROSOL INHALER	3	MO; QL (12 per 30 days)

药物名称	药物层级	要求/限制
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (generic proair hfa)	2	MO; QL (17 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation package size 6.7 gm (generic proventil hfa)	2	QL (13.4 per 30 days)
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml	2	B/D PA; MO
albuterol sulfate inhalation solution for nebulization 5 mg/ml	2	B/D PA
albuterol sulfate oral syrup	2	MO
albuterol sulfate oral tablet	4	MO
ALVESCO INHALATION HFA AEROSOL INHALER 160 MCG/ACTUATION	3	MO; QL (12.2 per 30 days)
ALVESCO INHALATION HFA AEROSOL INHALER 80 MCG/ACTUATION	3	MO; QL (6.1 per 30 days)
alyq oral tablet	5	PA; QL (60 per 30 days); NEDS
ambrisentan oral tablet	5	PA; MO; LA; NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>arformoterol inhalation solution for nebulization</i>	4	B/D PA; MO; QL (120 per 30 days)
ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION , 200 MCG/ACTUATION	3	MO; QL (13 per 30 days)
ASMANEX HFA INHALATION HFA AEROSOL INHALER 50 MCG/ACTUATION	3	QL (13 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60)	3	MO; QL (1 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (120)	3	MO; QL (2 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (14)	3	QL (2 per 28 days)

药物名称	药物层级	要求/限制
ATROVENT HFA AEROSOL INHALER	4	MO; QL (25.8 per 30 days)
BEVESPI AEROSPHERE INHALATION HFA AEROSOL INHALER	3	MO; QL (10.7 per 30 days)
<i>bosentan oral tablet</i>	5	PA; MO; LA; NEDS
BREO ELLIPTA INHALATION BLISTER WITH DEVICE	3	MO; QL (60 per 30 days)
<i>breyna inhalation hfa aerosol inhaler</i>	3	MO; QL (10.3 per 30 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER	3	MO; QL (10.7 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	4	B/D PA; MO; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i>	4	B/D PA; MO; QL (60 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler</i>	3	QL (10.2 per 30 days)
CINRYZE INTRAVENOUS RECON SOLN	5	PA; MO; NEDS
COMBIVENT RESPIMAT INHALATION MIST	3	QL (8 per 30 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
cromolyn inhalation solution for nebulization	4	B/D PA; MO
DULERA INHALATION HFA AEROSOL INHALER	3	MO; QL (13 per 30 days)
ELIXOPHYLLIN ORAL ELIXIR	4	
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; QL (1 per 28 days); NEDS
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML	5	PA; MO; QL (0.5 per 28 days); NEDS
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; MO; QL (1 per 28 days); NEDS
flunisolide nasal spray,non-aerosol	3	MO; QL (50 per 30 days)
fluticasone propionate nasal spray,suspension	2	MO; QL (16 per 30 days)
fluticasone propion-salmeterol inhalation blister with device	3	MO; QL (60 per 30 days)
formoterol fumarate inhalation solution for nebulization	4	B/D PA; MO; QL (120 per 30 days)
icatibant subcutaneous syringe	5	PA; MO; NEDS
ipratropium bromide inhalation solution	2	B/D PA; MO
ipratropium-albuterol inhalation solution for nebulization	2	B/D PA; MO

药物名称	药物层级	要求/限制
KALYDECO ORAL GRANULES IN PACKET	5	PA; MO; QL (56 per 28 days); NEDS
KALYDECO ORAL TABLET	5	PA; MO; QL (56 per 28 days); NEDS
levalbuterol hcl inhalation solution for nebulization	4	B/D PA; MO
mometasone nasal spray,non-aerosol	2	MO; QL (34 per 30 days)
montelukast oral granules in packet	4	MO
montelukast oral tablet	1	MO; GC
montelukast oral tablet,chewable	2	MO
NUCALA SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; LA; QL (3 per 28 days); NEDS
NUCALA SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; QL (3 per 28 days); NEDS
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; MO; LA; QL (3 per 28 days); NEDS
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; MO; LA; QL (0.4 per 28 days); NEDS
OFEV ORAL CAPSULE	5	PA; MO; QL (60 per 30 days); NEDS
OPSUMIT ORAL TABLET	5	PA; MO; LA; NEDS
OPSYNVI ORAL TABLET	5	PA; MO; QL (30 per 30 days); NEDS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
ORKAMBI ORAL GRANULES IN PACKET	5	PA; MO; QL (56 per 28 days); NEDS
ORKAMBI ORAL TABLET	5	PA; MO; QL (112 per 28 days); NEDS
<i>pirfenidone oral capsule</i>	5	PA; MO; QL (270 per 30 days); NEDS
<i>pirfenidone oral tablet 267 mg</i>	5	PA; MO; QL (270 per 30 days); NEDS
<i>pirfenidone oral tablet 801 mg</i>	5	PA; MO; QL (90 per 30 days); NEDS
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION	3	MO; QL (2 per 30 days)
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	3	MO; QL (1 per 30 days)
PULMOZYME INHALATION SOLUTION	5	B/D PA; MO; NEDS
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION	3	QL (10.6 per 30 days)

药物名称	药物层级	要求/限制
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 80 MCG/ACTUATION	3	QL (21.2 per 30 days)
<i>roflumilast oral tablet</i>	4	PA; MO; QL (30 per 30 days)
<i>sajazir subcutaneous syringe</i>	5	PA; MO; NEDS
<i>sildenafil (pulmonary arterial hypertension) intravenous solution 10 mg/12.5 ml</i>	5	PA; NEDS
<i>sildenafil (pulmonary arterial hypertension) oral tablet 20 mg</i>	3	PA; MO; QL (90 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST	3	MO; QL (4 per 30 days)
STIOLTO RESPIMAT INHALATION MIST	3	MO; QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST	3	MO; QL (4 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL	5	PA; MO; QL (56 per 28 days); NEDS
<i>tadalafil (pulm. hypertension) oral tablet</i>	5	PA; QL (60 per 30 days); NEDS
<i>terbutaline oral tablet</i>	4	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
<i>terbutaline subcutaneous solution</i>	2	MO
THEO-24 ORAL CAPSULE,EXTENDED RELEASE 24HR	3	MO
<i>theophylline oral elixir</i>	4	MO
<i>theophylline oral solution</i>	4	
<i>theophylline oral tablet extended release 12 hr</i>	2	MO
<i>theophylline oral tablet extended release 24 hr</i>	2	MO
<i>tiotropium bromide inhalation capsule, w/inhalation device</i>	3	QL (90 per 90 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE	3	MO; QL (60 per 30 days)
TRIKAFFTA ORAL GRANULES IN PACKET, SEQUENTIAL	5	PA; MO; QL (56 per 28 days); NEDS
TRIKAFFTA ORAL TABLETS, SEQUENTIAL	5	PA; MO; QL (84 per 28 days); NEDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION	5	B/D PA; MO; NEDS

药物名称	药物层级	要求/限制
TYVASO INSTITUTIONAL START KIT INHALATION SOLUTION FOR NEBULIZATION	5	B/D PA; NEDS
TYVASO REFILL KIT INHALATION SOLUTION FOR NEBULIZATION	5	B/D PA; MO; NEDS
TYVASO STARTER KIT INHALATION SOLUTION FOR NEBULIZATION	5	B/D PA; MO; NEDS
<i>wixela inhahub inhalation blister with device</i>	3	QL (60 per 30 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML	5	PA; MO; LA; QL (8 per 28 days); NEDS
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 75 MG/0.5 ML	5	PA; MO; LA; QL (1 per 28 days); NEDS
XOLAIR SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; QL (8 per 28 days); NEDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML	5	PA; MO; LA; QL (8 per 28 days); NEDS
XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; MO; LA; QL (1 per 28 days); NEDS
<i>zafirlukast oral tablet</i>	4	MO

UROLOGICALS

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
ANTICHOLINERGICS / ANTISPASMODICS		
fesoterodine oral tablet extended release 24 hr	3	MO
flavoxate oral tablet	2	MO
mirabegron oral tablet extended release 24 hr	3	MO
MYRBETRIQ ORAL SUSPENSION,EXT ENDED REL RECON	3	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR	3	MO
oxybutynin chloride oral syrup	2	MO
oxybutynin chloride oral tablet 5 mg	2	MO
oxybutynin chloride oral tablet extended release 24hr	2	MO
solifenacin oral tablet	2	MO
tolterodine oral capsule,extended release 24hr	3	MO
tolterodine oral tablet	3	MO
trospium oral tablet	2	MO
BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY		
alfuzosin oral tablet extended release 24 hr	2	MO

药物名称	药物层级	要求/限制
dutasteride oral capsule	2	MO
dutasteride-tamsulosin oral capsule, er multiphase 24 hr	4	MO
finasteride oral tablet 5 mg	1	MO; GC
silodosin oral capsule	4	MO
tamsulosin oral capsule	1	MO; GC
MISCELLANEOUS UROLOGICALS		
bethanechol chloride oral tablet	2	MO
CYSTAGON ORAL CAPSULE	4	PA; LA
ELMIRON ORAL CAPSULE	3	MO
glycine urologic irrigation solution	2	
glycine urologic irrigation solution	2	
K-PHOS NO 2 ORAL TABLET	3	MO
K-PHOS ORIGINAL ORAL TABLET,SOLUBLE	3	MO
potassium citrate oral tablet extended release	2	MO
RENACIDIN IRRIGATION SOLUTION	3	MO
sildenafil oral tablet	6	MO; GC; EX; QL (6 per 30 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
VITAMINS, HEMATINICS / ELECTROLYTES		
BLOOD DERIVATIVES		
albumin, human 25 % intravenous parenteral solution	4	
alburx (human) 25 % intravenous parenteral solution	4	
alburx (human) 5 % intravenous parenteral solution	4	
albutein 25 % intravenous parenteral solution	4	
albutein 5 % intravenous parenteral solution	4	
ELECTROLYTES		
calcium acetate(phosphat bind) oral capsule	3	MO; QL (360 per 30 days)
calcium acetate(phosphat bind) oral tablet	3	MO; QL (360 per 30 days)
calcium chloride intravenous solution	2	
calcium chloride intravenous syringe	2	
calcium gluconate intravenous solution	2	
effer-k oral tablet, effervescent 25 meq	2	MO
klor-con 10 oral tablet extended release	2	MO
klor-con 8 oral tablet extended release	2	MO

药物名称	药物层级	要求/限制
klor-con m10 oral tablet,er particles/crystals	2	MO
klor-con m15 oral tablet,er particles/crystals	2	MO
klor-con m20 oral tablet,er particles/crystals	2	MO
klor-con oral packet 20 oral packet	4	MO
klor-con/ef oral tablet, effervescent	2	MO
lactated ringers intravenous parenteral solution	4	MO
magnesium chloride injection solution	4	
MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML	3	
magnesium sulfate in water intravenous parenteral solution	4	
magnesium sulfate in water intravenous piggyback	4	
magnesium sulfate injection solution	4	MO
magnesium sulfate injection syringe	4	
potassium acetate intravenous solution	4	
potassium chlorid-d5-0.45%nacl intravenous parenteral solution	4	

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	4		<i>potassium chloride oral tablet,er particles/crystals 15 meq, 20 meq</i>	2	
<i>potassium chloride in 5 % dex intravenous parenteral solution 10 meq/l, 20 meq/l</i>	4		<i>potassium chloride- 0.45 % nacl intravenous parenteral solution</i>	4	
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i>	4		<i>potassium chloride- d5-0.2%nacl intravenous parenteral solution 20 meq/l</i>	4	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 40 meq/100 ml</i>	4		<i>potassium chloride- d5-0.9%nacl intravenous parenteral solution</i>	4	
<i>potassium chloride intravenous solution</i>	4		<i>potassium phosphate m-/d-basic intravenous solution 3 mmol/ml</i>	4	
<i>potassium chloride oral capsule, extended release</i>	2	MO	<i>ringer's intravenous parenteral solution</i>	4	
<i>potassium chloride oral liquid</i>	4	MO	<i>sodium acetate intravenous solution</i>	4	
<i>potassium chloride oral packet</i>	4		<i>sodium bicarbonate intravenous solution</i>	4	
<i>potassium chloride oral tablet extended release 10 meq, 8 meq</i>	2	MO	<i>sodium bicarbonate intravenous syringe</i>	4	
<i>potassium chloride oral tablet extended release 20 meq</i>	2		<i>sodium chloride 0.45 % intravenous parenteral solution</i>	4	MO
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	2	MO	<i>sodium chloride 3 % hypertonic intravenous parenteral solution</i>	4	
			<i>sodium chloride 5 % hypertonic intravenous parenteral solution</i>	4	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
sodium chloride <i>intravenous solution</i>	4	
sodium phosphate <i>intravenous solution</i>	4	MO
MISCELLANEOUS NUTRITION PRODUCTS		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D PA
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D PA
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION	4	B/D PA
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION	4	B/D PA
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION	4	B/D PA
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION	4	B/D PA

药物名称	药物层级	要求/限制
<i>electrolyte-148 intravenous parenteral solution</i>	3	
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	4	
<i>electrolyte-a intravenous parenteral solution</i>	3	
<i>intralipid intravenous emulsion 20 %</i>	4	B/D PA
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	3	
PLENAMINE INTRAVENOUS PARENTERAL SOLUTION	4	B/D PA
<i>premasol 10 % intravenous parenteral solution</i>	4	B/D PA
<i>travasol 10 % intravenous parenteral solution</i>	4	B/D PA

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

药物名称	药物层级	要求/限制
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D PA

VITAMINS / HEMATINICS

药物名称	药物层级	要求/限制
<i>fluoride (sodium) oral tablet, chewable 1 mg (2.2 mg sod. fluoride)</i>	2	MO
<i>prenatal vitamin oral tablet</i>	2	MO
<i>wescap-pn dha oral capsule</i>	2	MO

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
 此药物清单的最后更新日期为 11/18/2024

Index

A

<i>abacavir</i>	2
<i>abacavir-lamivudine</i>	2
ABELCET	2
ABILIFY ASIMTUFII	41
ABILIFY MAINTENA	41
<i>abiraterone</i>	14
ABRAXANE	14
ABRYSVO (PF)	82
<i>acamprosate</i>	64
<i>acarbose</i>	69
<i>accutane</i>	61
<i>acebutolol</i>	50
<i>acetaminophen-codeine</i>	37
<i>acetazolamide</i>	98
<i>acetazolamide sodium</i>	98
<i>acetic acid</i>	64, 67
<i>acetylcysteine</i>	64, 100
<i>acitretin</i>	58
ACTEMRA	87
ACTEMRA ACTPEN	87
ACTHIB (PF)	82
ACTIMMUNE	80
<i>acyclovir</i>	2, 3, 62
<i>acyclovir sodium</i>	3
ADACEL(TDAP	
<i>ADOLESN/ADULT)(PF)</i>	82
ADALIMUMAB-ADAZ	87
ADALIMUMAB-ADBM	
(ONLY NDCS STARTING	
WITH 00597)	87, 88
ADALIMUMAB-ADBM(CF)	
PEN CROHNS (ONLY	
NDCS STARTING WITH	
00597)	88
ADALIMUMAB-ADBM(CF)	
PEN PS-UV (ONLY NDCS	
STARTING WITH 00597)	
.....	88
ADBRY	59
ADCETRIS	14
<i>adefovir</i>	3
ADEMPAS	100
<i>adenosine</i>	49
<i>adrenalin</i>	99

ADSTILADRIN	14
ADVAIR HFA	100
AIMOVIG AUTOINJECTOR	
.....	35
AKEEGA	14
<i>ala-cort</i>	62
<i>albendazole</i>	8
<i>albumin, human 25 %</i>	106
<i>alburx (human) 25 %</i>	106
<i>alburx (human) 5 %</i>	106
<i>albutein 25 %</i>	106
<i>albutein 5 %</i>	106
<i>albuterol sulfate</i>	100
<i>alclometasone</i>	62
<i>alcohol pads</i>	69
ALDURAZYME	73
ALECENSA	14
<i>alendronate</i>	87
<i>alfuzosin</i>	105
ALIQOPA	14
<i>aliskiren</i>	50
<i>allopurinol</i>	86
<i>allopurinol sodium</i>	86
<i>aloprim</i>	86
<i>alosetron</i>	76
ALREX	99
<i>altavera (28)</i>	93
ALUNBRIG	14, 15
ALVESCO	100
<i>alyacen 1/35 (28)</i>	93
<i>alyacen 7/7/7 (28)</i>	93
<i>alyq</i>	100
<i>amantadine hcl</i>	3
<i>ambrisentan</i>	100
<i>amethyst (28)</i>	93
<i>amikacin</i>	8
<i>amiloride</i>	50
<i>amiloride-hydrochlorothiazide</i>	
.....	50
<i>aminocaproic acid</i>	54
<i>amiodarone</i>	49
<i>amitriptyline</i>	41
<i>amlodipine</i>	50
<i>amlodipine-atorvastatin</i>	56
<i>amlodipine-benazepril</i>	50

<i>amlodipine-olmesartan</i>	50
<i>amlodipine-valsartan</i>	50
<i>amlodipine-valsartan-hcthiazid</i>	
.....	50
<i>ammonium lactate</i>	59
<i>amnesteem</i>	61
<i>amoxapine</i>	41
<i>amoxicillin</i>	11
<i>amoxicillin-pot clavulanate</i> ..	11
<i>amphotericin b</i>	2
<i>ampicillin</i>	11
<i>ampicillin sodium</i>	11
<i>ampicillin-sulbactam</i>	11
<i>anagrelide</i>	64
<i>anastrozole</i>	15
ANKTIVA	15
APOKYN	34
<i>apomorphine</i>	34
<i>apraclonidine</i>	99
<i>aprepitant</i>	76
<i>apri</i>	93
APTIOM	30
APTIVUS	3
<i>aranelle (28)</i>	93
ARCALYST	80
AREXVY (PF)	82
<i>arformoterol</i>	101
ARIKAYCE	8
<i>ariPIPrazole</i>	41
ARISTADA	42
ARISTADA INITIO	41
<i>armodafinil</i>	42
<i>arsenic trioxide</i>	15
<i>asenapine maleate</i>	42
ASMANEX HFA	101
ASMANEX TWISTHALER	
.....	101
ASPARLAS	15
<i>aspirin-dipyridamole</i>	54
<i>atazanavir</i>	3
<i>atenolol</i>	50
<i>atenolol-chlorthalidone</i>	50
<i>atomoxetine</i>	42
<i>atorvastatin</i>	56
<i>atovaquone</i>	8

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

atovaquone-proguanil	8	betamethasone, augmented	63	BYDUREON BCISE.....	69
atropine	75, 97	BETASERON	80	BYETTA	69
ATROVENT HFA	101	betaxolol	50, 97	C	
aubra eq	93	bethanechol chloride	105	CABENUVA	3
AUGMENTIN.....	12	BEVESPI AEROSPHERE.	101	cabergoline	73
AUGTYRO	15	bexarotene	15	CABLIVI	54
AUVELITY.....	42	BEXSERO.....	82	CABOMETYX.....	16
aviane	93	bicalutamide	15	caffeine citrate	64
AVONEX.....	80	BICILLIN C-R	12	calcipotriene	58
AYVAKIT.....	15	BICILLIN L-A	12	calcitonin (salmon).....	73
azacitidine	15	BIKTARVY	3	calcitriol	58, 73
AZASITE	96	bisoprolol fumarate	50	calcium acetate(phosphat bind)	
azathioprine.....	15	bisoprolol-hydrochlorothiazide		106
azathioprine sodium	15	50	calcium chloride	106
azelaic acid.....	61	bleomycin.....	15	calcium gluconate.....	106
azelastine	67, 97	BLINCYTO	15	CALQUENCE	16
azithromycin	7	BOOSTRIX TDAP.....	82	CALQUENCE	
aztreonam	8	bortezomib	15	(ACALABRUTINIB MAL)	
azurette (28)	93	BORTEZOMIB	15	16
B		bosentan.....	101	camila	91
bacitracin	8, 96	BOSULIF	15	camrese	93
bacitracin-polymyxin b.....	96	BRAFTOVI	15	candesartan	50
baclofen	37	BREO ELLIPTA	101	candesartan-	
balsalazide.....	76	breyna	101	hydrochlorothiazid	50
BALVERSA.....	15	BREZTRI AEROSPHERE.	101	CAPLYTA	42
BAQSIMI	69	BRILINTA	54	CAPRELSA	16
BARACLUE	3	brimonidine	99	captopril	50
BAVENCIO	15	brimonidine-timolol	98	captopril-hydrochlorothiazide	
BCG VACCINE, LIVE (PF)	82	BRIUMVI.....	35	50
BD INSULIN SYRINGE	85	BRIVIACT	30	carbamazepine	30
BD PEN NEEDLE	85	bromfenac	98	carbidopa	34
BELBUCA	37	bromocriptine	34	carbidopa-levodopa	34
BELEODAQ	15	BROMSITE	98	carbidopa-levodopa-	
BELSOMRA	42	BRUKINSA.....	16	entacapone	34
benazepril	50	bss	97	carboplatin	16
benazepril-hydrochlorothiazide		budesonide	76, 101	carglumic acid	64
.....	50	budesonide-formoterol	101	carmustine	16
bendamustine	15	bumetanide	50	carteolol	97
BENDEKA.....	15	buprenorphine hcl	38	cartia xt	50
BENLYSTA	88	buprenorphine transdermal		carvedilol	50
benztropine	34	patch	38	caspofungin	2
bepotastine besilate	97	buprenorphine-naloxone	39, 40	CAYSTON	8
BESIVANCE	96	42	cefaclor	6	
BESPONSA	15	bupropion hcl	42	cefadroxil	6
BESREMI	80	bupropion hcl (smoking deter)		cefazolin	6
betaine	76	67	cefazolin in dextrose (iso-os) ..	6
betamethasone dipropionate	62	buspirone	42	cefdinir	6
betamethasone valerate..	62, 63	busulfan	16	cefepime	6
		butorphanol	40		

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

<i>cefepime in dextrose, iso-osm</i>	6	CINVANTI	76
<i>cefixime</i>	6, 7	<i>ciprofloxacin</i>	13
<i>cefoxitin</i>	7	<i>ciprofloxacin hcl</i>	12, 67, 96
<i>cefoxitin in dextrose, iso-osm</i>	7	<i>ciprofloxacin in 5 % dextrose</i>	12
<i>cefpodoxime</i>	7	<i>ciprofloxacin-dexamethasone</i>	68
<i>cefprozil</i>	7	<i>cisplatin</i>	16
<i>ceftazidime</i>	7	<i>citalopram</i>	42
<i>ceftriaxone</i>	7	<i>cladribine</i>	16
<i>ceftriaxone in dextrose, iso-osm</i>	7	<i>claravis</i>	61
<i>cefuroxime axetil</i>	7	<i>clarithromycin</i>	8
<i>cefuroxime sodium</i>	7	<i>clindamycin hcl</i>	8
<i>celecoxib</i>	40	<i>clindamycin in 5 % dextrose</i>	8
<i>cephalexin</i>	7	<i>clindamycin phosphate</i>	8, 61, 92
CEPROTIN (BLUE BAR)	54	CLINIMIX 5%/D15W	
CEPROTIN (GREEN BAR)	54	SULFITE FREE	108
CEQUR SIMPLICITY	85	CLINIMIX 4.25%/D10W	
CEQUR SIMPLICITY INSERTER	85	SULF FREE	108
<i>cetirizine</i>	99	CLINIMIX 4.25%/D5W	
<i>cevimeline</i>	64	SULFIT FREE	64
CHEMET	64	CLINIMIX 5%- D20W(SULFITE-FREE)	108
CHENODAL	76	CLINIMIX 6%-D5W (SULFITE-FREE)	108
<i>chloramphenicol sod succinate</i>	8	CLINIMIX 8%- D10W(SULFITE-FREE)	108
<i>chlorhexidine gluconate</i>	67	CLINIMIX 8%- D14W(SULFITE-FREE)	108
<i>chloroprocaaine (pf)</i>	59	clobazam	30
<i>chloroquine phosphate</i>	8	clobetasol	63
<i>chlorothiazide sodium</i>	50	clobetasol-emollient	63
<i>chlorpromazine</i>	42	clodan	63
<i>chlorthalidone</i>	50	clofarabine	16
CHOLBAM	76	clomid	73
<i>cholestyramine (with sugar)</i>	56	clomiphene citrate	73
<i>cholestyramine light</i>	56	clomipramine	42
CIBINQO	59	clonazepam	30
<i>cyclodan</i>	62	clonidine (pf)	40, 50
<i>ciclopirox</i>	62	<i>clonidine hcl</i>	42, 50
<i>cidofovir</i>	3	<i>clonidine transdermal patch</i>	51
<i>cilostazol</i>	54	<i>clopidogrel</i>	54
CIMDUO	3	<i>clorazepate dipotassium</i>	42, 43
CIMERLI	97	<i>clotrimazole</i>	2, 62
<i>cimetidine</i>	79	<i>clotrimazole-betamethasone</i>	62
<i>cimetidine hcl</i>	79	<i>clozapine</i>	43
CIMZIA	76	COARTEM	8
CIMZIA POWDER FOR RECONST	76		
CIMZIA STARTER KIT	76		
<i>cinacalcet</i>	73		
CINRYZE	101		
COBENFY		COBENFY STARTER PACK	43
			43
		<i>colchicine</i>	86
		<i>colesevelam</i>	56
		<i>colestipol</i>	56
		<i>colistin (colistimethate na)</i>	8
		COLUMVI	16
		COMBIVENT RESPIMAT	101
		COMETRIQ	16
		COMPLERA	3
		<i>compro</i>	76
		<i>constulose</i>	76
		COPIKTRA	16
		CORLANOR	57
		CORTIFOAM	76
		<i>cortisone</i>	68
		COTELLIC	16
		CREON	76
		CRESEMBIA	2
		<i>cromolyn</i>	76, 97, 102
		<i>crotan</i>	64
		<i>cryselle (28)</i>	93
		CRYSVITA	73
		<i>cyclobenzaprine</i>	37
		<i>cyclophosphamide</i>	16
		CYCLOPHOSPHAMIDE	16
		<i>cyclosporine</i>	16, 97
		<i>cyclosporine modified</i>	16
		CYLTEZO(CF)	88
		CYLTEZO(CF) PEN	88
		CYLTEZO(CF) PEN CROHN'S-UC-HS	88
		CYLTEZO(CF) PEN PSORIASIS-UV	88
		CYRAMZA	16
		<i>cyred eq</i>	93
		CYSTAGON	105
		CYSTARAN	97
		<i>cytarabine</i>	17
		<i>cytarabine (pf)</i>	17
		D	
		<i>d10 %-0.45 % sodium chloride</i>	64
		<i>d2.5 %-0.45 % sodium chloride</i>	64
		<i>d5 % and 0.9 % sodium chloride</i>	64

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

<i>d5 %-0.45 % sodium chloride</i>	14
.....	65
<i>dabigatran etexilate</i>	43
<i>dacarbazine</i>	17
<i>dactinomycin</i>	17
<i>dalfampridine</i>	35
<i>danazol</i>	73
<i>dantrolene</i>	37
DANYELZA	17
<i>dapsone</i>	8
DAPTACEL (DTAP PEDIATRIC) (PF)	82
<i>daptomycin</i>	9
DAPTOMYCIN	9
<i>darunavir</i>	3
DARZALEX	17
<i>dasatinib</i>	17
<i>dasetta 1/35 (28)</i>	93
<i>dasetta 7/7/7 (28)</i>	93
<i>daunorubicin</i>	17
DAURISMO	17
<i>daysee</i>	93
<i>deblitane</i>	91
<i>decitabine</i>	17
<i>deferasirox</i>	65
<i>deferiprone</i>	65
<i>deferoxamine</i>	65
DELSTRIGO	3
<i>demeclocycline</i>	13
DENGVAXIA (PF)	82
<i>denta 5000 plus</i>	67
<i>dentagel</i>	67
DEPO-SUBQ PROVERA 104	91
<i>dermacinrx lidocan</i>	59
DESCOVY	3
<i>desipramine</i>	43
<i>desmopressin</i>	73, 74
<i>desog-e.estradiol/e.estradiol</i>	93
<i>desogestrel-ethinyl estradiol</i>	93
<i>desonide</i>	63
<i>desvenlafaxine succinate</i>	43
<i>dexamethasone</i>	68
<i>dexamethasone intensol</i>	68
<i>dexamethasone sodium phos (pf)</i>	68
<i>dexamethasone sodium phosphate</i>	68, 99
<i>dexrazoxane hcl</i>	14
<i>dextroamphetamine-amphetamine</i>	43
<i>dextrose 10 % and 0.2 % nacl</i>	65
<i>dextrose 10 % in water (d10w)</i>	65
<i>dextrose 25 % in water (d25w)</i>	65
<i>dextrose 5 % in water (d5w)</i>	65
<i>dextrose 5 %-lactated ringers</i>	65
<i>dextrose 5%-0.2 % sod chloride</i>	65
<i>dextrose 5%-0.3 % sod.chloride</i>	65
<i>dextrose 50 % in water (d50w)</i>	65
<i>dextrose 70 % in water (d70w)</i>	65
DIACOMIT	30
<i>diazepam</i>	30, 43
<i>diazepam intensol</i>	43
<i>diazoxide</i>	69
<i>diclofenac potassium</i>	40
<i>diclofenac sodium</i>	40, 59, 98
<i>diclofenac-misoprostol</i>	40
<i>dicloxacillin</i>	12
<i>dicyclomine</i>	75
DIFICID	8
<i>diflunisal</i>	40
<i>digoxin</i>	57
<i>dihydroergotamine</i>	35
DILANTIN 30 MG	30
<i>diltiazem hcl</i>	51
<i>dilt-xr</i>	51
<i>dimenhydrinate</i>	76
<i>dimethyl fumarate</i>	36
<i>diphenhydramine hcl</i>	100
<i>diphenoxylate-atropine</i>	75
<i>dipyridamole</i>	54
<i>disulfiram</i>	65
<i>divalproex</i>	30, 31
<i>dobutamine</i>	57
<i>dobutamine in d5w</i>	57
<i>docetaxel</i>	17
<i>dofetilide</i>	49
<i>donepezil</i>	36
<i>dopamine</i>	57, 58
<i>dopamine in 5 % dextrose</i>	57
DOPTELET (10 TAB PACK)	54
DOPTELET (15 TAB PACK)	54
DOPTELET (30 TAB PACK)	54
<i>dorzolamide</i>	98
<i>dorzolamide-timolol</i>	98
<i>dotti</i>	91
DOVATO	3
<i>doxazosin</i>	51
<i>doxepin</i>	43
<i>doxercalciferol</i>	74
<i>doxorubicin</i>	17
<i>doxorubicin, peg-liposomal</i>	17
<i>doxy-100</i>	13
<i>doxycycline hyclate</i>	13
<i>doxycycline monohydrate</i>	13
DRIZALMA SPRINKLE	43
<i>dronabinol</i>	76
<i>droperidol</i>	76
DROPSAFE ALCOHOL PREP PADS	69
<i>drospirenone-e.estradiol-lm.fa</i>	93
<i>drospirenone-ethinyl estradiol</i>	93
DROXIA	17
<i>droxidopa</i>	65
DUAVEE	91
DULERA	102
<i>duloxetine</i>	43
DUPIXENT PEN	59
DUPIXENT SYRINGE	60
<i>dutasteride</i>	105
<i>dutasteride-tamsulosin</i>	105
E	
<i>e.e.s. 400</i>	8
<i>ec-naproxen</i>	40
<i>econazole</i>	62
EDARBI	51
EDARBYCLOR	51
EDURANT	3
<i>efavirenz</i>	3
<i>efavirenz-emtricitabin-tenofovir</i>	3

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

<i>efavirenz-lamivu-tenofov disop</i>	3	<i>entecavir</i>	3	<i>etoposide</i>	18
<i>effer-k</i>	106	<i>ENTRESTO</i>	58	<i>etravirine</i>	3
<i>ELAPRASE</i>	74	<i>ENTRESTO SPRINKLE</i>	58	<i>euthyrox</i>	75
<i>electrolyte-148</i>	108	<i>ENTYVIO</i>	76	<i>everolimus (antineoplastic)</i>	18
<i>electrolyte-48 in d5w</i>	108	<i>enulose</i>	76	<i>everolimus</i>	
<i>electrolyte-a</i>	108	<i>ENVARSUS XR</i>	18	<i>(immunosuppressive)</i>	18
<i>eletriptan</i>	35	<i>EPCLUSA</i>	3	<i>EVOTAZ</i>	3
<i>ELIGARD</i>	18	<i>EPIDIOLEX</i>	31	<i>exemestane</i>	18
<i>ELIGARD (3 MONTH)</i>	17	<i>epinastine</i>	97	<i>EYLEA</i>	97
<i>ELIGARD (4 MONTH)</i>	17	<i>epinephrine</i>	100	<i>ezetimibe</i>	56
<i>ELIGARD (6 MONTH)</i>	18	<i>epirubicin</i>	18	<i>ezetimibe-simvastatin</i>	56
<i>elnest</i>	93	<i>epitol</i>	31	F	
<i>ELIQUIS</i>	54	<i>EPKINLY</i>	18	<i>FABRAZYME</i>	74
<i>ELIQUIS DVT-PE TREAT</i>		<i>eplerenone</i>	51	<i>falmina (28)</i>	94
30D START	54	<i>EPRONTIA</i>	31	<i>famciclovir</i>	3
<i>ELITEK</i>	14	<i>ERBITUX</i>	18	<i>famotidine</i>	80
<i>ELIXOPHYLLIN</i>	102	<i>ergotamine-caffeine</i>	35	<i>famotidine (pf)</i>	80
<i>ELMIRON</i>	105	<i>eribulin</i>	18	<i>famotidine (pf)-nacl (iso-os)</i>	80
<i>ELREXFIO</i>	18	<i>ERIVEDGE</i>	18	<i>FANAPT</i>	43
<i>eluryng</i>	92	<i>ERLEADA</i>	18	<i>FARXIGA</i>	69
<i>ELZONRIS</i>	18	<i>erlotinib</i>	18	<i>FASENRA</i>	102
<i>EMEND</i>	76	<i>errin</i>	91	<i>FASENRA PEN</i>	102
<i>EMGALITY PEN</i>	35	<i>ertapenem</i>	9	<i>febuxostat</i>	86
<i>EMGALITY SYRINGE</i>	35	<i>ERWINASE</i>	18	<i>felbamate</i>	31
<i>EMPLICITI</i>	18	<i>ery pads</i>	61	<i>felodipine</i>	51
<i>EMSAM</i>	43	<i>ery-tab</i>	8	<i>fenofibrate</i>	56
<i>emtricitabine</i>	3	<i>erythrocin (as stearate)</i>	8	<i>fenofibrate micronized</i>	56
<i>emtricitabine-tenofovir (tdf)</i>	3	<i>erythromycin</i>	8, 96	<i>fenofibrate nanocrystallized</i>	56
<i>EMTRIVA</i>	3	<i>erythromycin ethylsuccinate</i>	8	<i>fenofibric acid</i>	56
<i>EMVERM</i>	9	<i>erythromycin with ethanol</i>	61	<i>fenofibric acid (choline)</i>	56
<i>emzahh</i>	91	<i>escitalopram oxalate</i>	43	<i>fentanyl</i>	38
<i>enalapril maleate</i>	51	<i>esmolol</i>	51	<i>fentanyl citrate</i>	38
<i>enalaprilat</i>	51	<i>esomeprazole magnesium</i>	79, 80	<i>fentanyl citrate (pf)</i>	38
<i>enalapril-hydrochlorothiazide</i>		<i>esomeprazole sodium</i>	80	<i>fesoterodine</i>	105
51		<i>estarrylla</i>	94	<i>FETZIMA</i>	44
<i>ENBREL</i>	88	<i>estradiol</i>	91, 92	<i>finasteride</i>	105
<i>ENBREL MINI</i>	88	<i>estradiol valerate</i>	92	<i>fingolimod</i>	36
<i>ENBREL SURECLICK</i>	88	<i>estradiol-norethindrone acet</i>	92	<i>FINTEPLA</i>	31
<i>ENDARI</i>	65	<i>eszopiclone</i>	43	<i>FIRDAPSE</i>	36
<i>endocet</i>	38	<i>ethacrynat sodium</i>	51	FIRMAGON KIT W	
<i>ENGERIX-B (PF)</i>	82	<i>ethambutol</i>	9	DILUENT SYRINGE	19
<i>ENGERIX-B PEDIATRIC</i>		<i>ethosuximide</i>	31	<i>flac otic oil</i>	68
(PF)	82	<i>ethynodiol diac-eth estradiol</i>	94	<i>flavoxate</i>	105
<i>enoxaparin</i>	54	<i>etodolac</i>	40	<i>flecainide</i>	49
<i>enpresse</i>	93	<i>etonogestrel-ethinyl estradiol</i>		<i>flouxuridine</i>	19
<i>enskyce</i>	93	93		<i>fluconazole</i>	2
<i>entacapone</i>	34	<i>ETOPOPHOS</i>	18	<i>fluconazole in nacl (iso-osm)</i>	2
				<i>flucytosine</i>	2

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

<i>fludarabine</i>	19	<i>ganciclovir sodium</i>	4	GVOKE PFS 2-PACK SYRINGE	70
<i>fludrocortisone</i>	68	GARDASIL 9 (PF)	82	H	
<i>flumazenil</i>	44	<i>gatifloxacin</i>	96	HALAVEN	20
<i>flunisolide</i>	102	GATTEX 30-VIAL	77	<i>halobetasol propionate</i>	63
<i>fluocinolone</i>	63	GATTEX ONE-VIAL	77	<i>haloperidol</i>	44
<i>fluocinolone acetonide oil</i>	68	GAUZE PAD	85	<i>haloperidol decanoate</i>	44
<i>fluocinolone and shower cap</i>	63	<i>gavilyte-c</i>	77	<i>haloperidol lactate</i>	44
<i>fluocinonide</i>	63	<i>gavilyte-g</i>	77	HARVONI	4
<i>fluocinonide-emollient</i>	63	<i>gavilyte-n</i>	77	HAVRIX (PF)	82
<i>fluoride (sodium)</i>	67, 109	GAVRETO	19	<i>heather</i>	92
<i>fluorometholone</i>	99	GAZYVA	19	<i>heparin (porcine)</i>	55
<i>fluorouracil</i>	19, 60	gefitinib	19	<i>heparin (porcine) in 5 % dex</i>	55
<i>fluoxetine</i>	44	GEMCITABINE	19	<i>heparin (porcine) in nacl (pf)</i>	
<i>fluoxetine (pmdd)</i>	44	<i>gemfibrozil</i>	56	55
<i>fluphenazine decanoate</i>	44	generlac	77	<i>heparin(porcine) in 0.45% nacl</i>	
<i>fluphenazine hcl</i>	44	<i>genograf</i>	19	55
<i>flurbiprofen</i>	40	gentamicin	9, 61, 96	HEPARIN(PORCINE) IN	
<i>flurbiprofen sodium</i>	98	gentamicin in nacl (iso-osm)	9	0.45% NACL	55
<i>fluticasone propionate</i>	102	gentamicin sulfate (ped) (pf)	9	<i>heparin, porcine (pf)</i>	55
<i>fluticasone propion-salmeterol</i>	102	GENVOYA	4	HEPARIN, PORCINE (PF)	55
<i>fluvastatin</i>	56	GILOTrif	19	HEPLISAV-B (PF)	82
<i>fluvoxamine</i>	44	glatiramer	36	HIBERIX (PF)	82
FOLOTYN	19	glatopa	36	HIZENTRA	83
<i>fomepizole</i>	82	GLEOSTINE	19	HUMALOG JUNIOR	
<i>fondaparinux</i>	55	glimepiride	69	KWIKPEN U-100	70
<i>formoterol fumarate</i>	102	glipizide	69	HUMALOG KWIKPEN	
FOSAMAX PLUS D	87	glipizide-metformin	70	INSULIN	70
<i>fosamprenavir</i>	4	glutamine (sickle cell)	65	HUMALOG MIX 50-50	
<i>fosaprepitant</i>	77	glycine urologic	105	KWIKPEN	70
<i>fosinopril</i>	51	glycine urologic solution	105	HUMALOG MIX 75-25	
<i>fosinopril-hydrochlorothiazide</i>	51	glycopyrrolate	75, 76	KWIKPEN	70
<i>fosphenytoin</i>	31	glycopyrrolate (pf) in water	75	HUMALOG MIX 75-25(U-100)INSULN	70
FOTIVDA	19	glydo	60	HUMALOG U-100 INSULIN	
<i>fraiche 5000</i>	67	GLYXAMBI	70	70
FRUZAQLA	19	GRALISE	31	HUMIRA (ONLY NDCS	
<i>fulvestrant</i>	19	granisetron (pf)	77	STARTING WITH 00074)	
<i>furosemide</i>	51	granisetron hcl	77	89
FUZEON	4	griseofulvin microsize	2	HUMIRA PEN (ONLY NDCS	
FYARRO	19	griseofulvin ultramicrosize	2	STARTING WITH 00074)	
<i>fyavolv</i>	92	GVOKE	70	89
FYCOMPRA	31	GVOKE HYPOOPEN 1-PACK	70	HUMIRA(CF) (ONLY NDCS	
G		GVOKE HYPOOPEN 2-PACK	70	STARTING WITH 00074)	
<i> gabapentin</i>	31	GVOKE PFS 1-PACK		89
<i> galantamine</i>	36	SYRINGE	70	HUMIRA(CF) PEN (ONLY NDCS STARTING WITH 00074)	
<i> gallifrey</i>	92			89
GAMASTAN	82				

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

HUMIRA(CF) PEN	NDCS STARTING WITH 61314).....	89	INGREZZA	36
CROHNS-UC-HS (ONLY NDCS STARTING WITH 00074)		89	INGREZZA INITIATION	
HUMIRA(CF) PEN	HYRIMOZ(CF)		PK(TARDIV)	36
PEDIATRIC UC (ONLY NDCS STARTING WITH 00074)	(PREFERRED NDCS STARTING WITH 61314)	90	INGREZZA SPRINKLE	36
HUMIRA(CF) PEN PSOR-UV-ADOL HS (ONLY NDCS STARTING WITH 00074)	HYRIMOZ(CF) PEDI CROHN STARTER (PREFERRED NDCS STARTING WITH 61314)	90	INLYTA	20
HUMULIN 70/30 U-100 INSULIN	HYRIMOZ(CF) PEN (PREFERRED NDCS STARTING WITH 61314)	90	INPEFA	71
HUMULIN 70/30 U-100 KWIKPEN	I		INQOVI	20
HUMULIN N NPH INSULIN KWIKPEN	<i>ibandronate</i>	87	INREBIC	20
HUMULIN N NPH U-100 INSULIN	IBRANCE	20	INSULIN LISPRO	71
HUMULIN R REGULAR U-100 INSULN	<i>ibu</i>	40	INSULIN SYRINGE- NEEDLE U-100	85
HUMULIN R U-500 (CONC) INSULIN	<i>ibuprofen</i>	40	INTELENCE	4
HUMULIN R U-500 (CONC) KWIKPEN	<i>ibutilide fumarate</i>	49	<i>intralipid</i>	108
hydralazine	<i>icatibant</i>	102	<i>introvale</i>	94
hydrochlorothiazide	ICLUSIG	20	INVEGA HAFYERA	45
hydrocodone-acetaminophen	<i>icosapent ethyl</i>	56	INVEGA SUSTENNA	45
hydrocodone-ibuprofen	<i>idarubicin</i>	20	INVEGA TRINZA	45
hydrocortisone.....	IDHIFA	20	INVELTYS	99
hydrocortisone-acetic acid...	<i>ifosfamide</i>	20	IPOL	83
hydromorphone	ILARIS (PF)	80	<i>ipratropium bromide</i>	67, 102
hydromorphone (pf)	<i>imatinib</i>	20	<i>ipratropium-albuterol</i>	102
hydroxychloroquine	IMBRUVICA	20	<i>irbesartan</i>	51
hydroxyurea.....	IMDELLTRA	20	<i>irbesartan-hydrochlorothiazide</i>	52
hydroxyzine hcl.....	IMFINZI	20	<i>irinotecan</i>	20
HYPERP B	<i>imipenem-cilastatin</i>	9	ISENTRESS	4
HYPERP B NEONATAL	<i>imipramine hcl</i>	44	ISENTRESS HD	4
HYRIMOZ PEN CROHN'S-UC STARTER (PREFERRED NDCS STARTING WITH 61314)	<i>imipramine pamoate</i>	44	<i>isibloom</i>	94
HYRIMOZ PEN PSORIASIS STARTER (PREFERRED	<i>imiquimod</i>	60	ISOLYTE S PH 7.4	108
	IMJUDO	20	ISOLYTE-P IN 5 % DEXTROSE	108
	IMOVAX RABIES VACCINE (PF)	83	ISOLYTE-S	108
	IMVEXXY MAINTENANCE PACK	92	<i>isoniazid</i>	9
	IMVEXXY STARTER PACK	92	<i>isosorbide dinitrate</i>	58
	INBRIJA.....	34	<i>isosorbide mononitrate</i>	58
	<i>incassia</i>	92	<i>isosorbide-hydralazine</i>	52
	INCRELEX	65	<i>isotretinoin</i>	61
	<i>indapamide</i>	51	<i>isradipine</i>	52
	INFANRIX (DTAP) (PF)....	83	ISTODAX	21
			<i>itraconazole</i>	2
			<i>ivabradine</i>	58
			<i>ivermectin</i>	9, 61
			IWILFIN	21
			IXCHIQ (PF)	83
			IXEMPRA	21
			IXIARO (PF)	83
			J	
			JAKAFI	21

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

<i>jantoven</i>	55	KORLYM	74	<i>levofloxacin</i>	13, 96
JANUMET	71	KOSELUGO	21	<i>levofloxacin in d5w</i>	13
JANUMET XR	71	<i>kourzeq</i>	67	<i>levoleucovorin calcium</i>	14
JANUVIA	71	K-PHOS NO 2	105	<i>levonest (28)</i>	94
JARDIANCE	71	K-PHOS ORIGINAL	105	<i>levonorgestrel-ethinyl estrad</i>	94
<i>jasmiel (28)</i>	94	KRAZATI	21	<i>levonorg-eth estrad triphasic</i>	94
JAYPIRCA	21	<i>kurvelo (28)</i>	94	<i>levora-28</i>	94
JEMPERLI	21	KYPROLIS	21	<i>levo-t</i>	75
<i>jencycla</i>	92	L		<i>levothyroxine</i>	75
JENTADUETO	71	<i>l norgest/e.estradiol-e.estrad</i>	94	<i>levoxyl</i>	75
JENTADUETO XR	71	<i>labetalol</i>	52	LIBERVANT	32
JEVTANA	21	<i>lacosamide</i>	31	LIBTAYO	22
<i>jinteli</i>	92	<i>lactated ringers</i>	64, 106	<i>lidocaine</i>	60
<i>jolessa</i>	94	<i>lactulose</i>	77	<i>lidocaine (pf)</i>	49, 60
<i>juleber</i>	94	LAGEVRIO (EUA)	4	<i>lidocaine hcl</i>	60
JULUCA	4	<i>lamivudine</i>	4	<i>lidocaine in 5 % dextrose (pf)</i>	49
JUXTAPID	56	<i>lamivudine-zidovudine</i>	4	<i>lidocaine viscous</i>	60
JYLAMVO	21	<i>lamotrigine</i>	31, 32	<i>lidocaine-epinephrine</i>	60
JYNNEOS (PF)	83	<i>lanreotide</i>	21	<i>lidocaine-epinephrine (pf)</i>	60
K		<i>lansoprazole</i>	80	<i>lidocaine-prilocaine</i>	60
KADCYLA	21	LANTUS SOLOSTAR U-100		<i>lidocan iii</i>	60
<i>kalliga</i>	94	INSULIN	71	<i>lidocan iv</i>	60
KALYDECO	102	LANTUS U-100 INSULIN	71	<i>lidocan v</i>	60
KANUMA	74	<i>lapatinib</i>	21	<i>lincomycin</i>	9
<i>kariva (28)</i>	94	<i>larin 1.5/30 (21)</i>	94	<i>linezolid</i>	9
<i>kelnor 1/35 (28)</i>	94	<i>larin 1/20 (21)</i>	94	<i>linezolid in dextrose 5%</i>	9
<i>kelnor 1/50 (28)</i>	94	<i>larin 24 fe</i>	94	<i>linezolid-0.9% sodium chloride</i>	9
KEPIVANCE	14	<i>larin fe 1.5/30 (28)</i>	94	LINZESS	77
KERENDIA	52	<i>larin fe 1/20 (28)</i>	94	LIORESAL	37
KESIMPTA PEN	36	<i>latanoprost</i>	98	<i>liothyronine</i>	75
<i>ketoconazole</i>	2, 62	LAZCLUZE	21, 22	<i>lisinopril</i>	52
<i>ketorolac</i>	98	<i>leflunomide</i>	90	<i>lisinopril-hydrochlorothiazide</i>	52
KEYTRUDA	21	<i>lenalidomide</i>	22	<i>lithium carbonate</i>	45
KHAPZORY	14	LENVIMA	22	<i>lithium citrate</i>	45
KIMMTRAK	21	<i>lessina</i>	94	LOKELMA	66
KINRIX (PF)	83	<i>letrozole</i>	22	LONSURF	22
<i>kionex (with sorbitol)</i>	65	<i>leucovorin calcium</i>	14	<i>loperamide</i>	76
KISQALI	21	LEUKERAN	22	<i>lopinavir-ritonavir</i>	4
KISQALI FEMARA CO-		LEUKINE	80	LOQTORZI	22
PACK	21	<i>leuprolide</i>	22	<i>lorazepam</i>	45
<i>klayesta</i>	62	<i>levalbuterol hcl</i>	102	<i>lorazepam intensol</i>	45
<i>klor-con 10</i>	106	<i>levetiracetam</i>	32	LORBRENA	22
<i>klor-con 8</i>	106	<i>levetiracetam in nacl (iso-os)</i>	32	<i>loryna (28)</i>	94
<i>klor-con m10</i>	106	<i>levobunolol</i>	97	<i>losartan</i>	52
<i>klor-con m15</i>	106	<i>levocarnitine</i>	66		
<i>klor-con m20</i>	106	<i>levocarnitine (with sugar)</i>	66		
<i>klor-con oral packet 20</i>	106	<i>levocetirizine</i>	100		
<i>klor-con/ef</i>	106				

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。

此药物清单的最后更新日期为 11/18/2024

<i>losartan-hydrochlorothiazide</i>	52	<i>meloxicam</i>	40	<i>microgestin fe 1.5/30 (28)</i>	95
<i>loteprednol etabonate</i>	99	<i>melphalan hcl</i>	23	<i>microgestin fe 1/20 (28)</i>	95
<i>lovastatin</i>	56	<i>memantine</i>	36	<i>midodrine</i>	66
<i>low-ogestrel (28)</i>	94	<i>MENACTRA (PF)</i>	83	<i>MIEBO (PF)</i>	97
<i>loxapine succinate</i>	45	<i>MENEST</i>	92	<i>mifepristone</i>	74, 93
<i>lo-zumandimine (28)</i>	94	<i>MENQUADFI (PF)</i>	83	<i>milii</i>	95
<i>lubiprostone</i>	77	<i>MENVEO A-C-Y-W-135-DIP (PF)</i>	83	<i>milrinone</i>	58
<i>LUMAKRAS</i>	22	<i>MEPSEVII</i>	74	<i>milrinone in 5 % dextrose</i>	58
<i>LUMIGAN</i>	98	<i>mercaptopurine</i>	23	<i>mimvey</i>	92
<i>LUMIZYME</i>	74	<i>meropenem</i>	9	<i>minocycline</i>	13
<i>LUNSUMIO</i>	22	<i>mesalamine</i>	77	<i>minoxidil</i>	52
<i>LUPRON DEPOT</i>	22	<i>mesalamine with cleansing wipe</i>	77	<i>miostat</i>	98
<i>lurasidone</i>	45	<i>mesna</i>	14	<i>mirabegron</i>	105
<i>lutera (28)</i>	94	<i>MESNEX</i>	14	<i>mirtazapine</i>	46
<i>lyleq</i>	92	<i>metformin</i>	71, 72	<i>misoprostol</i>	80
<i>lyllana</i>	92	<i>methadone</i>	38, 39	<i>mitomycin</i>	23
<i>LYNPARZA</i>	22	<i>methadone intensol</i>	38	<i>mitoxantrone</i>	23
<i>LYSODREN</i>	22	<i>methadose</i>	39	<i>M-M-R II (PF)</i>	83
<i>LYTGOBI</i>	22	<i>methazolamide</i>	98	<i>modafinil</i>	46
<i>LYUMJEV KWIKPEN U-100 INSULIN</i>	71	<i>methenamine hippurate</i>	13	<i>moexipril</i>	52
<i>LYUMJEV KWIKPEN U-200 INSULIN</i>	71	<i>methenamine mandelate</i>	13	<i>molindone</i>	46
<i>LYUMJEV U-100 INSULIN</i>	71	<i>methimazole</i>	69	<i>mometasone</i>	64, 102
<i>lyza</i>	92	<i>methotrexate sodium</i>	23	<i>monodoxine nl</i>	13
M		<i>methotrexate sodium (pf)</i>	23	<i>MONJUVI</i>	23
<i>magnesium chloride</i>	106	<i>methoxsalen</i>	60	<i>mono-linyah</i>	95
<i>magnesium sulfate</i>	106	<i>methsuximide</i>	32	<i>montelukast</i>	102
MAGNESIUM SULFATE IN D5W	106	<i>methylergonovine</i>	96	<i>morphine</i>	39
<i>magnesium sulfate in water</i>	106	<i>methylphenidate hcl</i>	46	<i>morphine (pf)</i>	39
<i>malathion</i>	64	<i>methylprednisolone</i>	68	<i>morpheine concentrate</i>	39
<i>mannitol 20 %</i>	52	<i>methylprednisolone acetate</i>	68	<i>MOUNJARO</i>	72
<i>mannitol 25 %</i>	52	<i>methylprednisolone sodium succ</i>	68	<i>MOVANTIK</i>	77
<i>maraviroc</i>	4	<i>metoclopramide hcl</i>	77	<i>moxifloxacin</i>	13, 96
<i>MARGENZA</i>	22	<i>metolazone</i>	52	<i>moxifloxacin-sod.chloride(iso)</i>	13
<i>marlissa (28)</i>	94	<i>metoprolol succinate</i>	52	MOZOBIL	80
<i>MARPLAN</i>	46	<i>metoprolol ta-hydrochlorothiaz</i>	52	MRESVIA (PF)	83
<i>MATULANE</i>	22	<i>metoprolol tartrate</i>	52	MULTAQ	49
<i>matzim la</i>	52	<i>metro i.v.</i>	9	<i>mupirocin</i>	61
<i>meclizine</i>	77	<i>metronidazole</i>	9, 61, 93	MYALEPT	74
<i>medroxyprogesterone</i>	92	<i>metronidazole in nacl (iso-os)</i>	9	<i>mycophenolate mofetil</i>	23
<i>mefloquine</i>	9	<i>metyrosine</i>	52	<i>mycophenolate mofetil (hcl)</i>	23
<i>megestrol</i>	22, 23	<i>mexiletine</i>	49	<i>mycophenolate sodium</i>	23
<i>MEKINIST</i>	23	<i>micafungin</i>	2	MYFEMBREE	93
<i>MEKTOVI</i>	23	<i>microgestin 1.5/30 (21)</i>	94	MYHIBBIN	23
		<i>microgestin 1/20 (21)</i>	95	MYLOTARG	23
				MYRBETRIQ	105
				N	
				<i>nabumetone</i>	40

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

<i>nadolol</i>	52	<i>nitro-bid</i>	58	OJEMDA	24
<i>nafcillin</i>	12	<i>nitrofurantoin macrocrystal</i>	14	OJJAARA	24
<i>nafcillin in dextrose iso-osm</i>	12	<i>nitrofurantoin monohyd/m-</i>		<i>olanzapine</i>	46
<i>naftifine</i>	62	<i>cryst</i>	14	<i>olanzapine-fluoxetine</i>	46
NAGLAZYME	74	<i>nitroglycerin</i>	58, 78	<i>olmesartan</i>	52
<i>nalbuphine</i>	40	<i>nitroglycerin in 5 % dextrose</i>	58	<i>olmesartanamlodipin-</i>	
<i>naloxone</i>	40			<i>hcثiazid</i>	52
<i>naltrexone</i>	40	NIVESTYM	81	<i>olmesartan-</i>	
NAMZARIC	36	<i>nizatidine</i>	80	<i>hydrochlorothiazide</i>	52
<i>naproxen</i>	40	<i>nora-be</i>	92	<i>olopatadine</i>	97
<i>naproxen sodium</i>	40	<i>norelgestromin-ethinestradiol</i>	93	<i>omega-3 acid ethyl esters</i>	57
<i>naratriptan</i>	35	<i>norepinephrine bitartrate</i>	58	<i>omeprazole</i>	80
NATACYN	96	<i>norethindrone (contraceptive)</i>	92	OMNIPOD 5 G6-G7 INTRO	
<i>nateglinide</i>	72	<i>norethindrone acetate</i>	92	KT(GEN5)	85
NAYZILAM	32	<i>norethindrone ac-eth estradiol</i>	92, 95	OMNIPOD 5 G6-G7 PODS	
<i>nebivolol</i>	52	<i>norethindrone-e.estradol-iron</i>	95	(GEN 5)	85
<i>nefazodone</i>	46	<i>norgestimate-ethynodiol estradiol</i>	95	OMNIPOD CLASSIC PODS	
<i>nelarabine</i>	23	<i>nortrel 0.5/35 (28)</i>	95	(GEN 3)	86
<i>neomycin</i>	9	<i>nortrel 1/35 (21)</i>	95	OMNIPOD DASH INTRO	
<i>neomycin-bacitracin-poly-hc</i>	98	<i>nortrel 1/35 (28)</i>	95	KIT (GEN 4)	86
<i>neomycin-bacitracin-</i>		<i>nortrel 7/7/7 (28)</i>	95	OMNIPOD DASH PODS	
<i>polymyxin</i>	96	<i>nortriptyline</i>	46	(GEN 4)	86
<i>neomycin-polymyxin b gu</i>	64	<i>NORVIR</i>	4	OMNIPOD GO PODS	86
<i>neomycin-polymyxin b-</i>		<i>NUBEQA</i>	23	OMNIPOD GO PODS 10	
<i>dexameth</i>	99	<i>NUCALA</i>	102	UNITS/DAY	86
<i>neomycin-polymyxin-</i>		<i>NUDEEXTA</i>	36	OMNIPOD GO PODS 15	
<i>gramicidin</i>	96	<i>NULOJIX</i>	23	UNITS/DAY	86
<i>neomycin-polymyxin-hc</i>	68, 99	<i>NUPLAZID</i>	46	OMNIPOD GO PODS 20	
<i>neo-polycin</i>	96	<i>NURTEC ODT</i>	35	UNITS/DAY	86
<i>neo-polycin hc</i>	99	<i>nyamyc</i>	62	OMNIPOD GO PODS 25	
NERLYNX	23	<i>nystatin</i>	2, 62	UNITS/DAY	86
NEUPRO	34	<i>nystatin-triamcinolone</i>	62	OMNIPOD GO PODS 30	
<i>nevirapine</i>	4	<i>nystop</i>	62	UNITS/DAY	86
NEXLETOL	56	<i>NYVEPRIA</i>	81	OMNIPOD GO PODS 40	
NEXLIZET	57	O		UNITS/DAY	86
NEXPLANON	93	<i>OCALIVA</i>	78	OMNITROPE	81
<i>niacin</i>	57	<i>octreotide acetate</i>	24	ONCASPAR	24
<i>nicardipine</i>	52	<i>octreotide,microspheres</i>	24	<i>ondansetron</i>	78
NICOTROL	67	<i>ODEFSEY</i>	4	<i>ondansetron hcl</i>	78
NICOTROL NS	67	<i>ODOMZO</i>	24	<i>ondansetron hcl (pf)</i>	78
<i>nifedipine</i>	52	<i>OFEV</i>	102	ONIVYDE	24
<i>nikki (28)</i>	95	<i>ofloxacin</i>	68, 96	ONUREG	24
<i>nilutamide</i>	23	<i>OGSIVEO</i>	24	OPDIVO	24
<i>nimodipine</i>	52			OPDUALAG	24
NINLARO	23			<i>opium tincture</i>	76
<i>nisoldipine</i>	52			OPSUMIT	102
<i>nitazoxanide</i>	9			OPSYNVI	102
<i>nitisinone</i>	66			<i>oralone</i>	67

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

ORENCIA	90
ORENCIA (WITH MALTOSE).....	90
ORENCIA CLICKJECT	90
ORGOVYX.....	24
ORKAMBI	103
ORSERDU	24
<i>oseltamivir</i>	4
<i>osmitrol 20 %</i>	52
OTEZLA	90
OTEZLA STARTER	91
<i>oxacillin</i>	12
<i>oxacillin in dextrose(iso-osm)</i>	12
<i>oxaliplatin</i>	24, 25
<i>oxaprozin</i>	40
<i>oxcarbazepine</i>	32
OXERVATE	97
<i>oxybutynin chloride</i>	105
<i>oxycodone</i>	39
<i>oxycodone-acetaminophen</i> ...	39
OXYCONTIN	39
OZEMPIC	72
OZURDEX	99
P	
<i>pacerone</i>	49
<i>paclitaxel</i>	25
PADCEV	25
<i>paliperidone</i>	46
<i>palonosetron</i>	78
<i>pamidronate</i>	74
PANRETIN	60
<i>pantoprazole</i>	80
<i>paraplatin</i>	25
<i>paricalcitol</i>	74
<i>paramomycin</i>	9
<i>paroxetine hcl</i>	46
PAXLOVID	5
<i>pazopanib</i>	25
PEDIARIX (PF).....	83
PEDVAX HIB (PF).....	83
<i>peg 3350-electrolytes</i>	78
<i>peg3350-sod sul-nacl-kcl-asp-c</i>	78
PEGASYS	81
<i>peg-electrolyte</i>	78
PEMAZYRE	25
<i>pemetrexed disodium</i>	25
PEN NEEDLES (NON- PREFERRED BRANDS).....	86
PENBRAYA (PF)	83
<i>penciclovir</i>	62
<i>penicillamine</i>	91
PENICILLIN G POT IN DEXTROSE	12
<i>penicillin g potassium</i>	12
<i>penicillin g sodium</i>	12
<i>penicillin v potassium</i>	12
PENTACEL (PF)	83
<i>pentamidine</i>	10
PENTASA	78
<i>pentobarbital sodium</i>	46
<i>pentoxifylline</i>	55
<i>perindopril erbumine</i>	53
<i>periogard</i>	67
PERJETA	25
<i>permethrin</i>	64
<i>perphenazine</i>	46
PERSERIS.....	46
<i>pfizerpen-g</i>	12
<i>phenelzine</i>	47
<i>phenobarbital</i>	32
<i>phenobarbital sodium</i>	32
<i>phentolamine</i>	53
<i>phenytoin</i>	32
<i>phenytoin sodium</i>	32
<i>phenytoin sodium extended</i> ..	32
<i>philith</i>	95
PHOSPHOLINE IODIDE....	97
PIFELTRO	5
<i>pilocarpine hcl</i>	66, 97
<i>pimecrolimus</i>	60
<i>pimozide</i>	47
<i>pimtrea (28)</i>	95
<i>pindolol</i>	53
<i>pioglitazone</i>	72
<i>piperacillin-tazobactam</i>	12
PIQRAY	25
<i>pirfenidone</i>	103
<i>piroxicam</i>	41
<i>pitavastatin calcium</i>	57
PLASMA-LYTE A	108
PLEGRIDY	81
PLENAMINE	108
<i>plerixafor</i>	81
<i>podofilox</i>	60
POLIVY	25
<i>polocaine</i>	60
<i>polocaine-mpf</i>	60
<i>polycin</i>	96
<i>polymyxin b sulf-trimethoprim</i>	96
POMALYST	25
<i>portia 28</i>	95
PORTRAZZA.....	25
<i>posaconazole</i>	2
<i>potassium acetate</i>	106
<i>potassium chlorid-d5- 0.45%nacl</i>	106
<i>potassium chloride</i>	107
<i>potassium chloride in 0.9%nacl</i>	107
<i>potassium chloride in 5 % dex</i>	107
<i>potassium chloride in lr-d5</i> ..	107
<i>potassium chloride in water</i> ..	107
<i>potassium chloride-0.45 % nacl</i>	107
<i>potassium chloride-d5- 0.2%nacl</i>	107
<i>potassium chloride-d5- 0.9%nacl</i>	107
<i>potassium citrate</i>	105
<i>potassium phosphate m/d- basic</i>	107
POTELIGEO	25
PRALATREXATE	25
<i>pramipexole</i>	34
<i>prasugrel</i>	55
<i>pravastatin</i>	57
<i>praziquantel</i>	10
<i>prazosin</i>	53
<i>prednicarbate</i>	64
<i>prednisolone</i>	68
<i>prednisolone acetate</i>	99
<i>prednisolone sodium phosphate</i>	68, 99
<i>prednisone</i>	69
<i>prednisone intensol</i>	68
<i>pregabalin</i>	32, 33
PREHEVBRIOP (PF)	83
PREMARIN	92
<i>premasol 10 %</i>	108
PREMPHASE.....	92

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

PREMPRO	92
<i>prenatal vitamin oral tablet</i>	109
prevalite.....	57
PREVIDENT 5000 BOOSTER PLUS	67
PREVIDENT 5000 DRY MOUTH	67
PREVYMIS.....	5
PREZCOBIX.....	5
PREZISTA	5
PRIFTIN.....	10
PRIMAQUINE.....	10
<i>primidone</i>	33
PRIMIDONE.....	33
PRIORIX (PF).....	83
PRIVIGEN	83
<i>probencid</i>	86
<i>probencid-colchicine</i>	86
<i>procainamide</i>	49
<i>prochlorperazine</i>	78
<i>prochlorperazine edisylate</i> ...	78
<i>prochlorperazine maleate oral</i>	78
PROCRIT	81
<i>procto-med hc</i>	78
<i>proctosol hc</i>	78
<i>protozozone-hc</i>	78
<i>progesterone</i>	92
<i>progesterone micronized</i>	92
PROGRAF	25
PROLASTIN-C.....	66
PROLENSA	98
PROLIA	87
PROMACTA.....	55
<i>promethazine</i>	100
<i>propafenone</i>	49
<i>propranolol</i>	53
<i>propylthiouracil</i>	69
PROQUAD (PF)	84
<i>protamine</i>	55
<i>protriptyline</i>	47
PULMICORT FLEXHALER	103
PULMOZYME	103
PURIXAN	25
<i>pyrazinamide</i>	10
<i>pyridostigmine bromide</i>	37
<i>pyrimethamine</i>	10
Q	
QINLOCK	25
QTERN.....	72
QUADRACEL (PF)	84
<i>quetiapine</i>	47
<i>quinapril</i>	53
<i>quinapril-hydrochlorothiazide</i>	53
<i>quinidine sulfate</i>	50
<i>quinine sulfate</i>	10
QULIPTA.....	35
QVAR REDIHALER	103
R	
RABAVERT (PF)	84
RADICAVA ORS	36
RADICAVA ORS STARTER KIT SUSP.....	36
<i>raloxifene</i>	87
<i>ramelteon</i>	47
<i>ramipril</i>	53
<i>ranolazine</i>	58
<i>rasagiline</i>	34
<i>reclipsen (28)</i>	95
RECOMBIVAX HB (PF)	84
RECTIV.....	78
REGRANEX	61
RELENZA DISKHALER	5
RELISTOR	78
REMICADE	78
RENACIDIN	105
<i>repaglinide</i>	72
REPATHA	57
REPATHA PUSHTRONEX	57
REPATHA SURECLICK	57
RETACRIT	81
RETEVMO	25
RETROVIR	5
REVCovi	66
REVLIMID	25
<i>revonto</i>	37
REXULTI	47
REYATAZ	5
REZDIFRA	66
REZLIDHIA	25
REZUROCK	26
RHOPRESSA	98
<i>ribavirin</i>	5
RIDAURA	91
<i>rifabutin</i>	10
<i>rifampin</i>	10
<i>riluzole</i>	66
<i>rimantadine</i>	5
<i>ringer's</i>	64, 107
RINVOQ	91
RINVOQ LQ	91
<i>risedronate</i>	66, 87
RISPERDAL CONSTA	47
<i>risperidone</i>	47
<i>risperidone microspheres</i>	47
<i>ritonavir</i>	5
<i>rivastigmine</i>	37
<i>rivastigmine tartrate</i>	37
<i>rizatriptan</i>	35
ROCKLATAN	98
<i>roflumilast</i>	103
<i>romidepsin</i>	26
<i>ropinirole</i>	34
<i>rosuvastatin</i>	57
ROTARIX	84
ROTATEQ VACCINE.....	84
<i>roweepra</i>	33
ROZLYTREK	26
RUBRACA	26
<i>rufinamide</i>	33
RUKOBIA	5
RUXIENCE	26
RYBELSUS	72
RYBREVANT	26
RYDAPT	26
RYLAZE	26
RYTELO	26
S	
<i>sajazir</i>	103
<i>salsalate</i>	41
SANCUSO	78
SANDOSTATIN LAR DEPOT	26
SANTYL	61
<i>sapropterin</i>	74
SARCLISA	26
SAVELLA	91
<i>saxagliptin</i>	72
<i>saxagliptin-metformin</i>	72
SCEMBLIX	26
<i>scopolamine base</i>	78
SECUADO	47

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

SEGLUROMET	72
selegiline hcl.....	34
selenium sulfide	59
SELZENTRY	5
sertraline	47
setlakin	95
sevelamer carbonate	66
sf 67	
sf 5000 plus	67
sharobel.....	92
SHINGRIX (PF).....	84
SIGNIFOR	26
sildenafil	105
sildenafil (pulmonary arterial hypertension).....	103
silodosin	105
silver sulfadiazine.....	61
SIMBRINZA.....	98
SIMLANDI(CF)	
AUTOINJECTOR.....	91
SIMULECT	26
simvastatin.....	57
sirolimus	26
SIRTURO.....	10
SKYRIZI	59, 78, 79
sodium acetate.....	107
sodium benzoate-sod phenylacet.....	66
sodium bicarbonate	107
sodium chloride	66, 108
sodium chloride 0.45 %....	107
sodium chloride 0.9 %.....	66
sodium chloride 3 % hypertonic.....	107
sodium chloride 5 % hypertonic	107
sodium fluoride 5000 dry mouth	67
sodium fluoride 5000 plus	67
sodium fluoride-pot nitrate...67	
sodium nitroprusside	58
SODIUM OXYBATE	48
sodium phenylbutyrate	66
sodium phosphate	108
sodium polystyrene sulfonate66	
sodium,potassium,mag sulfates	79
solifenacin	105
SOLIQUA 100/33	72
SOLTAMOX.....	26
SOMATULINE DEPOT	26
SOMAVERT	74
sorafenib	26
sorine	50
sotalol	50
sotalol af	50
SPIRIVA RESPIMAT	103
spironolactone	53
spironolacton-	
hydrochlorothiaz	53
SPRAVATO.....	48
sprintec (28)	95
SPRITAM.....	33
SPRYCEL	26
sps (with sorbitol)	66
sronyx	95
ssd	61
STEGLATRO	72
STELARA	59
STIOLTO RESPIMAT	103
STIVARGA.....	26
STRENSIQ.....	74
STREPTOMYCIN	10
STRIBILD	5
STRIVERDI RESPIMAT	103
subvenite	33
subvenite starter (blue) kit....	33
subvenite starter (green) kit .33	
subvenite starter (orange) kit33	
SUCRAID	79
sucralfate	80
sulfacetamide sodium	97
sulfacetamide sodium (acne) 61	
sulfacetamide-prednisolone..97	
sulfadiazine.....	13
sulfamethoxazole-trimethoprim	13
sulfasalazine	79
sulindac	41
sumatriptan.....	35
sumatriptan succinate.....	35
sunitinib malate	27
SUNLENCA.....	5
syeda	95
SYMDEKO	103
SYMLINPEN 120	72
SYMLINPEN 60	72
SYMPAZAN	33
SYMTUZA	5
SYNAGIS	5
SYNJARDY	72
SYNJARDY XR.....	72
T	
TABLOID.....	27
TABRECTA	27
tacrolimus	27, 61
tadalafil (pulmonary arterial hypertension) oral tablet 20 mg	103
TAFINLAR	27
tafluprost (pf).....	98
TAGRISSO.....	27
TALTZ AUTOINJECTOR ..59	
TALTZ AUTOINJECTOR (2 PACK)	59
TALTZ AUTOINJECTOR (3 PACK)	59
TALTZ SYRINGE	59
TALVEY	27
TALZENNA	27
tamoxifen	27
tamsulosin.....	105
tarina 24 fe	95
tarina fe 1-20 eq (28).....	95
TASIGNA.....	27
tazarotene	61
tazicef.....	7
TAZVERIK	27
TDVAX	84
TECENTRIQ	27
TECENTRIQ HYBREZA ..27	
TECVAYLI	27
TEFLARO	7
telmisartan	53
telmisartan-amlodipine.....	53
telmisartan-hydrochlorothiazid	53
TEMODAR	27
temsirolimus	27
TENIVAC (PF)	84
tenofovir disoproxil fumarate .5	
TEPMETKO	27
terazosin	53
terbinafine hcl.....	2

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

<i>terbutaline</i>	103, 104	TOUJEO SOLOSTAR U-300	73
<i>terconazole</i>	93	INSULIN	73
<i>teriflunomide</i>	37	TRADJENTA	73
TERIPARATIDE	87	<i>tramadol</i>	41
<i>testosterone</i>	74, 75	<i>tramadol-acetaminophen</i>	41
<i>testosterone cypionate</i>	74	<i>trandolapril</i>	53
<i>testosterone enanthate</i>	74	<i>trandolapril-verapamil</i>	53
TETANUS,DIPHTHERIA TOX PED(PF)	84	<i>tranexamic acid</i>	93
<i>tetrabenazine</i>	37	<i>tranylcypromine</i>	48
<i>tetracycline</i>	13	<i>travasol 10 %</i>	108
TEVIMBRA	27	<i>travoprost</i>	98
THALOMID	27	TRAZIMERA	28
THEO-24	104	<i>trazodone</i>	48
<i>theophylline</i>	104	TRECATOR	10
<i>thioridazine</i>	48	TRELEGY ELLIPTA	104
<i>thiotepa</i>	27	TRELSTAR	28
<i>thiothixene</i>	48	<i>treprostinil sodium</i>	53
<i>tiadylt er</i>	53	<i>tretinoin (antineoplastic)</i>	28
<i>tiagabine</i>	33	<i>tretinoin topical</i>	61
TIBSOVO	27	<i>triamcinolone acetonide</i>	64, 67, 69
TICE BCG	84	<i>triamterene-hydrochlorothiazid</i>	53
TICOVAC	84	<i>tridacaine ii</i>	61
<i>tigecycline</i>	10	<i>triderm</i>	64
<i>tilia fe</i>	95	<i>trientine</i>	66
<i>timolol maleate</i>	53, 97	<i>tri-estarrylla</i>	95
<i>tinidazole</i>	10	<i>trifluoperazine</i>	48
<i>tiotropium bromide</i>	104	<i>trifluridine</i>	97
TIVDAK	27	TRIJARDY XR	73
TIVICAY	5	TRIKAFTA	104
TIVICAY PD	5	<i>tri-legest fe</i>	95
<i>tizanidine</i>	37	<i>tri-linyah</i>	95
TOBI PODHALER	10	<i>tri-lo-estarrylla</i>	95
TOBRADEX	99	<i>tri-lo-marzia</i>	95
<i>tobramycin</i>	10, 96	<i>tri-lo-sprintec</i>	95
<i>tobramycin in 0.225 % nacl</i>	10	<i>trimethoprim</i>	14
<i>tobramycin sulfate</i>	10	<i>trimipramine</i>	48
<i>tobramycin-dexamethasone</i>	99	TRINTELLIX	48
<i>tolterodine</i>	105	<i>tri-sprintec (28)</i>	95
<i>tolvaptan</i>	75	TRIUMEQ	5
<i>topiramate</i>	33	TRIUMEQ PD	5
<i>topotecan</i>	27	<i>trivora (28)</i>	95
<i>toremifene</i>	27	TRODELVY	28
<i>torpenz</i>	28	TROGARZO	5
<i>torsemide</i>	53	TROPHAMINE 10 %	109
TOUJEO MAX U-300 SOLOSTAR	73	<i>trospium</i>	105
		TRULANCE	79
		TRULICITY	73
		TRUMENBA	84
		TRUQAP	28
		TUKYSA	28
		TURALIO	28
		<i>turqoz (28)</i>	95
		TWINRIX (PF)	84
		TYENNE	91
		TYENNE AUTOINJECTOR	91
		TYPHIM VI	84
		TYVASO	104
		TYVASO INSTITUTIONAL START KIT	104
		UBRELVY	35
		<i>unithroid</i>	75
		UNITUXIN	28
		UPTRAVI	53
		<i>ursodiol</i>	79
		UZEDY	48
		V	
		<i>valacyclovir</i>	6
		VALCHLOR	61
		<i>valganciclovir</i>	6
		<i>valproate sodium</i>	33
		<i>valproic acid</i>	33
		<i>valproic acid (as sodium salt)</i>	33
		<i>valrubicin</i>	28
		<i>valsartan</i>	53
		<i>valsartan-hydrochlorothiazide</i>	53
		VALTOCO	33
		<i>vancomycin</i>	10, 11
		VANCOMYCIN	10
		VANCOMYCIN IN 0.9 % SODIUM CHL	10
		<i>vandazole</i>	93
		VANFLYTA	28
		VAQTA (PF)	85
		<i>varenicline</i>	67
		VARIVAX (PF)	85
		VARIZIG	85
		VARUBI	79
		VAXCHORA VACCINE	85

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

VECAMYL	58	VRAYLAR	48	zaleplon	48, 49
VECTIBIX	28	VUMERTY	37	ZALTRAP	29
VEKLURY	6	VYNDAMAX	58	ZANOSAR	29
veletri	53	VYXEOS	29	ZARXIO	81
velivet triphasic regimen (28)		W		ZEGALOGUE	
	95	warfarin	55	AUTOINJECTOR	73
VELPHORO	66	water for irrigation, sterile	66	ZEGALOGUE SYRINGE	73
VELTASSA	66	WELIREG	29	ZEJULA	29
VEMLIDY	6	weva (28)	96	ZELBORA	29
VENCLEXTA	28	wescap-pn dha	109	zenatane	61
VENCLEXTA STARTING PACK	28	wixela inhub	104	ZENPEP	79
venlafaxine	48	X		ZEPOSIA	37
verapamil	53, 54	XALKORI	29	ZEPOSIA STARTER KIT (28-DAY)	37
VERQUVO	58	XARELTO	56	ZEPOSIA STARTER PACK (7-DAY)	37
VERSACLOZ	48	XARELTO DVT-PE TREAT 30D START	56	ZEPZELCA	29
VERZENIO	28	XATMEP	29	zidovudine	6
vestura (28)	95	XCOPRI	33, 34	ZIEXTENZO	81
V-GO 20	86	XCOPRI MAINTENANCE PACK	33	ziprasidone hcl	49
V-GO 30	86	XCOPRI TITRATION PACK	34	ziprasidone mesylate	49
V-GO 40	86	XDEMVY	98	ZIRABEV	29
VIBATIV	11	XELJANZ	91	ZIRGAN	97
VIBERZI	79	XELJANZ XR	91	ZOLADEX	29
vienna	95	XERMELO	29	zoledronic acid	75
vigabatrin	33	XGEVA	14	zoledronic acid-mannitol-water	66
vigadrone	33	XIAFLEX	66	ZOLINZA	29
vigpoder	33	XIFAXAN	11	zolmitriptan	35
vilazodone	48	XIGDUO XR	73	zolpidem	49
VIMIZIM	75	XiIDRA	98	ZONISADE	34
vinblastine	28	XOFLUZA	6	zonisamide	34
vincristine	28	XOLAIR	104	zovia 1-35 (28)	96
vinorelbine	28	XOSPATA	29	ZTALMY	34
VIOKACE	79	XPOVIO	29	ZUBSOLV	41
viorele (28)	96	XTANDI	29	zumandimine (28)	96
VIRACEPT	6	xulane	93	ZURZUVAE	49
VIREAD	6	Y		ZYDELIG	29
VISTOGARD	14	YERVOY	29	ZYKADIA	30
VITRAKVI	28	YF-VAX (PF)	85	ZYMFENTRA	79
VIVITROL	41	YONDELIS	29	ZYNLONTA	30
VIZIMPRO	28	yuvafem	92	ZYNYZ	30
VONJO	28	Z		ZYPREXA RELPREVV	49
VORANIGO	29	zafemy	93		
voriconazole	2	zafirlukast	104		
VOSEVI	6				
VOTRIENT	29				

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为 11/18/2024

2024 年 D 章《世衛組織標準處方集》（綜合）

此處方集更新於 2024 年 12 月 1 日。如需瞭解更多最新資訊或有其他問題，請聯系 Brand New Day 會員服務部，電話：(877) 621-8798。（TTY 用戶請撥打全天候服務熱線 (800) 899-2114），或造訪 www.bndhmo.com。